


Restricted to: General Release

USED ON

THIS DRAWING IS A CONTROLLED DOCUMENT



Left Side

Connector(s): LC-Duplex
Mode: SM
Housing Color: Blue
Geom. Spec: N/A

Fiber Path

A - - B
B - - A

Right Side

Connector(s): SC-Duplex
Mode: SM
Housing Color: Blue
Geom. Spec: N/A

Notes:

- 1 IL and RL tested at 1310nm.
- 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 3 Label 2 will not be present on any cable assembly less than 5 meters long.
- 4 Includes dust caps (not shown on print).

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

A	Rev Per	EC#	None	11/7/2006	-	DF	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± .
	1 PLC ± .
	2 PLC ± .
	3 PLC ± .
	4 PLC ± .

Customer Print

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
CHK	Dave Fennell		
APVD	Dave Fennell	AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
NAME	FO C/A - 2 fiber, SM, OFNP (Plenum) jacket, LC-Duplex to SC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1907459	1 of 3
			REV
			A

8 7 6 5 4 3 2 1

CAC Customer Layout Rev: D

Restricted to: General Release

USED ON

Label 1 Per specification 107-1645-1



Trace # - Bar Code
 Trace # - Human Readable
 Part Number
 Country of Origin

This label is used on all lengths on this drawing.

Label 2 Per specification 107-1645-1



Trace # - Bar Code
 Trace # - Human Readable
 Part Number
 Country of Origin

This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THIS DRAWING. IT MAY NOT BE DISCLOSED TO ANYONE OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
 CE
 DIST
 16

A	Rev Per	EC#	None	11/7/2006	-	DF	
P	LTR		REVISION RECORD	DATE	DN	APVD	

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±



Customer Print

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
OK	Dave Fennell		
APVD	Dave Fennell		
NAME	FO C/A - 2 fiber, SM, OFNP (Plenum) jacket, LC-Duplex to SC-Duplex		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 1907459	3 of 3
			REV
			A

8 7 6 5 4 3 2 1

A B C D