[For High Quality and/or Reliability Equipment (Automotive / Industrial Equipment)]

Notice for TAIYO YUDEN Products

Please read this notice before using the TAIYO YUDEN products.

!\ REMINDERS

Product information in this catalog is as of October 2017. All of the contents specified herein are subject to change without notice due to technical improvements, etc. Therefore, please check for the latest information carefully before practical application or use of our products.

Please note that TAIYO YUDEN shall not be in any way responsible for any damages and defects in products or equipment incorporating our products, which are caused under the conditions other than those specified in this catalog or individual product specification sheets.

- Please contact TAIYO YUDEN for further details of product specifications as the individual product specification sheets are available.
- Please conduct validation and verification of our products in actual condition of mounting and operating environment before using our products.
- The products listed in this catalog are intended for use in general electronic equipment (e.g., AV equipment, OA equipment, home electric appliances, office equipment, information and communication equipment), medical equipment classified as Class I or II by IMDRF, industrial equipment, and automotive interior applications, etc. Please be sure to contact TAIYO YUDEN for further information before using the products for any equipment which may directly cause loss of human life or bodily injury (e.g., transportation equipment including, without limitation, automotive powertrain control system, train control system, and ship control system, traffic signal equipment, medical equipment classified as Class III by IMDRF).

Please do not incorporate our products into any equipment requiring high levels of safety and/or reliability (e.g., aerospace equipment, aviation equipment*, medical equipment classified as Class IV by IMDRF, nuclear control equipment, undersea equipment, military equipment).

*Note: There is a possibility that our products can be used only for aviation equipment that does not directly affect the safe operation of aircraft (e.g., in-flight entertainment, cabin light, electric seat, cooking equipment) if such use meets requirements specified separately by TAIYO YUDEN. Please be sure to contact TAIYO YUDEN for further information before using our products for such aviation equipment.

When our products are used even for high safety and/or reliability-required devices or circuits of general electronic equipment, it is strongly recommended to perform a thorough safety evaluation prior to use of our products and to install a protection circuit as necessary.

Please note that unless you obtain prior written consent of TAIYO YUDEN, TAIYO YUDEN shall not be in any way responsible for any damages incurred by you or third parties arising from use of the products listed in this catalog for any equipment requiring inquiry to TAIYO YUDEN or prohibited for use by TAIYO YUDEN as described above.

- Information contained in this catalog is intended to convey examples of typical performances and/or applications of our products and is not intended to make any warranty with respect to the intellectual property rights or any other related rights of TAIYO YUDEN or any third parties nor grant any license under such rights.
- Please note that the scope of warranty for our products is limited to the delivered our products themselves and TAIYO YUDEN shall not be in any way responsible for any damages resulting from a fault or defect in our products. Notwithstanding the foregoing, if there is a written agreement (e.g., supply and purchase agreement, quality assurance agreement) signed by TAIYO YUDEN and your company, TAIYO YUDEN will warrant our products in accordance with such agreement.
- The contents of this catalog are applicable to our products which are purchased from our sales offices or authorized distributors (hereinafter "TAIYO YUDEN's official sales channel"). Please note that the contents of this catalog are not applicable to our products purchased from any seller other than TAIYO YUDEN's official sales channel.
- Caution for Export
 Some of our products listed in this catalog may require specific procedures for export according to "U.S. Export Administration Regulations", "Foreign Exchange and Foreign Trade Control Law" of Japan, and other applicable regulations. Should you have any questions on this matter, please contact our sales staff.

INDUCTORS \ POWER INDUCTORS

WIRE-WOUND CHIP POWER INDUCTORS(CB SERIES)





REFLOW

■PART NUMBER

*Operating Temp.: -40~105°C (Including self-generated heat)

△=Blank space



①Series name				
Ī	Code	Series name		
	CB	Wound chip power inductor		

2)Characteristics					
Code	Characteristics				
ΔΔ	Standard				
ΔC	High current				

3Dimensions (L	× W)	
Code	Type(inch)	Dimensions (L×W)[mm]
2012	2012 (0805)	2.0 × 1.25
2016	2016 (0806)	2.0 × 1.6
2518	2518(1007)	2.5 × 1.8
3225	3225 (1210)	3.2×2.5

4)Packaging	
Code	Packaging
Т	Taping

(5)Nominal induct	(5)Nominal inductance							
Code (example)	Nominal inductance [μ H]							
1R0	1.0							
100	10							
101	100							

※R=Decimal point

М


⑥Inductance tolerance					
Code	Inductance tolerance				
K	±10%				

⑦Special code	
Code	Special code
Δ	Standard
R	Low Rdc type

±20%

®Internal code	
Code	Internal code
V	Inductor for Industrial and Automotive

■STANDARD EXTERNAL DIMENSIONS / STANDARD QUANTITY




Recommended Land Patterns

Surface Mounting

•Mounting and soldering conditions should be checked beforehand.

• Applicable soldering process to these products is reflow soldering only.



Type	Α	В	С
2012	0.60	1.0	1.45
2016	0.60	1.0	1.8
2518	0.60	1.5	2.0
3225	0.85	1.7	2.7
		•	Unit:mm

Туре		W T	т		Standard quantity [pcs]		
Type	_	VV	ı	е	Paper tape	Embossed tape	
CB 2012	2.0±0.2	1.25±0.2	1.25±0.2	0.5±0.2		2000	
CB C2012	(0.079 ± 0.008)	(0.049 ± 0.008)	(0.049 ± 0.008)	(0.020 ± 0.008)	_	3000	
CB 2016	2.0±0.2	1.6±0.2	1.6±0.2	0.5±0.2		2000	
CB C2016	(0.079 ± 0.008)	(0.063 ± 0.008)	(0.063 ± 0.008)	(0.020 ± 0.008)	_	2000	
CB 2518	2.5±0.2	1.8±0.2	1.8±0.2	0.5±0.2	_	2000	
CB C2518	(0.098 ± 0.008)	(0.071 ± 0.008)	(0.071 ± 0.008)	(0.020 ± 0.008)	_	2000	
CB C3225	3.2±0.2	2.5±0.2	2.5±0.2	0.6±0.3		1000	
OB 03223	(0.126 ± 0.008)	(0.098 ± 0.008)	(0.098 ± 0.008)	(0.024 ± 0.012)	_	1000	
	•				•	Unit:mm(inch)	

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

· All the Wire-wound Chip Power Inductors of the catalog lineup are RoHS compliant

Note)

- The exchange of individual specifications is necessary depending on the application and circuit condition. Please contact Taiyo Yuden sales channels
- *2: Industrial products and Medical products

Please consult with TAIYO YUDEN's official sales channel for the details of the product specification, etc., and please review and approve TAIYO YUDEN's product specification before ordering.

Please be sure to contact us for further information before using the components for Automotive equipment.

2012 (0805) type

	Nominal inductance [μ H]	Inductance tolerance		DO Desistence	Rated current ※) [mA]		Measuring	
Part number				DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	frequency[MHz]	Note
CB 2012T1R0M V	1.0	±20%	100	0.15	500	700	7.96	*2
CB 2012T2R2M V	2.2	±20%	80	0.23	410	620	7.96	*2
CB 2012T3R3M V	3.3	±20%	55	0.30	330	550	7.96	*2
CB 2012T4R7M V	4.7	±20%	45	0.40	300	430	7.96	*2
CB 2012T6R8M V	6.8	±20%	38	0.47	250	350	7.96	*2
CB 2012T100[] V	10	±10%, ±20%	32	0.70	190	300	2.52	*2
CB 2012T100[RV	10	±10%, ±20%	32	0.50	200	300	2.52	*2
CB 2012T150[] V	15	±10%, ±20%	28	1.3	170	240	2.52	*2
CB 2012T220[] V	22	±10%, ±20%	16	1.7	135	220	2.52	*2
CB 2012T470[] V	47	±10%, ±20%	11	3.7	90	140	2.52	*2
CB 2012T680[] V	68	±10%, ±20%	10	6.0	70	100	2.52	*2
CB 2012T101[] V	100	±10%, ±20%	8	7.0	60	100	0.796	*2

	Nominal inductance [μ H]	Inductance tolerance	Self-resonant frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Rated current ※)[mA]		Measuring	
Part number					Saturation current Idc1	Temperature rise current Idc2	frequency[MHz]	Note
CB C2012T1R0M V	1.0	±20%	100	0.19	700	640	7.96	*2
CB C2012T2R2M V	2.2	±20%	70	0.33	530	485	7.96	*2
CB C2012T4R7M V	4.7	±20%	45	0.50	360	395	7.96	*2
CB C2012T100[] V	10	±10%, ±20%	40	1.2	240	255	2.52	*2
CB C2012T220□ V	22	±10%, ±20%	16	3.7	170	145	2.52	*2
CB C2012T470 U	47	±10%, ±20%	11	5.8	120	115	2.52	*2

2016 (0806) type

	M 1 11 1 1		Self-resonant	DO D	Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB 2016T1R0M V	1.0	±20%	100	0.09	600	720	7.96	*2
CB 2016T1R5M V	1.5	±20%	80	0.11	550	650	7.96	*2
CB 2016T2R2M V	2.2	±20%	70	0.13	510	600	7.96	*2
CB 2016T3R3M V	3.3	±20%	55	0.20	400	440	7.96	*2
CB 2016T4R7M V	4.7	±20%	45	0.25	340	410	7.96	*2
CB 2016T6R8M V	6.8	±20%	38	0.35	300	330	7.96	*2
CB 2016T100[] V	10	±10%, ±20%	32	0.50	250	270	2.52	*2
CB 2016T150[] V	15	±10%, ±20%	28	0.70	210	220	2.52	*2
CB 2016T220[] V	22	±10%, ±20%	16	1.0	165	190	2.52	*2
CB 2016T330[] V	33	±10%, ±20%	14	1.7	130	140	2.52	*2
CB 2016T470[] V	47	±10%, ±20%	11	2.4	110	120	2.52	*2
CB 2016T680[] V	68	±10%, ±20%	10	3.0	90	110	2.52	*2
CB 2016T101 U	100	±10%, ±20%	8	4.5	70	90	0.796	*2

	Manada al Sankarkana a		Self-resonant	DC Resistance	Rated curren	t ※)[mA]	Managada	
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	$[\Omega](\pm 30\%)$	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C2016T1R0M V	1.0	±20%	100	0.10	1,100	885	7.96	*2
CB C2016T1R5M V	1.5	±20%	80	0.15	1,000	775	7.96	*2
CB C2016T2R2M V	2.2	±20%	70	0.20	750	625	7.96	*2
CB C2016T3R3M V	3.3	±20%	55	0.27	600	535	7.96	*2
CB C2016T4R7M V	4.7	±20%	45	0.37	550	460	7.96	*2
CB C2016T6R8M V	6.8	±20%	38	0.59	450	360	7.96	*2
CB C2016T100[] V	10	±10%, ±20%	32	0.82	380	305	2.52	*2
CB C2016T150[] V	15	±10%, ±20%	28	1.2	300	255	2.52	*2
CB C2016T220 V	22	±10%, ±20%	16	1.8	250	205	2.52	*2
CB C2016T330 V	33	±10%, ±20%	14	2.8	220	165	2.52	*2
CB C2016T470[] V	47	±10%, ±20%	11	4.3	150	130	2.52	*2
CB C2016T680[] V	68	±10%, ±20%	10	7.0	130	105	2.52	*2
CB C2016T101 V	100	±10%, ±20%	8	8.0	110	95	0.796	*2

^{• ☐} Please specify the Inductance tolerance code (Kor M)

- $\frak{\%}$) The saturation current value (Idc1) is the DC current value having inductance decrease down to 30%.(at 20°C)
- %) The temperature rise current value (Idc2) is the DC current value having temperature increase by 20°C.(at 20°C)
- *)The rated current value is following either Idc1 or Idc2, which is the lower one.

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

	Nominal inductance		Self-resonant	DC Resistance	Rated curren	t ※)[mA]	Measuring	
Part number	[μ H]	Inductance tolerance	frequency [MHz] (min.)	$[\Omega](\pm 30\%)$	Saturation current Idc1	Temperature rise current Idc2	frequency[MHz]	Note
CB 2518T1R0M V	1.0	±20%	100	0.06	1,200	1,250	7.96	*2
CB 2518T1R5M V	1.5	±20%	80	0.07	650	1,100	7.96	*2
CB 2518T2R2M V	2.2	±20%	68	0.09	510	1,000	7.96	*2
CB 2518T3R3M V	3.3	±20%	54	0.11	440	900	7.96	*2
CB 2518T4R7MRV	4.7	±20%	46	0.10	310	820	7.96	*2
CB 2518T4R7M V	4.7	±20%	46	0.13	340	820	7.96	*2
CB 2518T6R8M V	6.8	±20%	38	0.15	270	750	7.96	*2
CB 2518T100 V	10	±10%, ±20%	30	0.25	250	600	2.52	*2
CB 2518T150 V	15	±10%, ±20%	23	0.32	180	500	2.52	*2
CB 2518T220 V	22	±10%, ±20%	19	0.50	165	390	2.52	*2
CB 2518T330 V	33	±10%, ±20%	15	0.70	130	320	2.52	*2
CB 2518T470 V	47	±10%, ±20%	12	0.95	110	270	2.52	*2
CB 2518T680 V	68	±10%, ±20%	9.5	1.5	70	210	2.52	*2
CB 2518T101 V	100	±10%, ±20%	9.0	2.1	60	190	0.796	*2
CB 2518T151 V	150	±10%, ±20%	7.0	3.2	55	140	0.796	*2
CB 2518T221 V	220	±10%, ±20%	5.5	4.5	50	110	0.796	*2
CB 2518T331 V	330	±10%, ±20%	4.5	7.0	40	90	0.796	*2
CB 2518T471 V	470	±10%, ±20%	3.5	10	35	70	0.796	*2
CB 2518T681 V	680	±10%, ±20%	3.0	17	30	50	0.796	*2
CB 2518T102[] V	1000	±10%, ±20%	2.4	24	25	45	0.252	*2

			Self-resonant		Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C2518T1R0M V	1.0	±20%	100	0.08	1,000	775	7.96	*2
CB C2518T1R5M V	1.5	±20%	80	0.11	950	730	7.96	*2
CB C2518T2R2M V	2.2	±20%	68	0.13	890	630	7.96	*2
CB C2518T3R3M V	3.3	±20%	54	0.16	730	560	7.96	*2
CB C2518T4R7M V	4.7	±20%	41	0.20	680	510	7.96	*2
CB C2518T6R8M V	6.8	±20%	38	0.30	550	420	7.96	*2
CB C2518T100 U	10	±10%, ±20%	30	0.36	480	375	2.52	*2
CB C2518T150 V	15	±10%, ±20%	23	0.65	350	285	2.52	*2
CB C2518T220 V	22	±10%, ±20%	19	0.77	320	250	2.52	*2
CB C2518T330 V	33	±10%, ±20%	15	1.5	270	185	2.52	*2
CB C2518T470 U	47	±10%, ±20%	12	1.9	240	165	2.52	*2
CB C2518T680 V	68	±10%, ±20%	9.5	2.8	200	140	2.52	*2
CB C2518T101 V	100	±10%, ±20%	9.0	3.7	160	125	0.796	*2
CB C2518T151 V	150	±10%, ±20%	7.0	6.1	140	95	0.796	*2
CB C2518T221 V	220	±10%, ±20%	5.5	8.4	115	80	0.796	*2
CB C2518T331 V	330	±10%, ±20%	4.5	12.3	100	65	0.796	*2
CB C2518T471 V	470	±10%, ±20%	3.5	22	80	50	0.796	*2
CB C2518T681[] V	680	±10%, ±20%	3.0	28	65	45	0.796	*2

3225 (1210) type

3225 (1210) type	N		Self-resonant	DO D	Rated curren	t ※)[mA]		
Part number	Nominal inductance [μ H]	Inductance tolerance	frequency [MHz] (min.)	DC Resistance [Ω](±30%)	Saturation current Idc1	Temperature rise current Idc2	Measuring frequency[MHz]	Note
CB C3225T1R0MRV	1.0	±20%	250	0.055	2,000	1,100	0.1	*2
CB C3225T1R5MRV	1.5	±20%	220	0.060	2,000	1,000	0.1	*2
CB C3225T2R2MRV	2.2	±20%	190	0.080	2,000	930	0.1	*2
CB C3225T3R3MRV	3.3	±20%	160	0.095	2,000	850	0.1	*2
CB C3225T4R7MRV	4.7	±20%	70	0.100	1,250	830	0.1	*2
CB C3225T6R8MRV	6.8	±20%	50	0.120	950	760	0.1	*2
CB C3225T100[RV	10	±10%, ±20%	23	0.133	900	720	0.1	*2
CB C3225T150□RV	15	±10%, ±20%	20	0.195	730	590	0.1	*2
CB C3225T220□RV	22	±10%, ±20%	17	0.27	620	500	0.1	*2
CB C3225T330□RV	33	±10%, ±20%	13	0.41	500	400	0.1	*2
CB C3225T470□RV	47	±10%, ±20%	10	0.67	390	320	0.1	*2
CB C3225T680□RV	68	±10%, ±20%	8.0	1.0	320	260	0.1	*2
CB C3225T101□RV	100	±10%, ±20%	6.0	1.4	270	220	0.1	*2
CB C3225T221 RV	220	±10%, ±20%	3.0	2.5	190	170	0.1	*2
CB C3225T821 RV	820	±10%, ±20%	1.8	12	110	80	0.1	*2
CB C3225T102□RV	1000	±10%, ±20%	1.6	13	100	75	0.1	*2

^{• []} Please specify the Inductance tolerance code (Kor M)

[%]) The saturation current value (Idc1) is the DC current value having inductance decrease down to 30%. (at 20°C) %) The temperature rise current value (Idc2) is the DC current value having temperature increase by 20°C. (at 20°C)


^{*}X) The rated current value is following either Idc1 or Idc2, which is the lower one.

[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).

■ Derating of Rated Current

CB series

Derating of current is necessary for CB series depending on ambient temperature. Please refer to the chart shown below for appropriate derating of current.




[▶] This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our product specification sheets. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our website (http://www.ty-top.com/).


WIRE-WOUND CHIP INDUCTORS (LB SERIES), WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES), WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)


PACKAGING


1 Minimum Quantity Standard Quantity [pcs] Type Paper Tape Embossed Tape LB C3225 1000 CB C3225 LB 3218 2000 LB R2518 LB C2518 2000 LB 2518 CB 2518 CB C2518 LBM2016 LB C2016 LB 2016 2000 CB 2016 CB C2016 LB 2012 LB C2012 LB R2012 3000 CB 2012 CB C2012 CB L2012 4000 LB 1608 4000 LBMF1608 3000 CBMF1608

②Tape material










This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).


Embossed Tape (0.315 inches wide)



т.	Chip	cavity	Insertion pitch	Tape th	nickness
Type	Α	В	F	Т	K
LBM2016	1.75±0.1	2.1±0.1	4.0±0.1	0.3±0.05	1.9max.
	(0.069±0.004)	(0.083±0.004)	(0.157±0.004)	(0.012±0.002)	(0.075max.)
LB C3225	2.8±0.1	3.5±0.1	4.0±0.1	0.3±0.05	4.0max.
CB C3225	(0.110±0.004)	(0.138±0.004)	(0.157±0.004)	(0.012±0.002)	(0.157max.)
LB 3218	2.1±0.1	3.5±0.1	4.0±0.1	0.3±0.05	2.2max.
	(0.083±0.004)	(0.138±0.004)	(0.157±0.004)	(0.012±0.002)	(0.087max.)
LB 2518 CB 2518 LB C2518 CB C2518 LB R2518	2.15±0.1	2.7±0.1	4.0±0.1	0.3±0.05	2.2max.
	(0.085±0.004)	(0.106±0.004)	(0.157±0.004)	(0.012±0.002)	(0.087max.)
LB 2016 CB 2016 LB C2016 CB C2016	1.75±0.1 (0.069±0.004)	2.1±0.1 (0.083±0.004)	4.0±0.1 (0.157±0.004)	0.3±0.05 (0.012±0.002)	1.9max. (0.075max.)
LB 2012 CB 2012 LB C2012 CB C2012 LB R2012	1.45±0.1 (0.057±0.004)	2.25±0.1 (0.089±0.004)	4.0±0.1 (0.157±0.004)	0.25±0.05 (0.010±0.002)	1.45max. (0.057max.)
LBMF1608	1.1±0.1	1.9±0.1	4.0±0.1	0.25±0.05	1.2max.
CBMF1608	(0.043±0.004)	(0.075±0.004)	(0.157±0.004)	(0.010±0.002)	(0.047max.)

Unit:mm(inch)

Card board carrier tape (0.315 inches wide)




_	Chip	cavity	Insertion pitch	Tape thickness
Туре	Α	В	F	Т
OD 1 0010	1.55±0.1	2.3±0.1	4.0±0.1	1.1max.
CB L2012	(0.061 ± 0.004)	(0.091 ± 0.004)	(0.157 ± 0.004)	(0.043max.)
LD 1000	1.0±0.1	1.8±0.1	4.0±0.1	1.1max.
LB 1608	(0.039 ± 0.004)	(0.071 ± 0.004)	(0.157 ± 0.004)	(0.043max.)


Unit:mm(inch)

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

4 Leader and Blank Portion




⑤Reel Size



©Top Tape Strength

The top tape requires a peel-off force 0.2 to 0.7N in the direction of the arrow as illustrated below.

Pull direction



This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

WIRE-WOUND CHIP INDUCTORS (LB SERIES), WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES), WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)

■ RELIABILITY DATA

ture Range	
LB, LBC, LBR Series	
CB, CBC Series	-40∼+105°C(Including self-generated heat)
LBM Series	
Including self-generated heat	
LB, LBC, LBR Series	
CB, CBC Series	_40~+85°C
LBM Series	
LB, CB Series:	
Please refer the term of "7. storage conditions" in precaution	ns.
	T
CB, CBC Series	Within the specified tolerance
LBM Series	
LB, LBC, LBR Series	
CB, CBC Series	Within the specified tolerance
LBM Series	
LB·LBC·LBR·CB·CBC·LBM Series	
Measuring equipment :LCR Mater(HP4285A or its e	quivalent)
LB, LBC, LBR Series	
CB, CBC Series	
LBM Series	Within the specified tolerance
LBM Series	
Measuring equipment : LCR Mater(HP4285A or its eq	uivalent)
LB, LBC, LBR Series	
CB, CBC Series	Within the specified tolerance
LBM Series	
Measuring equipment : DC Ohmmeter (HIOKI 3227 or its equ	ivalent)
Millanov	
· ·	
	Within the appaired tolerance
	Within the specified tolerance
Measuring equipment : Impedance analyzer (HP4291A or its or	 equivalent)
	LB, LBC, LBR Series CB, CBC Series LBM Series Including self-generated heat ture Range (after soldering) LB, LBC, LBR Series CB, CBC Series LBM Series LB, CB Series: Please refer the term of "7. storage conditions" in precaution LB, LBC, LBR Series CB, CBC Series LBM Series LB, LBC, LBR Series CB, CBC Series LBM Series LB, LBC, LBR Series CB, CBC Series LBM Series LB-LBC-LBR-CB-CBC-LBM Series Measuring equipment : LCR Mater (HP4285A or its equipment): LCR Mater (HIOKI 3227 or its equipment): LCR Mater (

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

8.Temperature Char	racteristic				
	LBM2016				Inductance change : Within±10%
	LB2012	LBR2012	CB2012	LB2016	
	CB2016	LB2518	LBR2518	CB2518	Inductance change : Within ± 20%
Specified Value	LBC3225	CBC3225			
	LBC2016	CBC2016	LBC2518	CBC2518	Industrial - N/11 in the OFO/
	LB3218				Inductance change : Within±25%
	LBC2012	CBC2012			Inductance change : Within±35%
	Change of	maximum inductar	ice deviation in	step 1-5	
	C)	Temp	erature (°C)		
	Step	LB,	CB Serie		
Test Methods and	1		20		
Remarks	2		-40		
	3	20(Referer	nce temperature	e)	
	4	+85 (Maximum o	perating tempe	rature)	
	5		20	•	

9.Rasistance to Fle	xure of Substrate	
	LB, LBC, LBR Series	
Specified Value	CB, CBC Series	No damage.
	LBM Series	
Test Methods and Remarks	Warp : 2mm(LB·LBC·LBR·CB·CBC·LBM Series) Test substrate : Board according to JIS C0051 Thickness : 1.0mm Pressing jig 10 20 R340 Board R5 45±2mm 45±2mm	

10.Body Strength			
	LB, LBC, LBR Series		
Specified Value	CB, CBC Series	No damage.	
	LBM Series		
Test Methods and Remarks	LB·LBC·LBR·CB·CBC·LBM Applied force : 10N Duration : 10sec.		

11.Adhesion of term	ninal electrode				
	LB, LBC, LBR Seri	es			
Specified Value	CB, CBC Series		No abnormality.		
	LBM Series				
Test Methods and	LB · LBC · LBR · CB Applied force	·CBC·CBL·LBM : 10N to X and Y directions			
Remarks	Duration	5 sec.			
i terrar no	Test substrate	: Printed board			

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

12.Resistance to vil	bration						
	LB, LBC, LBR Series		Inductance change : Within±20%				
Specified Value	CB, CBC Series		No significant abnormality in appearance.				
	LBM Series		Inductance change : Within±20% No significant abnormality in appearance.				
	LB · LBR · LBC · CB · CBC · LBM : According to JIS C5102 clause 8.2.						
Test Methods and Remarks	Vibration type Directions Frequency range Amplitude Mounting method Recovery	: A : 2 hrs each in X, Y and Z direction : 10 to 55 to 10 Hz(1min.) : 1.5mm : Soldering onto printed board : At least 2 hrs of recovery under these.	ss. Total:6 hrs the standard condition after the test, followed by the measurement within 48				
13.Drop test	T						
	LB, LBC, LBR Series						
Specified Value	CB, CBC Series						
_	LBM Series						
14.Solderability							
	LB. LBC. LBR Series						
Specified Value	CB. CBC Series		At least 90% of surface of terminal electrode is covered by new				
	LBM Series						
	LB·LBC·LBR·CB·CB	C.CRL.I.RM					
Test Methods and Remarks	Solder temperature	: 245±5°C					
	Duration	: 5±0.5sec					
	Flux	: Methanol solution with 25% of c	olophony				
15.Resistance to so	oldering						
	LB, LBC, LBR Series		Inductance change : Within±20%				
Specified Value	CB, CBC Series		Inductance change . Within ± 20 70				
	LBM Series		Inductance change : Within±20%				
Test Methods and Remarks	LB·LBC·LBR·CB·CBC·CBL·LBM: 3 times of reflow oven at 230°C MIN for 40sec. with peak temperature at 260 °C for 5sec.						
16.Resisitance to s	olvent						
10.1103/3/100/100/100/3/	LB, LBC, LBR Series						
Specified Value	, ,		_				
	CB, CBC Series LBM Series						
Test Methods and Remarks		. Doors town outsture					
	Solvent temperature Type of solvent	: Room temperature : Isopropyl alcohol					
	Cleaning conditions	: 90s. Immersion and cleaning.					
17 Th							
17.Thermal shock	IB IBC IBB Cod						
	LB, LBC, LBR Series		Inductance change : Within±20%				
Specified Value	CB, CBC Series		No significant abnormality in appearance.				
	LBM Series						
Test Methods and							
Remarks	_		Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.				

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

Specified Value Specified							
Case	18.Damp heat life to	est					
CBU US-Series No significant abnormality in appearance.	Specified Value	LB, LBC, LBR Series	_				
LBM Series Security Temperature 30±2°C		CB, CBC Series					
Test Methods and Name 1		LBM Series					
Burstion 1000 hrs		Temperature : 60±2°C					
Recovery At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. Specified Value LB, LBC, LBR Series Inductance change : Within ± 20% No significant abnormality in appearance.	Test Methods and	Humidity : 90∼95%RH					
Specified Value LB LBC LBR Series Inductance change : Within ± 20%	Remarks						
LB LBC LBR Series		Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.					
LB LBC LBR Series							
CBC CBC Series LBM Series Series Inductance change : Within ±20% No significant abnormality in appearance.	19.Loading under da	damp heat life test					
LBM Series		LB, LBC, LBR Series	Industrias change: Within + 2004				
LBM Series	Specified Value	CB, CBC Series					
Test Methods and Remarks		LBM Series	appearation.				
Test Methods and Remarks		•	perature : 60±2°C				
Applied current : Rated current Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 20 High temperature life test I.B. LBC, LBR Series	Test Methods and						
Recovery	Remarks						
20.High temperature life test			standard condition after the test, followed by the measurement within 48 hrs.				
LB, LBC, LBR Series		· · · · · · · · · · · · · · · · · · ·					
LB, LBC, LBR Series	20 High temperature	e life test					
Specified Value CB, CBC Series Inductance change: Within±20% No significant abnormality in appearance.							
LBM Series LBM Series Test Methods and Remarks Temperature	Specified Value		The Military Conference of the				
Test Methods and Remarks Temperature : 85±2°C Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 21.Loading at high temperature life test LB, LBC, LBR Series Inductance change : Within±2096 No significant abnormality in appearance. CB, CBC Series Inductance change : Within±2096 No significant abnormality in appearance. Test Methods and Remarks Temperature : 85±2°C Duration : 1000 hrs Applied current : Rated current Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 22.Low temperature life test LB, LBC, LBR Series Inductance change : Within±2096 No significant abnormality in appearance. LBM Series Inductance change : Within±2096 No significant abnormality in appearance. Test Methods and Remarks Temperature : -40±2°C Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 23.Standard condition LB, LBC, LBR Series Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±2096. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±396	Specified Value	<u>'</u>	_				
Test Methods and Remarks Duration Recovery Specified Value CB, CBC Series LB, LBC, LBR Series Second Se	-		To distillibrate abtorniancy in appearance.				
Recovery At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 21.Loading at high temperature life test	Test Methods and	•					
LB, LBC, LBR Series	Remarks						
LB, LBC, LBR Series							
LB, LBC, LBR Series No significant abnormality in appearance.	21.Loading at high t	emperature life test					
Specified Value CB, CBC Series LBM Series Temperature : 85±2°C Duration : 1000 hrs Applied current : Rated current Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 22.Low temperature life test CB, CBC Series LBM Series Test Methods and Remarks Test Methods and Remarks Diagraphic and the standard condition after the test, followed by the measurement within 48 hrs. Test Methods and Remarks Test Methods and Remarks Test Methods and Remarks Diagraphic and the standard condition after the test, followed by the measurement within 48 hrs. 23.Standard condition LB, LBC, LBR Series CB, CBC Series LBM Series Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%		10.100.100.1	Inductance change : Within±20%				
Test Methods and Remarks Duration		LB, LBC, LBR Series	No significant abnormality in appearance.				
Test Methods and Remarks Temperature	Specified Value	CB, CBC Series					
Test Methods and Remarks Duration		LBM Series	_ 				
Remarks Applied current Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 22.Low temperature life test LB, LBC, LBR Series CB, CBC Series LBM Series Test Methods and Remarks Temperature : -40±2°C Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 23.Standard condition LB, LBC, LBR Series CB, CBC Series LBM Series L	-	Temperature : 85±2°C					
Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 22.Low temperature life test LB, LBC, LBR Series	Test Methods and	Duration : 1000 hrs					
22.Low temperature life test Specified Value LB, LBC, LBR Series	Remarks						
LB, LBC, LBR Series Inductance change : Within±20% No significant abnormality in appearance.		Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs.					
LB, LBC, LBR Series Inductance change : Within±20% No significant abnormality in appearance.							
Specified Value CB, CBC Series LBM Series Test Methods and Remarks Temperature : -40±2°C Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 23.Standard condition LB, LBC, LBR Series CB, CBC Series LBM Series LBM Series LBM Series Inductance change : Within±20% No significant abnormality in appearance. Standard condition after the test, followed by the measurement within 48 hrs. Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%	22.Low temperature						
Test Methods and Remarks Temperature : -40±2°C Duration : 1000 hrs Recovery : At least 2 hrs of recovery under the standard condition after the test, followed by the measurement within 48 hrs. 23.Standard condition LB, LBC, LBR Series CB, CBC Series Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%	Specified Value	LB, LBC, LBR Series					
Test Methods and Remarks Temperature		CB, CBC Series					
Duration Remarks Duration Recovery 1000 hrs		LBM Series					
Remarks Duration		•					
23.Standard condition LB, LBC, LBR Series CB, CBC Series Specified Value LBM Series LBM Series Standard test conditions Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%							
LB, LBC, LBR Series CB, CBC Series Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%		. The loads 2 fills of recovery and of the standard condition after the test, followed by the measurement within 40 fills.					
LB, LBC, LBR Series CB, CBC Series Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%							
CB, CBC Series Unless specified, Ambient temperature is 20±15°C and the Relative humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%	23.Standard condition	on					
Specified Value LBM Series humidity is 65±20%. If there is any doubt about the test results, further measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%		LB, LBC, LBR Series	Unless specified, Ambient temperature is 20±15°C and the Relative				
Specified Value LBM Series measurement shall be had within the following limits: Ambient Temperature: 20±2°C Relative humidity: 65±5%		CB, CBC Series					
LBM Series Ambient Temperature: 20±2°C Relative humidity: 65±5%	Specified Value						
Relative humidity: 65±5%	1	LBM Series					
Inductance value is based on our standard measurement systems.							
		Inductance value is based on our standard measurement systems					

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/).

WIRE-WOUND CHIP INDUCTORS (LB SERIES). WIRE-WOUND CHIP POWER INDUCTORS (CB SERIES). WIRE-WOUND CHIP INDUCTORS FOR SIGNAL LINES (LB SERIES M TYPE)

PRECAUTIONS

1. Circuit Design 1. The products listed in this catalogue are intended for use in general electronic equipment (e.g., AV equipment, OA equipment, home electric appliances, office equipment, information and communication equipment), general medical equipment, industrial equipment, and automotive Please be sure to contact TAIYO YUDEN for further information before using the products for any equipment which may directly cause Precautions loss of human life or bodily injury (e.g., specially controlled medical equipment, transportation equipment including, without limitation, automotive powertrain control system, train control system, and ship control system, traffic signal equipment). Please do not incorporate our products into any equipment requiring high levels of safety and/or reliability (e.g., aerospace equipment, aviation equipment, nuclear control equipment, undersea equipment, military equipment, etc.). 2. PCB Design ◆Land pattern design Precautions 1. Please contact any of our offices for a land pattern, and refer to a recommended land pattern of a right figure or specifications. [Recommended Land Patterns] Technical Surface Mounting considerations Mounting and soldering conditions should be checked beforehand. · Applicable soldering process to those products is reflow soldering only. 3. Considerations for automatic placement ◆Adjustment of mounting machine Precautions 1. Excessive impact load should not be imposed on the products when mounting onto the PC boards. 2. Mounting and soldering conditions should be checked beforehand. Technical 1. When installing products, care should be taken not to apply distortion stress as it may deform the products. considerations 4. Soldering

◆Reflow soldering(LB and CB Types)

1. For reflow soldering with either leaded or lead-free solder, the profile specified in "point for controlling" is recommended. ◆Recommended conditions for using a soldering iron


Precautions

1. Put the soldering iron on the land-pattern. Soldering iron's temperature - Below 350°C Duration-3 seconds or less. The soldering iron should not come in contact with inductor directly.

◆Reflow soldering(LB and CB Types)

1. Reflow profile

Technical considerations



- Recommended conditions for using a soldering iron
 - 1. Components can be damaged by excessive heat where soldering conditions exceed the specified range.

5. Cleaning

Precautions

Cleaning conditions

Washing by supersonic waves shall be avoided.

Technical considerations Cleaning conditions

If washed by supersonic waves, the products might be broken.

This catalog contains the typical specification only due to the limitation of space. When you consider the purchase of our products, please check our specification. For details of each product (characteristics graph, reliability information, precautions for use, and so on), see our Web site (http://www.ty-top.com/) .

6. Handling		
Precautions	 ◆Handling 1. Keep the inductors away from all magnets and magnetic objects. ◆Breakaway PC boards (splitting along perforations) 1. When splitting the PC board after mounting inductors, care should be taken not to give any stresses of deflection or twisting to the board. 2. Board separation should not be done manually, but by using the appropriate devices. ◆Mechanical considerations 1. Please do not give the inductors any excessive mechanical shocks. 	
Technical considerations	 ◆Handling 1. There is a case that a characteristic varies with magnetic influence. ◆Breakaway PC boards (splitting along perforations) 1. Planning pattern configurations and the position of products should be carefully performed to minimize stress. ◆Mechanical considerations 1. There is a case to be damaged by a mechanical shock. 	

	♦Storage
	1. To maintain the solderability of terminal electrodes and to keep the packing material in good condition, temperature and humidity in the
	storage area should be controlled.
Precautions	Recommended conditions
	Ambient temperature:0~40°C / Humidity:Below 70% RH
	The ambient temperature must be kept below 30°C even under ideal storage conditions, solderability of products electrodes may
	decrease as time passes. For this reason, These series should be used within 6 months from the time of delivery.
Technical considerations	♦Storage
	1. Under a high temperature and humidity environment, problems such as reduced solderability caused by oxidation of terminal electrodes
	and deterioration of taping/packaging materials may take place.