

Product SKU: C1362.21.90

Product Description: Speaker Wire, UL Listed (Wires, Misc.) 120V max., No. of Conductors: 2, Gauge Size (AWG): 22, Conductor/Strands: 7/30, Jacket: Premium Grade PVC - Clear - 1000 Ft. Spool

Product Category: Electronics - Special Applications - Audio, Video, and Entertainment Cable - Speaker Wire - Clear



Product Construction:

- | | |
|--------------------|--|
| Conductor: | <ul style="list-style-type: none">• 24 thru 12 AWG fully-annealed 1 bare, 1 tin stranded copper per ASTM B-174 |
| Insulation/Jacket: | <ul style="list-style-type: none">• Premium grade PVC |

Product Specification:

- | | |
|------------------------------------|--|
| No. of Conductors: | <ul style="list-style-type: none">• 2• 22 |
| Conductor Size (AWG): | <ul style="list-style-type: none">• 22 |
| Conductor/Strands: | <ul style="list-style-type: none">• 7/30 |
| Jacket Color: | <ul style="list-style-type: none">• Clear |
| Nominal Insulation Thickness (in): | <ul style="list-style-type: none">• 0.020 |
| Nominal Insulation Thickness (mm): | <ul style="list-style-type: none">• 0.51 |
| Nominal Outside Diameter (in): | <ul style="list-style-type: none">• 0.070 x 0.145 |
| Nominal Outside Diameter (mm): | <ul style="list-style-type: none">• 1.77 x 3.68 |
| Standard Packaging: | <ul style="list-style-type: none">• 1000' Spool |
| Standard Package Quantity: | <ul style="list-style-type: none">• 1 |

UPC #:	079407762552
Put-up:	1000
SCC-14:	50079407762555
Cube:	338.1
Weight Per Unit of Measure:	.01
ColorOption:	Clear

Product Information:

Applications:	- Hi-fi and stereo speaker wire - Juke boxes - Lamps - Radios - Suggested voltage rating: 120 Volts - Not for in-wall use
Compliances:	UL Wires Misc. (UL: 120V)
Packaging:	1000' (305 m) Spools 500' (152 m) Spools - Other put-ups available- consult Customer Service

Technical Specifications

[Unit Conversion Factors](#)

[Cable Design Equations - Balanced Pair](#)

[Insulation and Jacket Properties](#)

[Temperature Conversion Chart](#)

[Decimal and Unit Conversion Factors](#)

[Cable Design Equations - Braid Shield](#)

[AWG Conductor Chart](#)

[Conduit Capacity Chart](#)

[Cable Design Equations - Coaxial Cable](#)

[Engineering Prefixes](#)

[Coax Connector Cross Reference](#)

[Glossary](#)



**CAROL
BRAND**