








基板パターンレイアウト(参考)
RECCOMENDED P.C.B PATTERN LAYOUT (REF.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
RELEASED EC NO: 113635 DRWN: RWATANABE01 CHK'D: AIDA APPR: TKANEKO	2016/09/20 2017/03/07 2017/03/07	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®					
				MM		4:1							
		ANGULAR TOL ± 3.0 °		DRWN BY		DATE		CLIK-MATE 2.0 SINGLE ROW ST TYPE REC. ASSY WITH COVER TAPE					
				RWATANABE01		2016/09/20							
		4 PLACES ± 0.2		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING					
		3 PLACES ± 0.2		AIDA		2017/03/07							
		2 PLACES ± 0.2		APPR BY		DATE		SERIES 502443 MATERIAL NUMBER SEE TABLE CUSTOMER GENERAL					
		1 PLACE ± 0.2		TKANEKO		2017/03/07							
		0 PLACES ± 0.2		DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER 5024431508 DOC TYPE PSD DOC PART 000 SHEET NUMBER 2 OF 2					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3									
A	REV												

RELEASE STATUS	P1	RELEASE DATE	07.03.2017	11:17:21
----------------	----	--------------	------------	----------





NOTES

1. 嵌合相手 : 502439-**00
MATE WITH : 502439-**00
2. 端子テール部 及び ネイルの平坦度: 0.1MAX
TAIL AND NAIL COPLANARITY TO BE 0.1 MAX.
- △ 3. 極数/2 = 偶数に適用
APPLY FOR CKT. SIZE /2 = EVEN.
4. 端子テール部 及び ネイルに錫めっきを使用しているため、
外観に摺動痕が付く場合が御座います。
THE WOUND OF FRICTION MIGHT ADHERE TO EXTERNALS
BECAUSE THE TIN PLATING IS USED FOR THE NAIL AND NAIL.
5. 本製品のプラスチック部に黒点等が確認される場合や
色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH
THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART
OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
6. ELV 及び RoHS 適合品
ELV AND RoHS COMPLIANT
7. 梱包形状詳細については、5024431570PSD000を参照下さい。
PLEASE REFER TO 5024431570PSD000 FOR THE DETAILED FORM OF THE PACKAGE.



16	32	28	34	502443-1570	15
12	30	26	32	502443-1470	14
12	28	24	30	502443-1370	13
12	26	22	28	502443-1270	12
					11
					10
12	20	16	22	502443-0970	9
12	18	14	20	502443-0870	8
10	16	12	18	502443-0770	7
8	14	10	16	502443-0670	6
6	12	8	14	502443-0570	5
4	10	6	12	502443-0470	4
2.9	8	4	10	502443-0370	3
3.7	6	2	8	502443-0270	2
D	C	B	A	EMBOSSED TAPE PACKAGE 注文番号 ORDER NO.	極数 CKT.NO.

番号 NO.	部品 PART	材質 MATERIAL			
①	ハウジング HOUSING	ポリアミド UL94V-0 色 : ナチュラル POLYAMIDE UL94V-0 COLOR:NATURAL			
②	ターミナル TERMINAL	銅合金 COPPER ALLOY			
		錫めっき : 1.0 micro-meter MIN. MATTE TIN PLATING(TAIL AREA)			
		ニッケルめっき(下地) : 1.0 micro-meter MIN. NICKEL (UNDER PLATING)			
③	ネイル NAIL	銅合金 COPPER ALLOY			
		錫めっき : 1.0 micro-meter MIN. MATTE TIN PLATING			
		ニッケルめっき(下地) : 1.0 micro-meter MIN. NICKEL (UNDER PLATING)			
RELEASE STATUS		P1	RELEASE DATE	31.07.2017	09:56:27


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
REVISED	EC NO: 120034 DRWN: AISHIKAWA CHK'D: AIDA APPR: TKANEKO	2017/07/28 2017/07/31 2017/07/31	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®				
					MM		4:1						
			ANGULAR TOL ± 3.0 °		DRWN BY		DATE		CLIK-MATE 2.0MM PITCH W/B CONN. ST TYPE REC. ASSY 2-15CKT				
			4 PLACES ± 0.2		AISHIKAWA		2016/04/19						
			3 PLACES ± 0.2		CHK'D BY		DATE						
			2 PLACES ± 0.2		KOMURAKAMI		2016/04/28						
			1 PLACE ± 0.2		APPR BY		DATE						
			0 PLACES ± 0.2		TKANEKO		2016/04/28		PRODUCT CUSTOMER DRAWING				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION						
					A3				502443	SEE TABLE		GENERAL	
					DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER				
C	REV						5024431509		PSD	000	1 OF 2		




SECTION Y-Y
(SCALE :10-1)



基板パターンレイアウト(参考)
RECCOMENDED P.C.B PATTERN LAYOUT (REF.)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
REVISED	EC NO: 120034 DRWN: AISHIKAWA CHK'D: AIDA APPR: TKANEKO	2017/07/28 2017/07/31 2017/07/31	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex®				
					MM		4:1						
			ANGULAR TOL ± 3.0 °		DRWN BY		DATE		CLIK-MATE 2.0MM PITCH W/B CONN. ST TYPE REC. ASSY 2-15CKT				
			4 PLACES ± 0.2		AISHIKAWA		2016/04/19						
			3 PLACES ± 0.2		CHK'D BY		DATE						
			2 PLACES ± 0.2		KOMURAKAMI		2016/04/28						
			1 PLACE ± 0.2		APPR BY		DATE						
			0 PLACES ± 0.2		TKANEKO		2016/04/28		PRODUCT CUSTOMER DRAWING				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION						SERIES
					A3				502443	SEE TABLE		GENERAL	
C	REV						DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER		
							5024431509		PSD	000	2 OF 2		



NOTE

- 製品詳細寸法については、5024431509PSD000及び5024431508PSD000を参照下さい。
PLEASE REFER TO 5024431509PSD000 OR 5024431508PSD000 FOR THE DETAILED DIMENSION OF THE CONNECTOR.
- 梱包数量：650個 / リール。
NUMBER OF CONNECTORS：650 PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH

4. 材料

MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE：POLYSTYRENE
トップテープ：ポリエステル、ポリエチレン、ポリエチレンテレフタレート
TOP TAPE：POLYESTER, POLYETHELENE, POLYETHYLENE TEREPHTHALATE
リール：ポリスチレン <リサイクル材を含む>
REEL：POLYSTYRENE <RECYCLE MATERIAL CONTAINED>

57.5	26.2	56	502443-15**	15
57.5	26.2	56	502443-14**	14
45.5	20.2	44	502443-13**	13
45.5	20.2	44	502443-12**	12
				11
				10
45.5	20.2	44	502443-09**	9
45.5	20.2	44	502443-08**	8
33.5	14.2	32	502443-07**	7
33.5	14.2	32	502443-06**	6
25.5	11.5	24	502443-05**	5
25.5	11.5	24	502443-04**	4
25.5	11.5	24	502443-03**	3
25.5	11.5	24	502443-02**	2
C	B	エンボステープ幅A WIDTH OF TAPE	製品番号 MATERIAL NO.	極数 CKT. NO.

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
▽A = 0 ▽E = 0 ▽F = 0 ▽G = 0 ▽H = 0 ▽I = 0 ▽J = 0 ▽K = 0 ▽L = 0 ▽M = 0 ▽N = 0 ▽O = 0 ▽P = 0 ▽Q = 0 ▽R = 0 ▽S = 0 ▽T = 0 ▽U = 0 ▽V = 0 ▽W = 0 ▽X = 0 ▽Y = 0 ▽Z = 0		REVISED EC NO: 113635 DRWN: AISHIKAWA CHK'D: AIDA APPR: TKANEKO 2017/02/16 2017/03/07 2017/03/07		GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.2 3 PLACES ± 0.2 2 PLACES ± 0.2 1 PLACE ± 0.2 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION UNITS		SCALE		molex® CLIK-MATE 2.0 SINGLE ROW ST TYPE EMBOSSED TAPE PACKAGE PRODUCT CUSTOMER DRAWING									
MM						NTS													
DRWN BY						DATE													
AISHIKAWA						2016/04/19													
CHK'D BY						DATE													
KOMURAKAMI						2016/04/28		APPR BY		DATE		SERIES				MATERIAL NUMBER		CUSTOMER	
TKANEKO						2016/04/28													
DRAWING SIZE						THIRD ANGLE PROJECTION													
A3								502443		SEE TABLE		GENERAL							
DOCUMENT NUMBER						DOC TYPE		DOC PART		SHEET NUMBER									
5024431570		PSD		000		1 OF 2													

