


PRODUCT NUMBER

SEE TABLE



FEATURES:

- * COMBINATION FUSE HOLDER
- * SUITABLE FOR POWER APPLICATIONS, UP TO 30 AMPS AT 300 VOLTS DC
- * FOR USE WITH STD. 1/4" OR 9/32" DIA. X 1-1/4" LONG CARTRIDGE FUSES (POWER FUSE), COMBINED WITH QFF1 ALARM FUSES (1/2 AMP TYPICAL, 300 VOLTS DC.)
- * NO TOOL REQUIRED FOR INSERTION OR REMOVAL OF EITHER FUSE
- * PROVIDES ELECTRICAL AND VISUAL ALARM NOTIFICATION
- * VARIOUS STUD DESIGNS FOR WIRE LUG OR BUS BAR LOAD AND BATTERY SIGNAL CONNECTIONS
- * WIRE WRAP ALARM SIGNAL TAIL DESIGN
- * PANEL OR BACKPLATE MOUNTING POSSIBLE
- * SLOT FOR COLORED DISK ON HOLDER (FOR CURRENT RATING IDENTIFICATION WHEN QFF1 ALARM FUSE IS REMOVED)

MECHANICAL:

- * QFF1 FUSE INSERTION FORCE: 2 to 9 LBS (0.9 to 4 KG)
- * QFF1 FUSE REMOVAL FORCE: 2 to 7 LBS (0.9 to 3 KG)
- * DURABILITY-FUSE HOLDER ASSEMBLY: 50 CYCLES
- * DURABILITY-QFF1 FUSE: 250 CYCLES
- * OPERATING TEMPERATURE: -40°C TO +85°C



ELECTRICAL:

- * CURRENT RATING (DC):
 - BATTERY AND LOAD TERMINALS 30 AMPS.
 - ALARM TERMINAL 0.5 AMP
- * INSULATION RESISTANCE: 0.5 MEGOHMS MIN.
- * RATED VOLTAGE: 300VDC


ASSOCIATED COMPONENTS:

- * QFF1 FUSES: SEE DRAWING 54395
- * QFF3A DUMMY FUSE (PLASTIC): A0205210


mat'l. code SEE NOTE 1				surface ASME Y14.5	tolerance ASME Y14.5	projection INCH/MM	product family NORCON
ltr	ecrn no	dr	date	tolerances unless otherwise specified		scale N.T.S.	title
C	V06-0729	HTB	2006-07-31	angles	XXX+005/XX+13		FUSE BLOCKS
D	V09-0115	HTB	2009-03-23	dr	T. BREWBAKER	2006-07-31	QBK3 COMBINATION FUSE BLOCKS
				engr	T. BREWBAKER	2006-07-31	dwg no
				chr	T. BREWBAKER	2006-07-31	sheet 1 of 3
				appd	T. BREWBAKER	2006-07-31	size
sheet	revision	D	D	D			54378
index	sheet	1	2	3			A4
							type
							CUSTOMER Drawing

PRODUCT NUMBER
 SEE TABLE

 only on types F,G,H,K,J
 and types FB,GB,HB,KB,JB




FLUSH MOUNTING



END MOUNTING



LEGEND: L-LOAD B-BATTERY A-ALARM



ITEM	DESCRIPTION	PART #	ITEM	DESCRIPTION	PART #
1	FLUSH MTG. PLATE	P097B889	4E	BUSHING-.380" LG. (LOOSE)	P097B583
2A	HEX NUT (MOUNTED)	P0387743	4F	BUSHING-.500" LG. (LOOSE)	P0695433
2B	HEX NUT (LOOSE)	P0387743	5	LOCK WASHER (LOOSE)	P0183147
3A	FLAT WASHER (MOUNTED)	P0210742	6	SELF TAPPING SCREW (LOOSE)	P096J920
3B	FLAT WASHER (LOOSE)	P0210742	7A or 8A	STUD ASSEMBLY-1.24" LG.	P097B898
4A	BUSHING-.250" LG.	P096J565	7B or 8B	STUD ASSEMBLY-1.88" LG.	P097B899
4B	BUSHING-1.120" LG.	P097B584	7C or 8C	STUD ASSEMBLY-0.88" LG.	P097B902
4C	BUSHING-.250" LG. (LOOSE)	P096J565	7D or 8D	STUD ASSEMBLY-1.52" LG.	P0695432
4D	BUSHING-1.120" LG. (LOOSE)	P097B584			

mat'l. code	SEE NOTE 1	surface	tolerance	projection	product family
tr	ecn no	dr	date	ASME Y14.5	NORCON
d				ASME Y14.5	
				tolerances unless otherwise specified	title
				angles	FUSE BLOCKS
				XXX+.005/XX+.13	QBK3 COMBINATION FUSE BLOCKS
				INCH/MM	
				scale N.T.S.	dwg no
					sheet 2 of 3
					size
					54378
					A4
					type
					CUSTOMER Drawing
sheet	revision				
index	sheet				



PRODUCT NO.	ENG. CODE	FUSE SIZE	MOUNTING	COLOR	ITEMS INCLUDED
A0207241	QBK3A	DISCONTINUED			
A0207242	QBK3B	9/32"	FLUSH	BROWN	ITEMS 3B, 5 (QTY 4), ITEMS 2A, 2B, 3A, 6 (QTY 2), ITEMS 1, 4A, 4B, 7A, 8B (QTY 1)
A0207273	QBK3C	9/32"	FLUSH	BROWN	ITEM 5 (QTY 4), ITEMS 2A, 2B, 3A, 3B, 4A, 6 (QTY 2), ITEMS 1, 7C, 8C (QTY 1)
A0233129	QBK3D	9/32"	END	BROWN	ITEMS 2B, 5 (QTY 4), ITEM 3B (QTY 3), ITEMS 4D, 4E, 7B, 8C (QTY 1)
AX233129	QBK3D	DISCONTINUED			
A0346002	QBK3E	9/32"	END	BROWN	ITEMS 2B, 5 (QTY 4), ITEM 3B (QTY 3), ITEMS 4D, 4F, 7B, 8D (QTY 1)
AX346002	QBK3E	DISCONTINUED			
A0351868	QBK3F	DISCONTINUED			
A0351869	QBK3G	DISCONTINUED			
A0351870	QBK3H	1/4"	FLUSH	BROWN	ITEM 5 (QTY 4), ITEMS 2A, 2B, 3A, 3B, 4A, 6 (QTY 2), ITEMS 1, 7C, 8C (QTY 1)
A0351871	QBK3J	DISCONTINUED			
A0351872	QBK3K	DISCONTINUED			
A0619287	QBK3AB	DISCONTINUED			
A0614338	QBK3BB	DISCONTINUED			
A0619288	QBK3CB	DISCONTINUED			
A0619289	QBK3DB	DISCONTINUED			
A0619290	QBK3EB	DISCONTINUED			
A0619291	QBK3FB	DISCONTINUED			
A0619292	QBK3GB	DISCONTINUED			
A0619293	QBK3HB	DISCONTINUED			
A0619294	QBK3JB	DISCONTINUED			
A0619295	QBK3KB	DISCONTINUED			

NOTES:

- ①. HOUSING MATERIAL: PHENOLIC,
FLAME RETARDANT PER UL 94V-0,
COLOR: SEE TABLE

POWER FUSE CLIPS:
MATERIAL: BeCu ALLOY
OVERALL FINISH: SnPb

U SHAPED & THREADED TERMINALS:
MATERIAL: BRASS
OVERALL FINISH: SnPb

ALARM FUSE LOAD & BATTERY TERMINALS:
MATERIAL: BeCu ALLOY
OVERALL FINISH: Ni

ALARM FUSE TERMINAL:
MATERIAL: BRASS
OVERALL FINISH: SnPb

2. PACKAGING:
BOXES OF 150 PARTS (WITH APPROPRIATE QUANTITIES OF
LOOSE ITEMS IN PLASTIC BAGS IF APPLICABLE)

mat'l. code		surface		tolerance		projection		product family	
SEE NOTE 1		ASME Y14.5		ASME Y14.5				NORCON	
ltr	ecr no	dr	date	tolerances unless otherwise specified		INCH/MM		title	
d				angles				FUSE BLOCKS	
								QBK3 COMBINATION FUSE BLOCKS	
						scale N.T.S.		dwg no	
								sheet 3 of 3 size	
								54378 A4	
								type CUSTOMER Drawing	
sheet index	revision sheet								