

SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS

GZZ-SH58-74B<15A0>

Mask ROM number	
-----------------	--

**MASK ROM CONFIRMATION FORM
SCREEN DISPLAY IC M35075-XXXFP
MITSUBISHI ELECTRIC**

Receipt	Data :	
	Section head signature	Supervisor signature

Note : Please fill in all items marked *, ☐.

* Customer	Company name	TEL ()	Issuance signature	Submitted by	Supervisor
	Data issued	Date :			

* 1. Confirmation

Confirm the character Font Preparation Program in Mitsubishi Sales Sites.
Three EPROMs are required for each pattern if this order is performed by EPROMs.
One floppy disk is required for each pattern if this order is performed by a floppy disk.

☐ Ordering by EPROMs

If at least two of the three sets of EPROMs submitted contain identical data, we will produce masks based on this data. We shall assume the responsibility for errors only if the mask ROM data on the products we produce differs from this data. Thus, extreme care must be taken to verify the data in the submitted EPROMs (27512 type used).

- (1) The font data prepared by the Character Font Preparation Program is saved as a binary type object file (addresses 0000h to FFFFh) and a hex type object file . Three sets of these EPROMs are required.
- (2) Attach the erase protect seals on three EPROMs. Each seal bears the type name (M35075), and ROM No. (---FP).

Checksum code for entire EPROM

 (hexadecimal notation)

Save file name

 .

 (equal or less than eight characters)

☐ Ordering by floppy disk

We will produce masks based on the mask files generated by the mask file generating utility. We shall assume the responsibility for errors only if the mask ROM data on the products we produce differs from this mask file. Thus, extreme care must be taken to verify the mask file in the submitted floppy disk.

The mask files forms hex-file made by the character font preparation program in the mask file generation utility. Submit the mask file after be saved in the floppy disk.

The submitted floppy disk must be 3.5-inch 2HD type and DOS/V format. And the number of the mask files must be 1 in one floppy disk.

File code

 (hexadecimal notation)

Mask file name

 .MSK (equal or less than eight characters)

* 2. Select the marking type (Check @ in the appropriate box).

- Special Mark ☐ Fill in the Mark Specification Form (24P2Q) and attach to the Mask ROM Confirmation Form.
Standard Mark ☐ No writing is required.

3. Select the package type (Check @ in the appropriate box).

- * ☐ SSOP (M35075-XXXFP)

4. Comments


*

SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS

GZZ-SH58-74B<15A0>


Mask ROM number	
-----------------	--

1. Test patterns




2.Character patterns
(See the next page)


SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS



SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS



SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS



SCREEN CHARACTER and PATTERN DISPLAY CONTROLLERS

