

Panduit Terminal and Reel Smart Part Configuration Consolidation

Effective December 31st, 2012

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
1	D14-145M-C	Male Blade Adapter, non-insulated, 16 - 14 AWG, standard pack	P14-P47-C
2	D14-145M-M	Male Blade Adapter, non-insulated, 16 - 14 AWG, bulk pack	P14-P47-M
3	D14-188B-C	Female Disconnect, non-insulated, 16 - 14 AWG, 0.187" x 0.020" tab, standard pack	D14-188-C
4	D14-188B-M	Female Disconnect, non-insulated, 16 - 14 AWG, 0.187" x 0.020" tab, bulk pack	D14-188-M
5	D14-250B-C	Female Disconnect, non-insulated, 16 - 14 AWG, 0.250" x 0.032" tab, standard pack	D14-250-C
6	D14-250B-M	Female Disconnect, non-insulated, 16 - 14 AWG, 0.250" x 0.032" tab, bulk pack	D14-250-M
7	D18-145M-C	Male Blade Adapter, non-insulated, 22 - 18 AWG, standard pack	P18-P47-C
8	D18-145M-M	Male Blade Adapter, non-insulated, 22 - 18 AWG, bulk pack	P18-P47-M
9	D18-188B-C	Female Disconnect, non-insulated, 22 - 18 AWG, 0.187" x 0.020" tab, standard pack	D18-188-C
10	D18-188B-M	Female Disconnect, non-insulated, 22 - 18 AWG, 0.187" x 0.020" tab, bulk pack	D18-188-M
11	D18-250B-C	Female Disconnect, non-insulated, 22 - 18 AWG, 0.250" x 0.032" tab, standard pack	D18-250-C
12	D18-250B-M	Female Disconnect, non-insulated, 22 - 18 AWG, 0.250" x 0.032" tab, bulk pack	D18-250-M
13	DNF10-250M-2K	Male Disconnect, nylon insulated, 12 - 10 AWG, 0.250" x 0.032" tab, Reel Smart	DNF10-250FIMB-K
14	DNF14-145M-3K	Male Blade Adapter, nylon insulated, 16 - 14 AWG, Reel Smart	PV14-P47B-3K
15	DNF14-250M-3K	Male Disconnect, nylon insulated, 16 - 14 AWG, 0.250" x 0.032" tab, Reel Smart	DNF14-250FIM-2K
16	DNF18-145M-3K	Male Blade Adapter, nylon insulated, 22 - 18 AWG, Reel Smart	PV18-P47B-3K
17	DNF18-250M-3K	Male Disconnect, nylon insulated, 22 - 18 AWG, 0.250" x 0.032" tab, Reel Smart	DNF18-250FIM-2K
18	DNG14-250FL-3K	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, Reel Smart	DNF14-250FIB-3K
19	DNG14-250FL-C	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, standard pack	DNF14-250FIB-C
20	DNG14-250FL-L	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, standard pack	DNF14-250FIB-C
21	DNG14-250FL-M	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, bulk pack	DNF14-250FIB-M
22	DNG14-250FL-X	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, ten pack	DNF14-250FIB-E
23	DNG14-250FL-XG	Disco-Lok Locking Female Disconnect, nylon fully insulated, 16 - 14 AWG, 0.250" x 0.032" tab, ten pack	DNF14-250FIB-E
24	DNG18-250FL-3K	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, Reel Smart	DNF18-250FIB-3K
25	DNG18-250FL-C	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, standard pack	DNF18-250FIB-C
26	DNG18-250FL-L	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, standard pack	DNF18-250FIB-C
27	DNG18-250FL-M	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, bulk pack	DNF18-250FIB-M
28	DNG18-250FL-X	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, ten pack	DNF18-250FIB-E
29	DNG18-250FL-XG	Disco-Lok Locking Female Disconnect, nylon fully insulated, 22 - 18 AWG, 0.250" x 0.032" tab, ten pack	DNF18-250FIB-E
30	DR14-205B-C	Female Disconnect, right angle, non-insulated, 16 - 14 AWG, 0.205" x 0.032" tab, standard pack	DR14-205-C
31	DR14-205B-M	Female Disconnect, right angle, non-insulated, 16 - 14 AWG, 0.205" x 0.032" tab, bulk pack	DR14-205-C
32	DR14-206B-C	Female Disconnect, right angle, non-insulated, 16 - 14 AWG, 0.205" x 0.020" tab, standard pack	DR14-206-C
33	DR14-250B-C	Female Disconnect, right angle, non-insulated, 16 - 14 AWG, 0.250" x 0.032" tab, standard pack	DR14-250-C
34	DR14-250B-M	Female Disconnect, right angle, non-insulated, 16 - 14 AWG, 0.250" x 0.032" tab, bulk pack	DR14-250-M
35	DR18-205B-C	Female Disconnect, right angle, non-insulated, 22 - 18 AWG, 0.205" x 0.020" tab, standard pack	DR18-205-C
36	DR18-206B-C	Female Disconnect, right angle, non-insulated, 22 - 18 AWG, 0.205" x 0.032" tab, standard pack	DR18-206-C
37	DR18-206B-M	Female Disconnect, right angle, non-insulated, 22 - 18 AWG, 0.205" x 0.032" tab, bulk pack	DR18-206-M

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
38	DR18-250B-C	Female Disconnect, right angle, non-insulated, 22 - 18 AWG, 0.250" x 0.032" tab, standard pack	DR18-250-C
39	DR18-250B-M	Female Disconnect, right angle, non-insulated, 22 - 18 AWG, 0.250" x 0.032" tab, bulk pack	DR18-250-M
40	DV10-250M-2K	Male Disconnect, vinyl insulated, 12 - 10 AWG, 0.250" x 0.032" tab, Reel Smart	DNF10-250FIMB-K
41	DV14-145MB-3K	Male Blade Adapter, vinyl insulated, 16 - 14 AWG, Reel Smart	PV14-P47B-3K
42	DV14-145M-C	Male Blade Adapter, vinyl insulated, 16 - 14 AWG, standard pack	PV14-P47-C
43	DV14-145M-M	Male Blade Adapter, vinyl insulated, 16 - 14 AWG, bulk pack	PV14-P47-M
44	DV14-250MB-3K	Male Disconnect, vinyl insulated, 16 - 14 AWG, 0.250" x 0.032" tab, Reel Smart	DNF14-250FIM-2K
45	DV18-145MB-3K	Male Blade Adapter, vinyl insulated, 22 - 18 AWG, Reel Smart	PV18-P47B-3K
46	DV18-145M-CY	Male Blade Adapter, vinyl insulated, 22 - 18 AWG, standard pack	PV18-P47-CY
47	DV18-145M-M	Male Blade Adapter, vinyl insulated, 22 - 18 AWG, bulk pack	PV18-P47-MY
48	DV18-145M-MY	Male Blade Adapter, vinyl insulated, 22 - 18 AWG, bulk pack	PV18-P47-MY
49	DV18-250MB-3K	Male Disconnect, vinyl insulated, 22 - 18 AWG, 0.250" x 0.032" tab, Reel Smart	DNF18-250FIM-2K
50	EV14-145MB-L	Pro-Term Male Blade Adapter, vinyl insulated, 16 - 14 AWG, standard pack	EV14-P47B-L
51	EV18-145MB-L	Pro-Term Male Blade Adapter, vinyl insulated, 22 - 18 AWG, standard pack	EV18-P47B-L
52	FS75-8-5K3	Insulated Ferrule, single wire, 20 AWG (.50mm), 8 mm barrel length, French colored, Reel Smart	FSD75-8-5K10
53	FS75-8-DSL3	Insulated Ferrule, single wire, 20 AWG (.50mm), 8 mm barrel length, French colored, strip pack	FSD75-8-DSL10
54	FS76-8-5K10	Insulated Ferrule, single wire, 18 AWG (.75mm), 8 mm barrel length, French colored, Reel Smart	FSD76-8-5K8
55	FS76-8-5K7	Insulated Ferrule, single wire, 18 AWG (.75mm), 8 mm barrel length, French colored, Reel Smart	FSD76-8-5K8
56	FS76-8-DSL10	Insulated Ferrule, single wire, 18 AWG (.75mm), 8 mm barrel length, French colored, strip pack	FSD76-8-DSL8
57	FS76-8-DSL7	Insulated Ferrule, single wire, 18 AWG (.75mm), 8 mm barrel length, French colored, strip pack	FSD76-8-DSL8
58	FS77-8-5K4	Insulated Ferrule, single wire, 18 AWG (1.0mm), 8 mm barrel length, French colored, Reel Smart	FSD77-8-5K2
59	FS77-8-DSL4	Insulated Ferrule, single wire, 18 AWG (1.0mm), 8 mm barrel length, French colored, strip pack	FSD77-8-DSL2
60	FS78-8-5K2	Insulated Ferrule, single wire, 16 AWG (1.5mm), 8 mm barrel length, French colored, Reel Smart	FSD78-8-5K0
61	FS78-8-DSL2	Insulated Ferrule, single wire, 16 AWG (1.5mm), 8 mm barrel length, French colored, strip pack	FSD78-8-DSL0
62	FS80-8-3K8	Insulated Ferrule, single wire, 14 AWG (2.5mm), 8 mm barrel length, French colored, Reel Smart	FSD80-8-3K6
63	FS80-8-DSL8	Insulated Ferrule, single wire, 14 AWG (2.5mm), 8 mm barrel length, French colored, strip pack	FSD80-8-DSL6
64	FSF72-6-D	Insulated Ferrule, single wire, 26 AWG (.14mm), 6 mm barrel length, French colored, standard pack	FSD72-6-D
65	FSF72-8-D	Insulated Ferrule, single wire, 26 AWG (.14mm), 8 mm barrel length, French colored, standard pack	FSD72-8-D
66	FSF73-6-D	Insulated Ferrule, single wire, 24 AWG (.25mm), 6 mm barrel length, French colored, standard pack	FSD73-6-D
67	FSF73-8-D	Insulated Ferrule, single wire, 24 AWG (.25mm), 8 mm barrel length, French colored, standard pack	FSD73-8-D
68	FSF74-6-D	Insulated Ferrule, single wire, 24 AWG (.34mm), 6 mm barrel length, French colored, standard pack	FSD74-6-D
69	FSF74-8-D	Insulated Ferrule, single wire, 24 AWG (.34mm), 8 mm barrel length, French colored, standard pack	FSD74-8-D
70	FSF75-10-D	Insulated Ferrule, single wire, 22 AWG (.50mm), 10 mm barrel length, French colored, standard pack	FSD75-10-D
71	FSF75-6-D	Insulated Ferrule, single wire, 22 AWG (.50mm), 6 mm barrel length, French colored, standard pack	FSD75-6-D
72	FSF75-8-D	Insulated Ferrule, single wire, 22 AWG (.50mm), 8 mm barrel length, French colored, standard pack	FSD75-8-D
73	FSF76-10-D	Insulated Ferrule, single wire, 20 AWG (.75mm), 10 mm barrel length, French colored, standard pack	FSD76-10-D
74	FSF76-12-D	Insulated Ferrule, single wire, 20 AWG (.75mm), 12 mm barrel length, French colored, standard pack	FSD76-12-D
75	FSF76-6-D	Insulated Ferrule, single wire, 20 AWG (.75mm), 6 mm barrel length, French colored, standard pack	FSD76-6-D
76	FSF76-8-D	Insulated Ferrule, single wire, 20 AWG (.75mm), 8 mm barrel length, French colored, standard pack	FSD76-8-D
77	FSF77-10-D	Insulated Ferrule, single wire, 18 AWG (1.0mm), 10 mm barrel length, French colored, standard pack	FSD77-10-D
78	FSF77-12-D	Insulated Ferrule, single wire, 18 AWG (1.0mm), 12 mm barrel length, French colored, standard pack	FSD77-12-D

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
79	FSF77-6-D	Insulated Ferrule, single wire, 18 AWG (1.0mm), 6 mm barrel length, French colored, standard pack	FSD77-6-D
80	FSF77-8-D	Insulated Ferrule, single wire, 18 AWG (1.0mm), 8 mm barrel length, French colored, standard pack	FSD77-8-D
81	FSF78-10-D	Insulated Ferrule, single wire, 16 AWG (1.5mm), 10 mm barrel length, French colored, standard pack	FSD78-10-D
82	FSF78-12-D	Insulated Ferrule, single wire, 16 AWG (1.5mm), 12 mm barrel length, French colored, standard pack	FSD78-12-D
83	FSF78-18-D	Insulated Ferrule, single wire, 16 AWG (1.5mm), 18 mm barrel length, French colored, standard pack	FSD78-18-D
84	FSF78-6-D	Insulated Ferrule, single wire, 16 AWG (1.5mm), 6 mm barrel length, French colored, standard pack	FSD78-6-D
85	FSF78-8-D	Insulated Ferrule, single wire, 16 AWG (1.5mm), 8 mm barrel length, French colored, standard pack	FSD78-8-D
86	FSF79-8-D	Insulated Ferrule, single wire, 14 AWG (2.1mm), 8 mm barrel length, French colored, standard pack	FSD79-8-D
87	FSF80-12-D	Insulated Ferrule, single wire, 14 AWG (2.5mm), 12 mm barrel length, French colored, standard pack	FSD80-12-D
88	FSF80-18-D	Insulated Ferrule, single wire, 14 AWG (2.5mm), 18 mm barrel length, French colored, standard pack	FSD80-18-D
89	FSF80-8-D	Insulated Ferrule, single wire, 14 AWG (2.5mm), 8 mm barrel length, French colored, standard pack	FSD80-8-D
90	FSF81-10-D	Insulated Ferrule, single wire, 12 AWG (4.0mm), 10 mm barrel length, French colored, standard pack	FSD81-10-D
91	FSF81-12-C	Insulated Ferrule, single wire, 12 AWG (4.0mm), 12 mm barrel length, French colored, standard pack	FSD81-12-C
92	FSF81-18-C	Insulated Ferrule, single wire, 12 AWG (4.0mm), 18 mm barrel length, French colored, standard pack	FSD81-18-C
93	FSF82-12-C	Insulated Ferrule, single wire, 10 AWG (6.0mm), 12 mm barrel length, French colored, standard pack	FSD82-12-C
94	FSF82-18-C	Insulated Ferrule, single wire, 10 AWG (6.0mm), 18 mm barrel length, French colored, standard pack	FSD82-18-C
95	FSF83-12-C	Insulated Ferrule, single wire, 8 AWG (10.0mm), 12 mm barrel length, French colored, standard pack	FSD83-12-C
96	FSF83-18-C	Insulated Ferrule, single wire, 8 AWG (10.0mm), 18 mm barrel length, French colored, standard pack	FSD83-18-C
97	FSF84-12-C	Insulated Ferrule, single wire, 6 AWG (16.0mm), 12 mm barrel length, French colored, standard pack	FSD84-12-C
98	FSF84-18-C	Insulated Ferrule, single wire, 6 AWG (16.0mm), 18 mm barrel length, French colored, standard pack	FSD84-18-C
99	FSF85-16-L	Insulated Ferrule, single wire, 4 AWG (25.0mm), 16 mm barrel length, French colored, standard pack	FSD85-16-L
100	FSF85-18-L	Insulated Ferrule, single wire, 4 AWG (25.0mm), 18 mm barrel length, French colored, standard pack	FSD85-18-L
101	FSF85-22-L	Insulated Ferrule, single wire, 4 AWG (25.0mm), 22 mm barrel length, French colored, standard pack	FSD85-22-L
102	FSF86-16-L	Insulated Ferrule, single wire, 2 AWG (35.0mm), 16 mm barrel length, French colored, standard pack	FSD86-16-L
103	FSF86-18-L	Insulated Ferrule, single wire, 2 AWG (35.0mm), 18 mm barrel length, French colored, standard pack	FSD86-18-L
104	FSF86-25-L	Insulated Ferrule, single wire, 2 AWG (35.0mm), 25 mm barrel length, French colored, standard pack	FSD86-25-L
105	FSF87-20-L	Insulated Ferrule, single wire, 1 AWG (50.0mm), 20 mm barrel length, French colored, standard pack	FSD87-20-L
106	FSF87-25-Q	Insulated Ferrule, single wire, 1 AWG (50.0mm), 25 mm barrel length, French colored, standard pack	FSD87-25-Q
107	P10-10SLF-D	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #10 stud, bulk pack	P10-10LF-D
108	P10-10SLF-L	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #10 stud, standard pack	P10-10LF-L
109	P10-14SLF-L	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, 1/4" stud, standard pack	P10-14LF-L
110	P10-5SLF-L	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #5 stud, standard pack	P10-6LF-L
111	P10-610R-D	Ring Terminal, #6 - #10 multi-stud, non-insulated, 12 - 10 AWG, bulk pack	P10-10R-D
112	P10-610R-L	Ring Terminal, #6 - #10 multi-stud, non-insulated, 12 - 10 AWG, standard pack	P10-10R-L
113	P10-6SLF-D	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #6 stud, bulk pack	P10-6LF-D
114	P10-8SLF-D	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #8 stud, bulk pack	P10-8LF-D
115	P10-8SLF-L	Short Locking Fork Terminal, non-insulated, 12 - 10 AWG, #8 stud, standard pack	P10-8LF-L
116	P14-10SLF-C	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #10 stud, standard pack	P14-10LF-C
117	P14-10SLF-M	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #10 stud, bulk pack	P14-10LF-M
118	P14-14SLF-C	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, 1/4" stud, standard pack	P14-14F-C
119	P14-5SLF-M	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #5 stud, bulk pack	P14-6LF-M

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
120	P14-610R-C	Ring Terminal, #6 - #10 multi-stud, non-insulated, 16 - 14 AWG, standard pack	P14-10R-C
121	P14-610R-M	Ring Terminal, #6 - #10 multi-stud, non-insulated, 16 - 14 AWG, bulk pack	P14-10R-M
122	P14-6SLF-C	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #6 stud, standard pack	P14-6LF-C
123	P14-6SLF-M	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #6 stud, bulk pack	P14-6LF-M
124	P14-8SLF-C	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #8 stud, standard pack	P14-8LF-C
125	P14-8SLF-M	Short Locking Fork Terminal, non-insulated, 16 - 14 AWG, #8 stud, bulk pack	P14-8LF-M
126	P18-10SLF-C	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #10 stud, standard pack	P18-10LF-C
127	P18-5SLF-M	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #5 stud, standard pack	P18-10LF-C
128	P18-610R-C	Ring Terminal, #6 - #10 multi-stud, non-insulated, 22 - 18 AWG, standard pack	P18-10R-C
129	P18-610R-M	Ring Terminal, #6 - #10 multi-stud, non-insulated, 22 - 18 AWG, bulk pack	P18-10R-M
130	P18-6SLF-C	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #6 stud, standard pack	P18-6LF-C
131	P18-6SLF-M	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #6 stud, bulk pack	P18-6LF-M
132	P18-8SLF-C	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #8 stud, standard pack	P18-8LF-C
133	P18-8SLF-M	Short Locking Fork Terminal, non-insulated, 22 - 18 AWG, #8 stud, bulk pack	P18-8LF-M
134	PH10-10F-E	Fork Terminal, heat shrink insulated, 12 - 10 AWG, #10 stud, standard pack	PV10-10F-L or PH10-10R-E
135	PH10-8F-E	Fork Terminal, heat shrink insulated, 12 - 10 AWG, #8 stud, standard pack	PV10-8F-L or PH10-8R-E
136	PH14-10F-Q	Fork Terminal, heat shrink insulated, 16 - 14 AWG, #10 stud, standard pack	PV14-10F-C or PH14-10R-Q
137	PH14-6F-Q	Fork Terminal, heat shrink insulated, 16 - 14 AWG, #6 stud, standard pack	PV14-6F-C or PH14-6R-Q
138	PH14-8F-Q	Fork Terminal, heat shrink insulated, 16 - 14 AWG, #8 stud, standard pack	PV14-8F-C or PH14-8R-Q
139	PH18-10F-Q	Fork Terminal, heat shrink insulated, 22 - 18 AWG, #10 stud, standard pack	PV18-10F-CY or PH18-10R-Q
140	PH18-6F-Q	Fork Terminal, heat shrink insulated, 22 - 18 AWG, #6 stud, standard pack	PV18-6F-CY or PH18-6R-Q
141	PH18-8F-Q	Fork Terminal, heat shrink insulated, 22 - 18 AWG, #8 stud, standard pack	PV18-8F-CY or PH18-8R-Q
142	PN10-10SLF-2K	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, Reel Smart	PN10-10LF-2K
143	PN10-10SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, bulk pack	PN10-10LF-D
144	PN10-10SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, standard pack	PN10-10LF-L
145	PN10-14SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, 1/4" stud, standard pack	PN10-14LF-L
146	PN10-5SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #5 stud, standard pack	PN10-6LF-L
147	PN10-610R-D	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 12 - 10 AWG, bulk pack	PN10-10R-D
148	PN10-610R-L	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 12 - 10 AWG, standard pack	PN10-10R-L
149	PN10-6SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud, bulk pack	PN10-6LF-D
150	PN10-6SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud, standard pack	PN10-6LF-L
151	PN10-8SLF-2K	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, Reel Smart	PN10-8LF-2K
152	PN10-8SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, bulk pack	PN10-8LF-D
153	PN10-8SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, standard pack	PN10-8LF-L
154	PN12-10HDX-L	Ring Terminal, heavy duty, expanded nylon insulation, 16 - 12 AWG, #10 stud, standard pack	PN12-10HDR-L
155	PN14-10SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, Reel Smart	PN14-10LF-3K
156	PN14-10SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, standard pack	PN14-10LF-C
157	PN14-10SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, bulk pack	PN14-10LF-M
158	PN14-14SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, 1/4" stud, standard pack	PN14-14F-C
159	PN14-5SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #5 stud, Reel Smart	PN14-6LF-3K
160	PN14-5SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #5 stud, standard pack	PN14-6LF-C

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
161	PN14-5SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #5 stud, bulk pack	PN14-6LF-M
162	PN14-610R-C	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 16 - 14 AWG, standard pack	PN14-10R-C
163	PN14-610R-M	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 16 - 14 AWG, bulk pack	PN14-10R-M
164	PN14-6SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, Reel Smart	PN14-6LF-3K
165	PN14-6SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, standard pack	PN14-6LF-C
166	PN14-6SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, bulk pack	PN14-6LF-M
167	PN14-8SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #8 stud, Reel Smart	PN14-8LF-3K
168	PN14-8SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #8 stud, standard pack	PN14-8LF-C
169	PN14-8SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #8 stud, bulk pack	PN14-8LF-M
170	PN18-10SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, Reel Smart	PN18-10LF-3K
171	PN18-10SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, standard pack	PN18-10LF-C
172	PN18-10SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, bulk pack	PN18-10LF-M
173	PN18-5SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #5 stud, Reel Smart	PN18-6LF-3K
174	PN18-5SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #5 stud, standard pack	PN18-6LF-C
175	PN18-5SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #5 stud, bulk pack	PN18-6LF-M
176	PN18-610R-C	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 22 - 18 AWG, standard pack	PN18-10R-C
177	PN18-610R-M	Ring Terminal, #6 - #10 multi-stud, nylon insulated, 22 - 18 AWG, bulk pack	PN18-10R-M
178	PN18-6SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, Reel Smart	PN18-6LF-3K
179	PN18-6SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, standard pack	PN18-6LF-C
180	PN18-6SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, bulk pack	PN18-6LF-M
181	PN18-8SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, Reel Smart	PN18-8LF-3K
182	PN18-8SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, standard pack	PN18-8LF-C
183	PN18-8SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, bulk pack	PN18-8LF-M
184	PNF10-10SLF-2K	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, Reel Smart	PNF10-10LF-2K
185	PNF10-10SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, bulk pack	PNF10-10LF-D
186	PNF10-10SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud, standard pack	PNF10-10LF-L
187	PNF10-14SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, 1/4" stud, standard pack	PNF10-14LF-L
188	PNF10-5SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #5 stud, bulk pack	PNF10-6LF-D
189	PNF10-6SLF-2K	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud, Reel Smart	PNF10-6LF-2K
190	PNF10-6SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud, bulk pack	PNF10-6LF-D
191	PNF10-6SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud, standard pack	PNF10-6LF-L
192	PNF10-8SLF-2K	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, Reel Smart	PNF10-8LF-2K
193	PNF10-8SLF-D	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, bulk pack	PNF10-8LF-D
194	PNF10-8SLF-L	Short Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud, standard pack	PNF10-8LF-L
195	PNF14-10SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, Reel Smart	PNF14-10LF-3K
196	PNF14-10SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, standard pack	PNF14-10LF-C
197	PNF14-10SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud, bulk pack	PNF14-10LF-M
198	PNF14-14SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, 1/4" stud, standard pack	PNF14-14F-C
199	PNF14-14SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, 1/4" stud, bulk pack	PNF14-14F-M
200	PNF14-5SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #5 stud, standard pack	PNF14-6LF-C
201	PNF14-5SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #5 stud, bulk pack	PNF14-6LF-M

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
202	PNF14-6SLF-3K	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, Reel Smart	PNF14-6LF-3K
203	PNF14-6SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, standard pack	PNF14-6LF-C
204	PNF14-6SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud, bulk pack	PNF14-6LF-M
205	PNF14-8SLF-C	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #8 stud, standard pack	PNF14-8LF-C
206	PNF14-8SLF-M	Short Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #8 stud, bulk pack	PNF14-8LF-M
207	PNF18-10SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, Reel Smart	PNF18-10LF-3K
208	PNF18-10SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, standard pack	PNF18-10LF-C
209	PNF18-10SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud, bulk pack	PNF18-10LF-M
210	PNF18-5SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #5 stud, Reel Smart	PNF18-6LF-3K
211	PNF18-5SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #5 stud, standard pack	PNF18-6LF-C
212	PNF18-6SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, Reel Smart	PNF18-6LF-3K
213	PNF18-6SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, standard pack	PNF18-6LF-C
214	PNF18-6SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud, bulk pack	PNF18-6LF-M
215	PNF18-8SLF-3K	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, Reel Smart	PNF18-8LF-3K
216	PNF18-8SLF-C	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, standard pack	PNF18-8LF-C
217	PNF18-8SLF-M	Short Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud, bulk pack	PNF18-8LF-M
218	PV10-10SLFB-2K	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #10 stud, Reel Smart	PV10-10LFB-2K
219	PV10-10SLF-D	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #10 stud, bulk pack	PV10-10LF-D
220	PV10-10SLF-L	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #10 stud, standard pack	PV10-10LF-L
221	PV10-14SLF-D	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, 1/4" stud, bulk pack	PV10-14LF-D
222	PV10-14SLF-L	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, 1/4" stud, standard pack	PV10-14LF-L
223	PV10-5SLF-L	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #5 stud, standard pack	PV10-6LF-L
224	PV10-610RB-2K	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 12 - 10 AWG, Reel Smart	PV10-10RB-2K
225	PV10-610R-D	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 12 - 10 AWG, bulk pack	PV10-10R-D
226	PV10-610R-L	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 12 - 10 AWG, standard pack	PV10-10R-L
227	PV10-6SLFB-2K	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #6 stud, Reel Smart	PV10-6LFB-2K
228	PV10-6SLF-D	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #6 stud, bulk pack	PV10-6LF-D
229	PV10-6SLF-L	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #6 stud, standard pack	PV10-6LF-L
230	PV10-8SLFB-2K	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #8 stud, Reel Smart	PV10-8LFB-2K
231	PV10-8SLF-D	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #8 stud, bulk pack	PV10-8LF-D
232	PV10-8SLF-L	Short Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #8 stud, standard pack	PV10-8LF-L
233	PV12-10HDRX-D	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, #10 stud, bulk pack	PV12-10HDR-D
234	PV12-10HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, #10 stud, standard pack	PV12-10HDR-L
235	PV12-14HDRX-D	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, 1/4" stud, bulk pack	PV12-14HDR-D
236	PV12-14HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, 1/4" stud, standard pack	PV12-14HDR-L
237	PV12-38HDRX-D	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, 3/8" stud, bulk pack	PV12-38HDR-D
238	PV12-38HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, 3/8" stud, standard pack	PV12-38HDR-L
239	PV12-56HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, 5/16" stud, standard pack	PV12-56HDR-L
240	PV12-6HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, #6 stud, standard pack	PV12-6HDR-L
241	PV12-8HDRX-L	Ring Terminal, heavy duty, expanded vinyl insulation, 16 - 12 AWG, #8 stud, standard pack	PV12-8HDR-L
242	PV14-10SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 stud, Reel Smart	PV14-10LFB-3K

<u>Line Item</u>	<u>Part Number</u>	<u>Description</u>	<u>Substitute Part Number</u>
243	PV14-10SLF-C	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 stud, standard pack	PV14-10LF-C
244	PV14-10SLF-M	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 stud, bulk pack	PV14-10LF-M
245	PV14-14SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, 1/4" stud, Reel Smart	PV14-14FB-3K
246	PV14-14SLF-C	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, 1/4" stud, standard pack	PV14-14F-C
247	PV14-14SLF-M	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, 1/4" stud, bulk pack	PV14-14F-M
248	PV14-5SLF-C	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #5 stud, standard pack	PV14-6LF-C
249	PV14-610RB-3K	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 16 - 14 AWG, Reel Smart	PV14-10RB-3K
250	PV14-610R-C	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 16 - 14 AWG, standard pack	PV14-10R-C
251	PV14-610R-M	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 16 - 14 AWG, bulk pack	PV14-10R-M
252	PV14-610R-X	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 16 - 14 AWG, ten pack	PV14-10R-E
253	PV14-6SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 stud, Reel Smart	PV14-6LFB-3K
254	PV14-6SLF-C	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 stud, standard pack	PV14-6LF-C
255	PV14-6SLF-M	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 stud, bulk pack	PV14-6LF-M
256	PV14-8SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #8 stud, Reel Smart	PV14-8LFB-3K
257	PV14-8SLF-C	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #8 stud, standard pack	PV14-8LF-C
258	PV14-8SLF-M	Short Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #8 stud, bulk pack	PV14-8LF-M
259	PV18-10SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 stud, Reel Smart	PV18-10LFB-3K
260	PV18-10SLF-CY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 stud, standard pack	PV18-10LF-CY
261	PV18-10SLF-M	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 stud, bulk pack	PV18-10LF-MY
262	PV18-10SLF-MY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 stud, bulk pack	PV18-10LF-MY
263	PV18-5SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #5 stud, Reel Smart	PV18-6LFB-3K
264	PV18-5SLF-CY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #5 stud, standard pack	PV18-6LF-CY
265	PV18-5SLF-M	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #5 stud, bulk pack	PV18-6LF-MY
266	PV18-5SLF-MY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #5 stud, bulk pack	PV18-6LF-MY
267	PV18-610RB-3K	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 22 - 18 AWG, Reel Smart	PV18-10RB-3K
268	PV18-610R-CY	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 22 - 18 AWG, standard pack	PV18-10R-CY
269	PV18-610R-MY	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 22 - 18 AWG, bulk pack	PV18-10R-MY
270	PV18-610R-XY	Ring Terminal, #6 - #10 multi-stud, vinyl insulated, 22 - 18 AWG, ten pack	PV18-10R-E
271	PV18-6SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 stud, Reel Smart	PV18-6LFB-3K
272	PV18-6SLF-CY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 stud, standard pack	PV18-6LF-CY
273	PV18-6SLF-M	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 stud, bulk pack	PV18-6LF-MY
274	PV18-6SLF-MY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 stud, bulk pack	PV18-6LF-MY
275	PV18-8SLFB-3K	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 stud, Reel Smart	PV18-8LFB-3K
276	PV18-8SLF-CY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 stud, standard pack	PV18-8LF-CY
277	PV18-8SLF-M	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 stud, bulk pack	PV18-8LF-MY
278	PV18-8SLF-MY	Short Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 stud, bulk pack	PV18-8LF-MY