


8				7							
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20			
COPYRIGHT 20				BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.							
PART NUMBER		REV	FIRST USED	APPLICATOR INSTRUCTION		EXPLODED VIEW					
680300-2		G	565435-5	408-8082		SIM TO A-6139				A 2	
680300-3		G	354500-1	408-8082		SIM TO A-6139				2	

LOC		DIST		REVISIONS					
A		66		P	LTR	DESCRIPTION	DATE	DWN	APVD
				G		ECR-07-003281	16FEB2007	KS	TE
				G1		ECR-07-008455	4/12/2007	KS	TE



1. THE REAR HOLD-DOWN ON THE TERMINATING UNIT MUST BE MOVED TO THE FRONT OF THE BASE PLATE. FOR -3 ONLY.

2. THIS APPLICATOR TERMINATES TAPE MOUNTED CLOSED END SPLICE, P/N 2-328730-1.

3. ITEM 17 END CAP SHOULD BE ROTATED 90° WITH THE PORT UP, FOR (-3) ONLY.

4. USE IN COMBINATION TO ACHIEVE PROPER CRIMP HEIGHT.

5. APPLY A FEW DROPS OF OIL.

6. LIGHTLY GREASE (4) CORNERS OF APPLICATOR HOUSING.

7. ITEMS NOT SHOWN ON ASEMBLY.

8. TERMINAL APPLICATOR SPEC. 114-2147.

SCALE 11:20

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				DWN		16FEB2007		AMP		Tyco Electronics	
				CHK		16FEB2007		Harrisburg, PA 17105-3608			
				APVD		16FEB2007		NAME		Quick Change Appl, Side Feed	
				PRODUCT SPEC				SIZE		CAGE CODE	
				APPLICATION SPEC				DRAWING NO		RESTRICTED TO	
				WEIGHT				A100779C=680300			
				CUSTOMER DRAWING				SCALE		SHEET	
								1:12		1 OF 2	
										REV	
										G1	

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20				REVISONS			
COPYRIGHT 20				BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.								LOC	DIST		
												A	66	P	LTR
														-	SEE SHEET 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[680300-3](#)