

## Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Cable clamp for cable diameter of 5 - 7 mm



### Key commercial data

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit           | 1 PCE                                                                                                   |
| Minimum order quantity | 2 PCE                                                                                                   |
| GTIN                   | <br>4 046356 527958 |
| Custom tariff number   | 85389099                                                                                                |
| Country of origin      | GERMANY                                                                                                 |

### Technical data

#### Electrical characteristics

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 125 °C |
|---------------------------------|-------------------|

#### Mechanical characteristics

|                         |               |
|-------------------------|---------------|
| External cable diameter | 5 mm ... 7 mm |
|-------------------------|---------------|

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000127 |
| ETIM 4.0 | EC000127 |
| ETIM 5.0 | EC002498 |

#### UNSPSC

|           |          |
|-----------|----------|
| UNSPSC 11 | 43172601 |
|-----------|----------|

## Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

### Classifications

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 12.01  | 39121408 |
| UNSPSC 13.2   | 39121408 |
| UNSPSC 6.01   | 43172601 |
| UNSPSC 7.0901 | 39121416 |

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27279002 |
| eCl@ss 4.1 | 27279002 |
| eCl@ss 5.0 | 27140908 |
| eCl@ss 5.1 | 27140908 |
| eCl@ss 6.0 | 27261290 |
| eCl@ss 7.0 | 27440290 |

### Approvals

#### Approvals

---

Approvals

GOST

---

Ex Approvals

---

Approvals submitted

---

#### Approval details

|                                                                                          |
|------------------------------------------------------------------------------------------|
| GOST  |
|------------------------------------------------------------------------------------------|

### Drawings

## Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Dimensioned drawing

