


PRODUCT ID LABEL
(1) PER REEL

SEE DETAIL 1

CARTON

SHIPPER ID LABEL
(1-2)/CARTON AS REQUIRED


PALLET 0313016630
635 mm X 635 mm
(26" X 26")
(SEE NOTE 6)



NOTE 6


DETAIL 1
SCALE 1:1.33

PAYOFF DIRECTION D



PLACE PRODUCT ID LABEL ON THIS SIDE TO INDICATE
THE PREFERRED PACKAGING ORIENTATION

PAYOFF DIRECTION B



NOTES:

1. NUMBER OF TERMINALS PER REEL: SEE TABLE (SHEET 2)
2. STANDARD PACK QUANTITY (SPQ): SEE TABLE (SHEET 2)
3. NUMBER OF REELS PER CARTON: SEE TABLE (SHEET 2)
4. SPLICING: NO BREAKS, MAXIMUM 1 WELD PER REEL
5. TO MINIMIZE STRESS ON TERMINALS, REELS SHOULD ALWAYS BE SHIPPED ON PALLETS WITH THE REELS LAYING FLAT AS SHOWN.
6. PLACE CARTONS ON PALLET WITH ARROWS POINTING UP PER DETAIL 1
7. FOR INTERNAL COPY SEE: PK-31301-053

CARTON/PALLET CORRECTION

EC NO: UAU2015-0030

DRWN:PPHELPS 2014/07/07

CHKD:

APPR: JNORTHRO 2014/07/22

REV

DESCRIPTION

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ± 1 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY DATE
PPHELPS 2012/10/24
CHECKED BY DATE

APPROVED BY DATE
JNORTHRO 2012/11/26

MATERIAL NO.

SEE TABLE

SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE
1:10

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

CTX PACKAGING SPEC
GEN. MKT. PRODUCT
CUSTOMER COPY

MOLEX MOLEX INCORPORATED

DOCUMENT NO.

SD-31301-053

SHEET NO.
1 OF 2

PACKAGING DATA											
PRODUCT DESCRIPTION	CTX 64				CTX 150			CTX 280 SEALED			
PRODUCT P/N SERIES	0348030*** 0348031*** 0348032***		0348033*** 0348035***		034805****			034808****			
GRIP CODE	S	L	S	L	S	M	L	VS	S	M	L
PART WT (Kg/1000)	.1552	.1642	.126	.126	.3070	.3270	.3470	.6596	.6886	.7106	.7332
STAND PACK QTY (SPQ)	60000	60000	72000	60000	35000	30000	25000	10000	10000	10000	10000
QTY/REEL	10000	10000	12000	10000	7000	6000	5000	2000	2000	2000	2000
REELS/SHIPPER CARTON	6	6	6	6	5	5	5	5	5	5	5
CARTONS/PALLET (MAX)	5	5	5	5	5	5	5	5	5	5	5
FILLED CARTON WT (Kg)	14.83	15.37	TBD	TBD	15.64	14.70	13.57	11.5	11.8	12.0	12.2
FLANGE DIAMETER (MM)	610	610	610	610	610	610	610	610	610	610	610

CUSTOMER COPY

CARTON/PALLET CORRECTION

EC NO: UAU2015-0030
2014/07/07

3

DRWN:PPHELPS

CHKD:

JNORTHRO

2014/07/22

APPR:

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---

ANGULAR ± 1 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE
PPHELPS	2012/10/24
CHECKED BY	DATE

APPROVED BY	DATE
JNORTHRO	2012/11/26

MATERIAL NO.	SIZE
SEE TABLE	C

SCALE

1:15

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

CTX PACKAGING SPEC

GEN. MRKT. PRODUCT

CUSTOMER COPY

MOLEX

MOLEX INCORPORATED

DOCUMENT NO.	SHEET NO.
SD-31301-053	2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

F


E

D


C

B





A



INSULATION GRIP





CONDUCTOR GRIP



PART NUMBERS		GRIP CODE	WIRE GAUGE			PLATING	DIM A +0,20	DIM B +0,30	DIM ØC +0,10	DIM ØD +0,20
D-WIND (LEFT PAYOFF)	B-WIND (RIGHT PAYOFF)		ISO mm ²	JASO mm ²	SAE gauge					
34803-0211	34803-0213	S	0.22-0.35	0.3	22	TIN	1.80	2.40	0.90	1.36
34803-0212	34803-0214	L	0.50-0.75	0.50-0.85	20	(Sn)	2.15	2.50	1.20	1.72

ISO VIEWS
NOT TO SCALE



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIAL: COPPER ALLOY
2. PLATING MARK: TIN (Sn) - NO MARK
3. PACKAGING PER SD-31301-053
4. CRIMPING PER AS-502306-001
5. PROBING AT ANY LOCATION ON THE TERMINAL BEAM IS NOT PERMITTED

ENTER DESCRIPTION EC NO: UAU2013-0899 DRAWN:DHENANI 2012/12/11 CHKD: CHKD: BMOSE APPR: BMOSE 2012/12/12		DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION 			
					mm	INCH	DRAWN BY K.FERGUSON	DATE 1-15-10	TITLE CTX64 FEMALE TERMINAL				
				4 PLACES	± ---	± ---	CHECKED BY D.HEMNANI	DATE 1-15-10					
				3 PLACES	± 0.08	± ---	APPROVED BY B.MOSER		DATE 1-15-10	MOLEX INCORPORATED			
				2 PLACES	± 0.08	± ---	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-34803-001				
1 PLACE	± 0.08	± ---	ANGULAR ± 1 °		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
A3		REV											