LAYOUT INSPECTION



REMARKS : " ◇ " SPECIAL CHARACTERISTIC
" + " SAFETY CHARACTERISTIC
" ( ) " REFERENCE ONLY
" ▽ " CUSTOMER CRITICAL DIMENSION

VARITRONIX LTD.	Dimension : mm	TOL : ±0.15 IF NOT SPECIFY	DO NOT SCALE DRAWING	3rd ANGLE PROJECTION
DWG.NO. : VI-511-1 REV 0	Drawn by : QING	SIGN :	Date : 2002-09-02	
	Checked by : MAK	SIGN :	Date :	

DWG.NO. : VI-511-1 (REV.0)



REMARKS: ① REFER TO COVER PAGE

② ---- X.XX=2.54 (FOR PIN LENGTH ⩾ 3.20 & ⩽ 10.00mm)

---- X.XX=1.75 (FOR PIN LENGTH > 10.00 & ⩽ 19.50mm)

DWG.NO. : VI-511-1 (REV.0)



DIGIT 1 - 4

DWG.NO.: VI-511-1 (REV.0)

SEGMENT TRACKING



REMARK: N.C. = NO CONNECTION

DWG.NO.: VI-511-1 (REV.0)



VARITRONIX LIMITED	OPEN LAYER :	SCALE
POLARIZER LOCATION DIAGRAM	P	Do not scale
DOC. NO. : PL-VI-511-1-01	Drawn by : QING	Date : 2002-09-02
	Checked by : INA	Date : 2002-09-02
	Approval by :	Date : 2002-09-02



DWG.NO. : VI-511-1 (REV.0)

VARITRONIX LIMITED	OPEN LAYER : DP-LO	SCALE
DIL-PIN DETAILS LOCATION DIAGRAM		Do not scale
DOC. NO. : DP-VI-511-1-01	Drawn by : QING	Date : 2002/09/02
	Checked by : YIN	Date : 2002/09/03
ALL DIMENSIONS IN mm	Approval by :	Date : 2002/09/03





REMARKS: ① REFER TO COVER PAGE
② ---- X.XX=2.54 (FOR PIN LENGTH ⩾ 3.20 & ⩽ 10.00mm)
---- X.XX=1.75 (FOR PIN LENGTH > 10.00 & ⩽ 19.50mm)

DWG.NO. : VI-511-1 (REV.0)

PIN	COM	PIN	COM
1	COM	21	1A
2	Y	22	1F
3	K	23	1G
4	4DP	24	2B
5	4E	25	2A
6	4D	26	2F
7	4C	27	2G
8	3DP	28	1L
9	3E	29	3B
10	3D	30	3A
11	3C	31	3F
12.	2DP	32	3G
13	2E	33	2L
14	2D	34	4B
15	2C	35	4A
16	1DP	36	4F
17	1E	37	4G
18	1D	38	Z
19	1C	39	X
20	1B	40	COM

REMARK : N.C. = NO CONNECTION