




1

2

3

4

5



PROJECTION:

GENERAL TOLERANCE

 $.X = +/_ 0.2$  $.XX = +/_ 0.15$ 

APPROVAL: BBu

UNIT: MM

SCALE:

SHEET: 1/3

DRAW: MIKE

DESCRIPTION: 3.00MM SMT SINGLE ROW MALE RIGHT ANGLED HEADER  
WITH SMT SOLDER TABS

SIZE

A4

RoHS Compliant				
			PROJECTION:	GENERAL TOLERANCE
				$.X = +/_ 0.2$ $.XX = +/_ 0.15$
			APPROVAL: BBu	UNIT: MM
				SCALE:
H	02-JUN-16	TPK	AK	SHEET: 1/3
REV	DATE	FILE	BY	DRAW: MIKE
				WERI PART NO: 662 1xx 145 021



1

2

3

4

5



Pin No	W	F	PCS/R	R/CTN	Q'TY
02	24	11.5	400	9	3600
03-04	32	14.2	400	7	2800
05-08	44	20.2	400	5	2000
09-12	56	26.2	400	4	1600

Note:

- All dimensions meet EIA-481-3 requirements.
- Material: BK Conductive Polystyrene Alloy  
100% recyclable.
- Thickness :  $0.40 \pm 0.05$ mm
- Carton Size:350\*350\*296(mm)

RoHS Compliant			
F	E	D	C



APPROVAL: BBu

GENERAL TOLERANCE  
 $.X = +/_ 0.2$   
 $.XX = +/_ 0.15$

UNIT: MM




SCALE:

SHEET: 2/3

DRAW: AK

DESCRIPTION: 3.00MM SMT SINGLE ROW MALE RIGHT ANGLED HEADER  
WITH SMT SOLDER TABS

WERI PART NO: 662 1xx 145 021

SIZE  
**A4**

A

B

C

D

1

2

3

4

5

## Cautions and Warnings:

This electronic component is designed and developed with the intention for use in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

RoHS Compliant			
G			
F			
E			
D			
C			
B			
A	10-SEP-14	PDF	QL
REV	DATE	FILE	BY



APPROVAL: JC

GENERAL TOLERANCE  
 $.X = +/_ 0.2$   
 $.XX = +/_ 0.15$

UNIT: MM

SCALE:

SHEET: 3/3

DRAW: QL



DESCRIPTION: DISCLAIMER

WERI PART NO: DISCLAIMER

A

B

C

D

SIZE  
**A4**