



### WLM100 WITH U.FL AND WLM101 WITH INTEGRATED ANTENNA

The WLM10x family of fully certified modules offers a quick, easy and cost effective way for device and appliances manufacturers to add WiFi capabilities to their products. The module provides multiple serial UART or SPI interfaces, enabling connection to any embedded design utilizing a 8/16/32-bit microcontroller via simple commands. The WLM10x is an ideal solution for organizations with limited or no WiFi or RF expertise, as it not only dramatically reduces RF design time but also removes the burden of testing and certification, allowing customers to focus on their core application, product or expertise. The module supports data rates up to 11 Mbps, is compliant with 802.11b and meets regulatory and WiFi Alliance requirements.

Multiple software configurations are available for the stack running on the module. For applications utilizing a small 8 bit microcontroller host, the module supports a serial to WiFi function and runs the full WiFi and TCP/IP networking stacks, completely offloading the host. For applications utilizing more powerful microcontrollers, the networking stack and services can reside on the host while the module provides the IP to WiFi functionality. In addition, it supports WEP/WPA/WPA2 security, Adhoc as well as WiFi Protected Setup (WPS) for ease of provisioning. The module family consists of four different SKU's for antenna configuration and output power. The module SKU's are single sided, pin compatible with castellations on the edges for I/O connection so module can be soldered down on customer application base-board.

### FEATURES

- Operates with standard 802.11 b/g/n access points at speed up to 11 Mbps (802.11b)
- Infrastructure or Adhoc mode
- Multiple UART and SPI interfaces
- Supports SPI Master and Slave
- Up to 11 Mbps in SPI Master Mode
- Up to 3 Mbps in SPI Slave Mode
- Up to 921.6 kbps on UART
- Full WiFi stack including WPS and optional networking stack and services
- 802.11i Security
- WEP, WPA, WPA2-PSK, Enterprise

### APPLICATION AREAS

- Healthcare and fitness
- Smart Energy
- Industrial Controls
- Commercial/building automation
- Consumer electronics

### global solutions: local support™

USA: +1.800.492.2320

Europe: +44.1628.858.940

Asia: +852.2268.6567

wirelessinfo@lairdtech.com

[www.lairdtech.com/wireless](http://www.lairdtech.com/wireless)

PARAMETER	
Radio Protocol	IEEE 802.11b/g/n Compatible
RF Output Power (Typical)	18 dBm
RF Operating Frequency	2.4 - 2.497 GHz
Supported Data Rates	11, 5.5, 2, 1 Mbps (802.11b)
Antenna Options	PCB Trace and U.FL connector for external antenna
Operating Temperature	Industrial (-40° to +85°C)
Security Protocols	WEP, WPA/WPA2 – PSK, Enterprise, EAP-FAST, EAP-TLS, EAP-TTLS, PEAP
Networking Protocols	UDP, TCP/IP (IPv4), DHCP, ARP, DNS, HTTP/HTTPS Client and Server
Certifications and Compliance	WiFi, FCC, IC, Japan, ETSI, RoHS
I/O Interface	UART (2), SPI (2), I2C, ADC (2), WAKE, ALARM (2), GPIOs, PWM, JTAG
Dimensions	1.45 in X 0.9 in
Power Source	3.3 V
Standby Power (Typical)	< 7uA

Preliminary specifications – subject to change. Please consult Laird Technologies before starting design work.

### ORDERING INFORMATION

WLM101	Low power 802.11b WLAN module with Ext. PA, PCB Trace Antenna
WLM100	Low power 802.11b WLAN module with Ext. PA, Ext. Antenna Connector
DVK-WLM101	Evaluation Kit, serial to WiFi
DVK-WLM100	Evaluation Kit, Serial to WiFi

The details contained within the document are subject to change. Download the product specification from [www.lairdtech.com/wireless](http://www.lairdtech.com/wireless) for the most current specification.



Innovative **Technology**  
for a **Connected** World

# Low Power WLAN Module

## WLM10x

### LAIRD TECHNOLOGIES—WIRELESS MODULES FOR EVERY APPLICATION

#### Bluetooth®

- Modules for data and multimedia applications
- Pre-qualified modules for rapid integration

#### 802.11

- Modules for connection to WiFi networks
- Low power M2M modules
- Video streaming modules

#### Proprietary

- Modules for 868 MHz, 900 MHz and 2.4 GHz

#### ZigBee™

- Modules for low power mesh networking

**Development Kits are available for all the above wireless modules.**

#### Telematics

- End-to-end wireless telematics hardware and solutions

#### Industrial

- Rugged wireless connectivity products, bridges, and access points

Visit [www.lairdtech.com/wireless](http://www.lairdtech.com/wireless) for details on our full range of wireless products, as well as extensive range of white papers and applications notes.

### global solutions: local support™

USA: +1.800.492.2320

Europe: +44.1628.858.940

Asia: +852.2268.6567

[wirelessinfo@lairdtech.com](mailto:wirelessinfo@lairdtech.com)

[www.lairdtech.com/wireless](http://www.lairdtech.com/wireless)

LWS-DS-WLM10x 1111

Any information furnished by Laird Technologies, Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird Technologies materials rests with the end user. Laird Technologies makes no warranties as to the fitness, merchantability, suitability or non-infringement of any Laird Technologies materials or products for any specific or general uses. Laird Technologies shall not be liable for incidental or consequential damages of any kind. All Laird Technologies products are sold pursuant to the Laird Technologies' Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2011 Laird Technologies, Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Technologies Logo, and other marks are trade marks or registered trade marks of Laird Technologies, Inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird Technologies or any third party intellectual property rights.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird Technologies:

[DVK-WLM100](#) [DVK-WLM101](#) [WLM100](#) [WLM101](#)