

## ● Part Numbering

### PTC Thermistors (POSISTOR®) for Degaussing Circuits

(Part Number)

<b>PT</b>	<b>DAA1</b>	<b>BF</b>	<b>4R5</b>	<b>Q</b>	<b>200</b>
①	②	③	④	⑤	⑥

#### ① Product ID

Product ID	
<b>PT</b>	PTC Thermistors

#### ② Series

Code	Series
<b>DAA1</b>	2-terminals Case Type
<b>DCA1</b>	3-terminals Case Type
<b>DL7P</b>	Lead Type

#### ③ Temperature Characteristics

Code	Temperature Characteristics
<b>BF</b>	Curie Point 60°C

#### ④ Resistance

Expressed by three figures. The unit is ohm ( $\Omega$ ). The first and second figures are significant digits, and the third figure expresses the number of zeros which follow the two figures. If there is a decimal point, it is expressed by the capital letter "R". In this case, all figures are significant digits.

Ex.)

Code	Resistance
<b>3R0</b>	3 $\Omega$
<b>4R5</b>	4.5 $\Omega$
<b>140</b>	14 $\Omega$

#### ⑤ Resistance Tolerance

Code	Resistance Tolerance
<b>M</b>	±20%
<b>N</b>	±30%
<b>Q</b>	Special Tolerance

#### ⑥ Individual Specifications

Code	Individual Specifications
<b>100</b>	1st Digit : Voltage (100V Type) 2nd-3rd Digits : Others
<b>200</b>	1st Digit : Voltage (200V Type) 2nd-3rd Digits : Others

Please contact us for details.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Murata:

[PTDAA1BG3R0M100](#)