




LOC	DIST	REVISIONS				
		P	LYR	DESCRIPTION	DATE	DWN
GE	00					APVD
		J1		REVISED PER ECO-12-004861	13MAR2012	DLD
						LLV

- 1 MATERIAL: BRASS PER ASTM-B-36
- 2 MATERIAL: BRASS PER ASTM-B-16
- 3 MATERIAL: TPX
- 4 FINISH: TIN PER ASTM-B-545
- 5 MATERIAL: BRASS PER ASTM-B-453
- 6 COMPANY LOGO




CONFIGURATION X



RECOMMENDED PCB LAYOUT FOR 1326508-1, -2 & -6

PCB LAYOUT TOLERANCES:
LOCATION = ±0.20 [0.008]
FEATURE SIZES = ±0.10 [0.004]
SCALE 4:1






CONFIGURATION Y


W, SH3	1326508-6
Z, SH2	1326508-3
Y	1326508-2
X	1326508-1
CONFIGURATION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN A. HOLT	13NOV2002	 TE Connectivity		
DIMENSIONS:			CHK K. COBLE	13NOV2002			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K. COBLE			NAME PCB JACK, SNAP-LOCK 		

LOC		DIST		REVISIONS					
GE		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



CONFIGURATION Z



RECOMMENDED PCB LAYOUT
FOR 1326508-3 ONLY
PCB LAYOUT TOLERANCES:
LOCATION = ±0.20[0.008]
FEATURE SIZES = ±0.10[0.004]
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	A. HOLT	13NOV2002	TE Connectivity			
		CHK	K. COBLE	13NOV2002				
DIMENSIONS:		APVD	K. COBLE	13NOV2002	NAME			
mm[INCHES]					PCB JACK, SNAP-LOCK			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC			
		9 PLC ±			APPLICATION SPEC			
		2 PLC ±0.13[0.005]			SIZE			
		3 PLC ±			CAGE CODE			
MATERIAL		FINISH			DRAWING NO			
SEE NOTES		SEE NOTES			RESTRICTED TO			
					A100779C=1326508			
					CUSTOMER DRAWING			
					SCALE 4:1 SHEET 2 OF 3 REV J1			

