



13	12	11	10	9	8
MATERIAL NUMBER	POSITION NUMBER	DIM. "A"	DIM. "B"	DIM. "C"	QUANTITY OF POLARIZING SLOTS
43938-2101	6	20.00 .787	30.90 1.216	41.30 1.626	1
43938-2102	8	30.00 1.181	40.90 1.610	51.30 2.020	2
43938-2103	10	40.00 1.575	50.90 2.004	61.30 2.413	2
43938-2104	12	50.00 1.968	60.90 2.398	71.30 2.807	2
43938-2105	14	60.00 2.362	70.90 2.791	81.30 3.201	2
					1.80/2.00 .071/.079


NOTES:

1. MATERIAL: UNFILLED POLYESTER, U.L. 94V-0, COLOR: BLACK
2. FINISH: NONE
3. PRODUCT SPECIFICATION: PS-42815-001
4. PARTS TO BE PACKAGED: 6-10 CKT PER PK-43938-001, 12-14 CKT PER PK-45286-002.
5. THIS PART IS DESIGNED TO USE MALE CRIMP TERMINAL #42817.
6. EACH WIRE MUST BE DRESSED SUCH THAT THE TERMINAL MAINTAINS ITS FREE FLOAT WITHIN THE HOUSING.
7. THIS PART IS DESIGNED TO USE T.P.A. #43980.
8. THIS PART IS DESIGNED TO MATE WITH RECEPTACLE HOUSING #43914.
9. SEE SHEET 2 FOR PANEL CUT-OUT DETAILS.
10. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY.


THIS PRODUCT MUST NOT BE USED WITHOUT THE T.P.A.




NOTE 4		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
REV		DESCRIPTION		mm		MM/IN		2:1		METRIC		THIRD ANGLE PROJECTION	
E1		REV		mm		INCH		DRAWN BY		DATE		TITLE	
E1		REV		mm		INCH		POLGAR		1998/08/21		DUAL ROW PANEL MT, PLUG	
E1		REV		mm		INCH		CHECKED BY		DATE		6-14 CKT., BOTTOM LATCH,	
E1		REV		mm		INCH		COMERC I		1998/10/02		MINI-FIT SR. SERIES	
E1		REV		mm		INCH		APPROVED BY		DATE		molex	
E1		REV		mm		INCH		COMERC I		1998/10/02		SD-43938-002	
E1		REV		mm		INCH		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
E1		REV		mm		INCH		SEE CHART		SD-43938-002		1 OF 2	
E1		REV		mm		INCH		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX.		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			




MATERIAL NO.:
43938-2101
6 CIRCUIT




MATERIAL NO.:
43938-2104
12 CIRCUIT



MATERIAL NO.:
43938-1102
43938-2102
8 CIRCUIT



MATERIAL NO.:
43938-2105
14 CIRCUIT



MATERIAL NO.:
43938-2103
10 CIRCUIT

PANEL OPENINGS SHOWN FROM OUTSIDE OF BOX.
SEE CHART FOR PANEL THICKNESS.

SEE SHEET 1
EC NO: UCP2015-0758
DRWN: DFOX 2014/08/20
CHKD: BANDERSON 2014/08/20
APPR: FSMITH 2014/08/25

QUALITY SYMBOLS
▽=0
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± --- ± ---
1 PLACE ± --- ± ---
0 PLACE ± --- ± ---
ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN
DRAWN BY DATE
POLGAR 1998/08/21
CHECKED BY DATE
COMERCI 1998/10/02
APPROVED BY DATE
COMERCI 1998/10/02
MATERIAL NO.
SEE CHART

SCALE
2:1
DESIGN UNITS
METRIC
THIRD ANGLE PROJECTION
TITLE
DUAL ROW PANEL MT, PLUG
6-14 CKT., BOTTOM LATCH,
MINI-FIT SR. SERIES
molex
DOCUMENT NO.
SD-43938-002
SHEET NO.
2 OF 2



13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	---	---	---	---	---	---	---	---	---

MATERIAL NUMBER	POSITION NUMBER	DIM. "A"	DIM. "B"	DIM. "C"	QUANTITY OF POLARIZING SLOTS	PANEL THICKNESS ACCOMMODATED
43938-2201	6	20.00 .787	30.90 1.216	41.30 1.626	1	1.30/1.76 .051/.069
43938-2202	8	30.00 1.181	40.90 1.610	51.30 2.020	2	
43938-2203	10	40.00 1.575	50.90 2.004	61.30 2.413	2	
43938-2204	12	50.00 1.968	60.90 2.398	71.30 2.807	2	
43938-2205	14	60.00 2.362	70.90 2.791	81.30 3.201	2	

NOTES:

1. MATERIAL: UNFILLED POLYESTER, U.L. 94V-0, COLOR: BLACK
2. FINISH: NONE
3. PRODUCT SPEC: PS-42815-001
4. THIS PART IS DESIGNED TO USE MALE CRIM PTERMINAL #42817
5. THIS PART IS DESIGNED TO USE T.P.A. #43980
6. THIS PART IS DESIGNED TO MATE WITH RECEPTACLE HOUSING #43914
7. SEE SHEET 2 FOR PANEL CUT-OUT DETAILS
8. POLARIZING SLOTS TO BE LOCATED BETWEEN CIRCUITS ON EITHER END OF HOUSING OF THE CIRCUIT 1 ROW AS SHOWN.
EXCEPTION: THE 6 CIRCUIT HOUSING WILL HAVE A SINGLE SLOT ON THE CIRCUIT 1 END ONLY
9. AN "X" IS ENGRAVED AS SHOWN TO DESIGNATE THAT THE PART ACCOMMODATES A 1.30/1.76 PANEL THICKNESS
10. PARTS TO BE PACKAGED: 6~10 CKT PER PK-43938-001, 12~14 CKT PER PK-45286-002

THIS PRODUCT MUST NOT BE USED WITHOUT THE T.P.A.



TRANSFER TO INDIA EC NO: UCP2018-0286 DRWN:JSCHAFER 2017/08/28 CHKD: APPR:FSMITH 2017/09/08	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- 0 PLACE ± --- ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE IN/MM DRAWN BY DATE JDFOX 2014/08/21 CHECKED BY DATE BANDERSON 2014/08/21 APPROVED BY DATE FSMITH 2014/08/25	SCALE 2:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION	TITLE DUAL ROW PANEL MOUNT PLUG, 6-14 CIRCUIT, MINI-FIT SR. SERIES molex	DOCUMENT NO. SD-43938-003	SHEET NO. 1 OF 2

