





20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1





SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT
LIGHT PIPE COVER

CAGE IDENTIFICATION
SEE NOTE 6

ONE PIECE DESIGN
SECURELY FASTENED





NOTES:

1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP
(REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP
(REFER TO DOCUMENT SD-74726-002)
3. MATERIAL: COPPER ALLOY
4. PLATING: MATTE TIN
5. LEAD FREE, NO ROHS EXEMPTIONS
6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 = 13
EXAMPLE: 11 2 A 03 12

REVISED	EC NO: CPG2013-0591	2012/09/11	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION
	DRAWN BY	2012/09/12			MM ONLY		5:1	METRIC			
	CHKD:MMCKERVEY	2012/09/12					TITLE				
	APPR:KLLOYD	2012/01/12					1X1 SFP TAPE AND REEL				
					▽=0	4 PLACES ±	±	DRAWN BY	DATE		
					▽=0	3 PLACES ±	±	CHECKED BY	DATE		
					▽=0	2 PLACES ±	0.13	±	APPROVED BY	DATE	
					▽=0	1 PLACE ±	0.25	±	KLLOYD	2012/01/05	
						0 PLACE ±	±				
				ANGULAR ± 1 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		747370111		SD-74737-0111		1 OF 5	
						SIZE					
						D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			


19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2 PADS AND VIAS ARE CHASSIS GROUND.
3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMMODATE MOLEX
CONNECTOR SERIES 74441 OR EQUIVALENT.



~~SEE~~ KEEPOUT Detail

REVISED EC NO.: CPG2013-0591 DRAFTER/IAN 2012/09/11 CHK/PMCKEVEY 2012/09/11 APPR/KLOYD 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY MMCKEVEY	DATE 2011/07/25	TITLE 1X1 SFP TAPE AND REEL			
			4 PLACES ±	±	CHECKED BY DATE					
			3 PLACES ±	±	APPROVED BY DATE					
			2 PLACES ±	±	MATERIAL NO. 747370111		DOCUMENT NO. SD-74737-0111		SHEET NO. 2 OF 5	
			1 PLACE ±0.13 1 PLACE ±0.25 0 PLACE ±	±	KLOYD 2012/01/05					





REVISED EC NO: CP02013-0591 D	DESCRIPTION DRAWN BY: CHYOMCKEY CHECKED BY: APPR:KLLOYD DATE: 2012/09/11 DATE: 2012/09/12 DATE: 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION									
			4 PLACES	±	mm	INCH	DRAWN BY MMCKERVEY	DATE 2011/07/25		TITLE 1X1 SFP TAPE AND REEL								
			3 PLACES	±	mm	INCH	CHECKED BY	DATE										
			2 PLACES	±	0.13	mm	INCH	APPROVED BY KLLOYD			DATE 2012/01/05							
			1 PLACE	±	0.25	mm	INCH	MATERIAL NO. 747370111			DOCUMENT NO. SD-74737-0111							
0 PLACE		±							SHEET NO. 4 OF 5									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
9			8		7		6		5		4		3		2		1	

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE, PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED EC. NO. CPG2013-0591 DRAWN BY: CHYKMMCKERVEY CHECKED BY: KLLLOYD APPROVAL NO. 2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table> ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.13	± ---	1 PLACE	± 0.25	± ---	0 PLACE	±	±	DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
				mm	INCH																				
			4 PLACES	± ---	± ---																				
			3 PLACES	± ---	± ---																				
2 PLACES	± 0.13	± ---																							
1 PLACE	± 0.25	± ---																							
0 PLACE	±	±																							
DRAWN BY MMCKERVEY		DATE 2011/07/25	TITLE 1X1 SFP TAPE AND REEL																						
CHECKED BY		DATE																							
APPROVED BY KLLLOYD		DATE 2012/01/05																							
D	REV	DESCRIPTION	MATERIAL NO. 747370111		DOCUMENT NO. SD-74737-0111		SHEET NO. 5 OF 5																		
			SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																						

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1