

<u>Important notes about Classic Panel Mount Indicator Catalog Pages</u>

SCROLL DOWN TO VIEW CATALOG PAGE

This catalog page is out-of-print and is used with the understanding that the information shown could be out-of-date. In many cases, part numbers shown on this page are discontinued. Most notably, many "Complete Assembly" parts, which consist of a cap and a base, can no longer be ordered by the 14-digit ordering code. To obtain these parts, please order the cap and base part numbers separately. This process provides the components contained with the original "Complete Assembly" part number.

All Dialight Classic Panel Mount Indicators need a leading 3-digit numerical series. In some cases, this catalog will show a 2-digit series. In this case, please add a leading zero. For example, 81-0211-300 becomes **0**81-0211-300.

Part numbers listed on Dialight catalog pages designate parts with Red lenses. For ordering lens colors other than red, consult the chart below. In most cases, the color is dictated by the 7th digit. For example, 095-093**2**-003 for a green cap.

Lens Colors		
1 - Red 2 - Green	5 - White 6 - Light Yellow	
3 - Yellow	7 - Clear	
4 - Blue		

Click here for a cross reference guide to assembly part numbers.

Click here to view Frequently Asked Questions concerning Panel Mount Indicators.

SCROLL DOWN TO VIEW CATALOG PAGE

S-6 CANDELABRA SCREW BASE See lamp ratings on page K.

Recognized under the component program of Underwriters' Laboratories Inc. 75W., 125V.

Large Incandescent Indicators

FOR MOUNTING IN 1" CLEARANCE HOLE FOR 6 TO 250V OPERATION

These series indicator lights meet or exceed requirements of MIL-L-3661.

MATERIALS AND FINISHES


- Mounting Bushing: Standard—brass, white nickel finish. Optional—black nickel finish.
- Lens Holder and Knurled Flange Ring: Brass, polished chrome finish.
 Optional—black nickel or satin chrome finish.
- Mounting Nut: Brass, white nickel finish.
- Internal-tooth Lockwasher: Phosphor bronze, white nickel finish.
- Terminals: Solder brass, hot tinned. Screw-brass, white nickel finish. Quick Connect-brass, tinned. Mate with standard female receptacles.

These assemblies are shown with screw-on or friction-fit lens caps, Bayonet lock lens caps are also available. Information will be furnished upon request.



How to designate the three digit part number suffix (-XXX		
Finish	Resistor	Hardware
2 — black nickel 3 — polišhed chrome 4 — satin chrome	0 — none	1 — brass 3 — water-tight on the face of the panel. (screw-on caps only)

WITH SCREW-ON LENS CAPS



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Dialight:

<u>080-0901-05-203</u> <u>080-0901-05-301</u> <u>080-4001-05-301</u> <u>080-4001-05-300</u> <u>080-0901-05-300</u> <u>080-0901-05-300</u> <u>080-4001-05-203</u> <u>080-3101-05-300</u> <u>080-4001-05-203</u> <u>080-3101-05-300</u> <u>080-3101-05</u>