This document was generated on 03/10/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0639011400

Status: Active

Overview: Application Tooling

Description: FineAdjust Applicator for 1.75mm Wire-To-Board Crimp Terminal, 24-28 AWG

Series image - Reference only

Documents:
RoHS Certificate of Compliance (PDF)

General

Product Family	Application Tooling
Series	207127
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	FineAdjust
Tool Type	Applicator
UPC	883906421441
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-639011400, TM-638004900-001, TM-638004900CN-001, TM-638004900SP-001, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN

EU ELV
Not Relevant

EU RoHS
Not Reviewed

China RoHS

REACH SVHC
Not Reviewed

Halogen-Free Status
Not Relevant

For more information, please visit Contact US

China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Reviewed

Search Parts in this Series
207127 Series

Use With
Molex TM-3000: 638017200 , 638017300 , Molex TM-4000: 638017600 , Molex TM-2000: 638008300 , 638008400 , and Most Industry Standard Presses or Wire Process Machines

Application Tooling Description	| FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2061101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103

1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel	2061104
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged	2061118
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	2061131
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2061132
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged	2061141
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper	2061143
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2062101
1.57mm Diameter, Standard .062" Pin and Socket Crimp	2062103

	Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	2062131
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2062132
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2065100
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2065101
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065102
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065103
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged	2065104
	1.57mm Diameter, Standard .062" Pin and Socket Crimp	2065105

	Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel	
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2065108
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065109
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2065130
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065135
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2065138
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065139
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass	2065147

Contact, 24-30 AWG, Reel	
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065148
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2066100
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged	2066101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	2066102
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2066103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	2066104
062 Male Term Chain Brs 50Au 18-24	2066105
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold	2066118

(Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel	
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	2066119
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag	2066122
.062 Male Term PC Tail 30 au	2066125
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066130
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066135
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066138
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066139
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass	2066143

Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	2066144
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged	2067103
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged	2067104
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	2068103
062 Male Term Tin PCTail Chn	2068104
Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin Terminal Progression	2072101
MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	2081001
MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081002
MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	2081003
MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081004
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass	2081101

Contact, 16-24 AWG, Reel	
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag	2081102
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	2081103
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2081104
Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20	2081201
.084" UNPLATED TERMINAL 8980V01	2081211
.084" PC TAIL TERM - 999 8980R11	2081212
.084" PC TAIL TERM - 999 8980R13	2081214
2.096MM DIA TERMINAL	2081266
2.096MM DIA TERMINAL	2081268
2.13mm DIA PC TAIL TERM PhBr 2.54SnLF	2081309
2.096MM DIA TERMINAL PhBr 2.54SnLF	2081363
2.096MM DIA TERMINAL PhBr 2.54SnLF	2081365
MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	2082003
MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	2082004
MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	2082005
MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	2082006
MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)	2082008
42023-2A0,Ter Male 2.13 Chn Unplate	2082011

Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	2085101
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	2091102
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2091104
093FemaleTerm Chain/IntLeaf Brs Tin18-22	2091115
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2091117
2.36mm Diameter Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag	2091118
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2091119
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	2091122
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag	2091123
2.36mm Diameter, Standard .093" Pin	2091134

	and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag	
	Crimp Terminal 41483, 14-18 AWG, Reel	2091153
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain	2091155
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	2091205
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	2091206
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	2091615
	2.36mm Diameter Socket, Without Insulation Crimp for 16-20 AWG Wire	2091651
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	2092101
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2092103

Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin (Sn) Plated Brass Contact, 16-18 AWG, 11.20mm Terminal Progression	2092105
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2092116
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel	2092117
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2092118
093 MaleTermChain/ IntLeaf Brs Tin18-22	2092127
2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged	2092133
2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged	2092134
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel Packaged	2092166
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with	2092167

Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged	
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel	2092170
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag	2092171
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	2092611
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2095100
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain	2095101
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2095102
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2095106

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2095111
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	2095130
2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag	2095132
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2095133
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2095142
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	2095143
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	2095169
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated	2095170

		Phosphor Bronze Contact, 14-20 AWG, Bag
	2096100	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2096101	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2096102	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel
	2096106	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag
	2096110	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag
	2096122	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel
	2096123	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag
	2096125	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series

1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2096126
2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged	2096132
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2098103
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2098104
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel	2098108
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag	2098109
Mini-Fit Jr. Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural	3044052
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural	3061011

1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	3061022
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural	3061023
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears	3061031
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural	3061032
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	3061038
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears	3061041
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	3061042
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	3061044
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	3061062

1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural	3061092
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural	3061121
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural	3061122
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural	3062011
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	3062023
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	3062024
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural	3062031
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural	3062032
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	3062033
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears	3062041

1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural	3062042
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	3062044
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	3062061
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	3062092
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural	3062121
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural	3062122
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black	3066023
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	3066062
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	3067023
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	3067044

1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	3067061
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural	3091011
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural	3091022
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Natural	3091027
2.36mm Diameter Standard Receptacle Housing, 3 Circuit, Natural	3091030
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091031
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091032
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural	3091033
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	3091041
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	3091042
2.36mm Diameter Standard .093" Pin and Socket	3091049

	Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091061
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091062
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	3091063
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091064
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091081
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	3091091
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp	3091092
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	3091093
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	3091094

2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	3091121
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	3091125
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	3091126
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps	3091151
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps	3091152
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps	3091153
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps	3091157
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits	3091161
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural	3092011

2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural	3092021
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	3092022
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	3092031
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	3092032
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	3092041
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	3092042
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	3092049
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	3092061
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	3092062
2.36mm Diameter Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows	3092092
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	3092121
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	3092122

2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	3092151
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows	3092159
2.36mm Diameter Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	3092161
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Black	3096021
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	3097022
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	3097024
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	3097032
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	3121022
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)	3121026
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, without Panel	3121036

	Mount Ears, 3 Circuits, Natural, Nylon 94V-2	
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)	3121046
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	3122022
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)	3122025
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)	3122026
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	3122035
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	3122036
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent)	3122045
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent)	3122046

Flat Blade Crimp Terminal, Series 1508, Female, With Tin (Sn) Plated Brass Contact, 14-18 AWG (or 18 AWG Double Crimp), Reel Packaged	5060117
Flat Blade Crimp Terminal, Series 2176, Female, With Tin (Sn) Plated Brass Contact, With Detent, 14-22 AWG (or 18 AWG Double Crimp), Reel Packaged	5060301
Crimp Terminal 2482, 10-16 AWG, Reel	5121004
Crimp Terminal 2482, 10-16 AWG, Bag	5121005
Crimp Terminal 2482, 10-16 AWG, Reel	5121006
Crimp Terminal 2482, 10-16 AWG, Reel	5121008
Crimp Terminal 6482, 14-18 AWG, Reel	5121104
Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuits	6021103
Flat Blade Appliance Water Valve Crimp Housing, 3 Circuit, Natural	6022030
Flat Blade Appliance Defrost Timer Crimp Housing, 4 Circuit, 4 Circuits	6023042
Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuit, 10 Circuits	6023103
Flat Blade Appliance Dryer Motor Crimp Housing, 10 Circuit	6023104
KK Crimp Terminal, Series 1799, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Chain on Reel	8300109
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Brass Tin (Sn)	8500008
KK 156 TERMINAL CRIMP 18-24 AWG TIN	8500015
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Brass Tin (Sn)	8500023

KK 156 TERM CRP 18-20 AWG TRIFURCON TIN	8500024
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel	8500030
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	8500031
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	8500032
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn)	8500105
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	8500106
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn)	8500107
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)	8500108
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	8500109
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	8500110
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)	8500111
KK 156 TERMINAL CRIMP 22-26 AWG TIN	8500112
KK 254 Crimp Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	8500113
KK 254 Crimp Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	8500114
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Brass, Tin (Sn), Bifurcated	8500115

3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Brass, Tin (Sn), Bifurcated	8500116
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 3.8µm Tin (Sn)	8500119
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn)	8500120
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 2.540µm Tin (Sn)	8500133
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn)	8500134
KK 254 Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	8500135
KK 254 Crimp Terminal 4809, 22-30 AWG, Tin, Bag	8500136
KK 254 Crimp Terminal, 22-30 AWG, Reel, Tin (Sn) Plating, Nickel (Ni) Under Plating	8500159
KK 254 Crimp Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating	8500160
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Brass Tin (Sn)	8500183
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Brass Tin (Sn)	8500185
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Reel, Brass Tin (Sn)	8500187
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn)	8500189
KK 156 TERM CRP 18-20 AWG TRIFURCON TIN	8500251
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 3.87µm Tin (Sn)	8500281

KK 156 TERM CRP 22-26 AWG TRIFURCON TIN	8500283
KK 100 Crp Term Std 22-30 Awg Unplt	8510101
KK 254 Crimp Terminal, 22-30 AWG, Reel, Tin (Sn), Nickel (Ni) Under Plating	8510108
KK 156 TERMINAL CRIMP 1820 AWG	8510109
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, Tin (Sn)	8520071
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn)	8520072
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Tin (Sn)	8520101
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Reel, Phosphor Bronze Tin(Sn)	8520112
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Phosphor Bronze Tin (Sn)	8520113
KK .100 CRIMP TERMINAL 100MI MATTE TIN	8520118
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	8520123
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Tin(Sn)	8520124
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Tin (Sn)	8520125
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, Tin (Sn), Bifurcated	8520126
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor	8520127

Bronze, Tin (Sn), Bifurcated	
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Tin (Sn)	8520131
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	8520132
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 5.0µm Tin (Sn)	8520811
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn)	8520812
KK 156 TERMINAL CRIMP 18-24 AWG	8530811
KK CRIMP TERM UNPLT LSE PB2478999L	8530812
KK 156 TERMINAL CRIMP 1820 AWG	8530814
KK 156 TERM CRP 18-20 AWG TRIFURCON	8531101
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	8550101
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	8550102
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	8550103
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	8550104
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	8550105
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	8550106
KK 254 Crimp Terminal 4809, 22-30	8550110

AWG, Selective Gold (Au), Reel	
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	8550111
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel	8550112
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	8550123
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au)	8550124
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)	8550129
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	8550130
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	8550131
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.76µm Gold (Au)	8550133
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.76µm Gold (Au)	8550134
KK 396 Crimp Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	8550137
KK 156 TERMINAL CRIMP 1820 AWG GOLD	8550138
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.51µm Selective Gold (Au)	8560105
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au)	8560106
KK 396 Crimp Terminal 2578, 22-26	8560107

AWG, Reel, Brass, 0.51µm Select Gold (Au) over Gold Flash	
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash	8560108
KK 254 Crimp Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating	8560109
KK 254 Crimp Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating	8560110
KK Crimp Terminal, Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	8560113
KK Crimp Terminal, Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Loose	8560114
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	8560115
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	8560120
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Gold (Au)	8560123
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au)	8560124
KK 156 TERMINAL CRIMP 18-24 AWG GOLD	8580103
KK 156 TERMINAL CRIMP 18-24 AWG GOLD	8580104
KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	8580105
KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	8580106
KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel,	8580110

Phosphor Bronze Selective Gold (Au)	
KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8580111
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.76µm Gold (Au)	8580114
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au)	8580115
KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	8580118
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	8580121
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	8580122
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)	8580125
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	8580126
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated	8580127
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated	8580128
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	8580135
KK 396 Crimp Terminal 8818,	8580136

18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	
KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Gold (Au)	8580187
KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Gold(Au)	8580189
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 3.810µm Tin (Sn)	8600003
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn)	8600004
KK 254 Crimp Terminal 8088, 22-30 AWG, Gold/Nickel, Reel	8650105
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash	8650110
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	8650114
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	8650115
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	8650116
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	8650117
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	8650118

3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	8650119
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au)	8650121
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8650122
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	8650128
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8650129
KK 100 Crp Term Std 22-30 Awg SGold	8650801
KK 254 Cat Ear Crimp Terminal 41572, Reel Tin (Sn)	8650804
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	8650805
KK 100 Crp Term Std 22-30 Awg SGold	8650811
KK 100 Crp Term Std 22-30 Awg SGold	8650812
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)	8650813
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	8650814
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)	8650815
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8650816
KK 100 Crp Term Std 22-30 Awg SGold	8650817

4.80mm Pitch Crimp Terminal, Female, Reel	8700001
4.80mm Pitch Crimp Terminal, Male, Reel	8700002
3.96 and 5.08mm Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel	8700012
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	8700048
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Phosphor Bronze, Tin (Sn) Plating	8700049
SPOX Crimp Terminal 5103, 22-28 AWG, Reel, Brass (CuZn), Chain Type	8700056
SPOX Crimp Terminal 5103, 22-28 AWG, Reel, Phosphor Bronze (CuSn), Chain Type	8700058
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Reel, Brass, Tin (Sn) over Copper Plating	8700064
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Brass, Tin (Sn) over Copper Plating	8700069
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Reel	8700102
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Bag	8700103
Board-in Crimp Terminal , Series 5298, Male, with Tin Insulation Diameter, Reel Packaged	8700106
.062DIA CRIMP REC.	8701011
.062DIA CRIMP PIN	8701013
SPOX Crimp Terminal, 18-24 AWG, Brass, Bag	8701030
SPOX Crimp Terminal, 18-24 AWG, Brass, Reel	8701031
2.50mm Pitch, Mini-SPOX Female Crimp Terminal, 22-28 AWG, Reel	8701039

2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	8701040
2.5 Low Profile Crimp Rec Chain W/ Plt	8701047
3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	9011036
.156 IDT ASSEMBLY 724103L	9072031
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9481024
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	9481034
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	9481044
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	9481054
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	9481064
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	9481074
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	9481084
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	9481094
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	9481104
KK 396 PC Board Connector, Top Entry, Polyester	9481105

Connector, Gold (Au) Selective, 10 Circuits	
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits	9481114
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits	9481124
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits	9481134
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits	9481144
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits	9481154
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483024
KK 396 PC Board Connector, Right Angle, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483025
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483026
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 3 Circuits	9483034
KK 396 PC Board Connector, Right Angle, Polyester Connector, Gold (Au) Selective, 3 Circuits	9483035
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 3 Circuits	9483036
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 4 Circuits	9483044
KK 396 PC Board Connector, Right-Angle, Polyester	9483045

	Connector, Gold (Au) Selective, 4 Circuits
	KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 4 Circuits 9483046
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 5 Circuits 9483054
	KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 5 Circuits 9483055
	KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 5 Circuits 9483056
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 6 Circuits 9483064
	KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 6 Circuits 9483065
	KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 6 Circuits 9483066
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 7 Circuits 9483074
	KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 7 Circuits 9483075
	KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 7 Circuits 9483076
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 8 Circuits 9483084
	KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 8 Circuits 9483085
	KK 396 PC Board Connector, Top Entry, Polyester 9483086

Connector, Gold (Au) Selective, 8 Circuits	
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 9 Circuits	9483094
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 9 Circuits	9483095
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 9 Circuits	9483096
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483104
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483105
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483106
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 11 Circuits	9483114
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 11 Circuits	9483115
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 11 Circuits	9483116
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 12 Circuits	9483124
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 12 Circuits	9483125
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 12 Circuits	9483126
KK 396 PC Board Connector, Bottom Entry, Polyester	9483134

Connector, Gold (Au) Selective, 13 Circuits	
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 13 Circuits	9483135
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 13 Circuits	9483136
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 14 Circuits	9483144
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 14 Circuits	9483145
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 14 Circuits	9483146
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 15 Circuits	9483154
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 15 Circuits	9483155
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 15 Circuits	9483156
KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9484028
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9484029
KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	9484038
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	9484039
KK 396 PC Board Connector, Top Entry, Polyester	9484048

	Connector, 5.00µm Tin (Sn), 4 Circuits	
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	9484049
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	9484058
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	9484059
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	9484068
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	9484069
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	9484078
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	9484079
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	9484088
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	9484089
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	9484098
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	9484099
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	9484108
	KK 396 PC Board Connector, Bottom Entry, Polyester	9484109

	Connector, 5.00µm Tin (Sn), 10 Circuits	
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits	9484118
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits	9484119
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits	9484128
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits	9484129
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits	9484138
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits	9484139
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits	9484148
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits	9484149
	KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits	9484158
	KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 15 Circuits	9484159
	KK 156 PC Board Connector, Top Entry, Polyester Connector, Tin (Sn), 8 Circuits	9485088
	3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 2 Circuits, Natural	9501021
	3.96mm Pitch SPOX Crimp Housing, Female, with Friction	9501023

	Ramp and Void, 2 Circuits, Natural
	3.96mm Pitch SPOX 9501031 Crimp Housing, Female, with Friction Ramp, 3 Circuits, Natural
	3.96mm Pitch SPOX 9501033 Crimp Housing, Female, with Friction Ramp and Void, 3 Circuits, Natural
	3.96mm Pitch SPOX 9501041 Crimp Housing, Female, with Friction Ramp, 4 Circuits, Natural
	3.96mm Pitch SPOX 9501043 Crimp Housing, Female, with Friction Ramp and Void, 4 Circuits, Natural
	3.96mm Pitch SPOX 9501051 Crimp Housing, Female, with Friction Ramp, 5 Circuits, Natural
	3.96mm Pitch SPOX 9501053 Crimp Housing, Female, with Friction Ramp and Void, 5 Circuits, Natural
	3.96mm Pitch SPOX 9501061 Crimp Housing, Female, with Friction Ramp, 6 Circuits, Natural
	3.96mm Pitch SPOX 9501063 Crimp Housing, Female, with Friction Ramp and Void, 6 Circuits, Natural
	3.96mm Pitch SPOX 9501071 Crimp Housing, Female, with Friction Ramp, 7 Circuits, Natural
	3.96mm Pitch SPOX 9501073 Crimp Housing, Female, with Friction Ramp and Void, 7 Circuits, Natural
	3.96mm Pitch SPOX 9501081 Crimp Housing, Female, with Friction Ramp, 8 Circuits, Natural
	3.96mm Pitch SPOX 9501083 Crimp Housing, Female, with Friction Ramp and Void, 8 Circuits, Natural
	3.96mm Pitch SPOX 9501091 Crimp Housing, Female, with Friction

Ramp, 9 Circuits, Natural	
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 10 Circuits, Natural	9501101
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural	9501103
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural	9501111
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural	9501113
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural	9501121
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	9503021
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	9503031
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	9503041
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	9503051
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	9503061
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	9503071
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	9503081
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	9503091
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	9503101
KK 3.96mm Crimp Terminal Housing,	9503111

Friction Ramp, 11 Circuits, Natural	
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural	9503121
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	9503131
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	9503141
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Natural	9503151
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 16 Circuits, Natural	9503161