


PRODUCT NO  
10056193-18R1CLF



9	BUTTON-R	1	HIGH TEMP THERMOPLASTIC	COLOR: BLACK
8	SPRING	1	SWP-B	
7	MOUTED PIN	1	COPPER ALLOY	NICKEL(50u" MIN) PLATING
6	BAR B-R	1	STAINLESS STEEL	
5	BAR A-R	1	STAINLESS STEEL	
4	HEARTED SHAPE PLSTIC-R	1	HIGH TEMP THERMOPLASTIC	COLOR: BLACK
3	BOLTED SHEETMETAL-B-L-S-0 1.8mm	1	STAINLESS STEEL	
2	BOLTED SHEETMETAL-A-R-S-0 1.8mm	1	STAINLESS STEEL	
1	EJECT COVER-R	1	STAINLESS STEEL	
NO.	DESCRIPTION	QTY	MATERIAL	REMARK

mat'l code				tolerances unless otherwise specified				CUSTOMER		F C I	
ltr	ecn no	dr	date	lineor	.XX ±.20	.XXX ±.10	0" ±.3"	projection	MM	title	www.fciconnect.com
A	T05-0100	A.C.	8/31/05							SMTIL CARDBUS EJECT 2-STEP	
B	T06-0005	A.C.	1/6/06							S/O=1.80mm R-BUTTON	
				angles						product family	PCMCIA
				dr	ALLEN CHANG	5/9/05				size	dwg no
				engr	ALLEN CHANG	5/9/05				code	
				chr	STERLING LIN	5/9/05				sheet	
				appl	H.C LIU	5/9/05				1 of 4	
sheet	revision	B	B	B	B	B	B	B	B		
index	sheet	1	2	3	4						

A

 $AC;AD$

A

四

41 | 24

Printed: Apr 26, 2006

NOTES:

1. Specification:

Product Spec: GS-12-343.

Packaging Spec: GS-14-1005.

2. This product (10056193-18RXCLF) meets the European Union Directive as described in GS-22-008.

3. This product is supposed to be assembled onto header after soldering process and will never be exposed to any customer termination process.

4. The products where the part number ends in "LF" meet the criteria shown in the NOTES 2 and 3, are considered RoHS compatible.

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		A FCI www.fciconnect.com			
ltr	ecn no	dr	date	lineor	.XX ±.20	.XXX ±.10	angles	projection	title	SMTIL CARDBUS EJECT 2-STEP			
B							0° ±3°	MM	product family	PCMCA	code	sheet	
				dr	ALLEN CHANG	5/9/05			size	dwg no		4 of 4	
				engr	ALLEN CHANG	5/9/05							
				chr	STERLING LIN	5/9/05							
				appl	H.C LIU	5/9/05							
sheet	revision												
index	sheet												