

55836-3074	55836-xx74
55836-2074	
55836-1274	
55836-3073	55836-xx73
55836-2073	
55836-1273	
55836-3072	55836-xx72
55836-2072	
55836-1272	
55836-3071	55836-xx71
55836-2071	
55836-1271	
55836-3070	55836-xx70
55836-2070	
55836-1270	
MATERIAL NO.	MODEL NO.

EN-02JA(021)

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG PIN HS'G	51234-1202	1	51234-2002	1	51234-3002	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1271		55836-2071		55836-3071	
タイプ TYPE	A TYPE					

A	RELEASED EC NO: J2006-1791 O	2005/11/30 2005/12/01 2005/12/06	DRAWN: MABEI CH'KD: KTOYODA APPR: NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		
					10 UNDER		± 0.2	DRAWN BY M. NABEI		DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				
					10 OVER 30 UNDER		± 0.25	CHECKED BY K. TOYODA		DATE '05/11/29					
					30 OVER		± 0.3	APPROVED BY N. UKITA		DATE '05/11/29	MOLEX MOLEX INCORPORATED				
					ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		2 OF 5				
							SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B

PLUG MOLD COVER B	51236-1205	1	51236-2005	1	51236-3005	1
PLUG MOLD COVER A	51235-1215	1	51235-2015	1	51235-3015	1
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
PLUG SHELL COVER	56381-1228	1	56381-2028	1	56381-3028	1
PLUG SHELL BODY	56380-1228	1	56380-2028	1	56380-3028	1
PLUG PIN HS'G	51234-1203	1	51234-2003	1	51234-3003	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1272		55836-2072		55836-3072	
タイプ TYPE	B TYPE					

A	RELEASED EC NO: J2006-1791 O	2005/11/30 2005/12/01 2005/12/06	DRAWN: MABEI CHKD: KTOYODA APPR: NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		
					10 UNDER		±0.2	DRAWN BY M. NABEI		DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				
					10 OVER 30 UNDER		±0.25	CHECKED BY K. TOYODA		DATE '05/11/29					
					30 OVER		±0.3	APPROVED BY N. UKITA		DATE '05/11/29	MOLEX MOLEX INCORPORATED				
					ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

[illegible]

	10	9	8	7	6	5	4	3	2	1																																																																														
F											F																																																																													
E											E																																																																													
D	<table><tr><td>PLUG MOLD COVER B</td><td>51236-1205</td><td>I</td><td>51236-2005</td><td>I</td><td>51236-3005</td><td>I</td></tr><tr><td>PLUG MOLD COVER A</td><td>51235-1215</td><td>I</td><td>51235-2015</td><td>I</td><td>51235-3015</td><td>I</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>I</td><td>56382-2000</td><td>I</td><td>56382-3000</td><td>I</td></tr><tr><td>PLUG SHELL COVER</td><td>56381-1228</td><td>I</td><td>56381-2028</td><td>I</td><td>56381-3028</td><td>I</td></tr><tr><td>PLUG SHELL BODY</td><td>56380-1228</td><td>I</td><td>56380-2028</td><td>I</td><td>56380-3028</td><td>I</td></tr><tr><td>PLUG PIN HS'G</td><td>51234-1205</td><td>I</td><td>51234-2005</td><td>I</td><td>51234-3005</td><td>I</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">55836-1274</td><td colspan="2">55836-2074</td><td colspan="2">55836-3074</td></tr><tr><td>タイプ TYPE</td><td colspan="6">D TYPE</td></tr></table>										PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I	PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I	PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I	PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I	PLUG PIN HS'G	51234-1205	I	51234-2005	I	51234-3005	I	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	55836-1274		55836-2074		55836-3074		タイプ TYPE	D TYPE						D
PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I																																																																																		
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I																																																																																		
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																		
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I																																																																																		
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I																																																																																		
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I																																																																																		
PLUG PIN HS'G	51234-1205	I	51234-2005	I	51234-3005	I																																																																																		
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																		
極数 CIRCUIT	12		20		30																																																																																			
セット型番 SET NO.	55836-1274		55836-2074		55836-3074																																																																																			
タイプ TYPE	D TYPE																																																																																							
C											C																																																																													
B											B																																																																													
A	<table><tr><td rowspan="6">RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">10 UNDER ±0.2</td><td colspan="2">DRAWN BY DATE M.NABEI '05/11/29</td><td colspan="4" rowspan="2">TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-</td></tr><tr><td colspan="2">10 OVER 30 UNDER ±0.25</td><td colspan="2">CHECKED BY DATE K.TOYODA '05/11/29</td></tr><tr><td colspan="2">30 OVER ±0.3</td><td colspan="2">APPROVED BY DATE N.UKITA '05/11/29</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-55836-006</td><td colspan="2">5 OF 5</td></tr><tr><td>0</td><td colspan="2">SIZE A3</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29		30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED				ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		5 OF 5		0	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							A																							
RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																	
	10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-																																																																																			
	10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29																																																																																					
	30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED																																																																																			
	ANGULAR ±3 °		MATERIAL NO.						DOCUMENT NO.			SHEET NO.																																																																												
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		5 OF 5																																																																																	
0	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
	tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)																																																																														