


2 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-0001	93212-0002	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-0501	93226-2002	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-0002	93212-0002	NONE	b c		OPEN	OPEN	NONE	NONE
93211-0003	93212-0002	NONE	d		OPEN	OPEN	NONE	NONE
93211-0004	93212-0002	NONE	a c		OPEN	OPEN	NONE	NONE

3 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-1001	93212-0003	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-1002	93212-0103	NONE	d e f		OPEN	OPEN	1&2	NONE
93211-1501	93226-2003	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-1503	93226-2023	NONE	c d		SHORT THIN	LONG THICK	NONE	BETWEEN CCT 1&2
93211-1003	93212-0003	NONE	c d e f		OPEN	OPEN	NONE	NONE
93211-1004	93212-0203	2	a		OPEN	OPEN	2&3	NONE



VIEWING DIRECTION

NOTES:

- FIRST CKT SIDE IS THE SIDE CLOSEST TO CKT 1
- LAST CKT SIDE IS THE SIDE CLOSEST TO THE HIGHEST CKT SIZE

- ⊕ - DENOTES TERMINAL POSITION LOADED
+ - DENOTES TERMINAL POSITION VOIDED
I - DENOTES POSITION OF POLARISING RIB
Π - DENOTES POSITION OF LOCKING LATCH

4 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-2001	93212-0004	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-2501	93226-2004	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-2502	93226-0224	NONE	NONE		SHORT THIN	LONG THICK	2&3	BETWEEN CCT 1&2 3/4

5 CIRCUIT




MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-3001	932120005	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-3501	93226-2005	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2

6 CIRCUIT



MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-4001	93212-0006	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-4501	93226-2006	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-4502	93226-0026	NONE	NONE		SHORT THIN	LONG THICK	NONE	BETWEEN CCT 1&2 5&6
93211-4503	93212-0006	NONE	c e g		OPEN	OPEN	NONE	NONE

SEE SHEET 1 EC NO: IPG2014-1290 DRAWN: CHOWHAN 2014/01/23 CHKD: APPR: SGR/FFIN 2014/02/26	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
	▽=0	4 PLACES	± ---	± ---	DRAWN BY	DATE	RAST PWR IDT CONN 5MM PITCH V0 HWI				
	▽=0	3 PLACES	± ---	± ---	CHECKED BY	DATE					
		2 PLACES	± 0.10	± ---	T. TOURISH	2009/03/13	MOLEX INCORPORATED				
		1 PLACE	± 0.2	± ---	APPROVED BY	DATE					
		ANGULAR ± 2 °			B. MAGUIRE	2010/04/02	SD-93211-001				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHARTS						
	REV	DESCRIPTION	SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
			A2								




7 CIRCUIT


MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-5001	93212-0007	NONE	NONE.		OPEN	OPEN	NONE	NONE
93211-5501	93226-2007	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-5502	93226-0027	NONE	NONE		SHORT THIN	LONG THICK	NONE	BETWEEN CCT 1&2 6&7

8 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-6001	93212-0008	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-6501	93226-2008	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2

9 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-7001	93212-0009	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-7501	93226-2009	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2
93211-7502	93226-0029	NONE	NONE		SHORT THIN	LONG THICK	NONE	BETWEEN CCT 1&2 8&9



VIEWING DIRECTION

NOTES:

- FIRST CKT SIDE IS THE SIDE CLOSEST TO CKT 1
- LAST CKT SIDE IS THE SIDE CLOSEST TO THE HIGHEST CKT SIZE


- ⊕ - DENOTES TERMINAL POSITION LOADED
- + - DENOTES TERMINAL POSITION VOIDED
- I - DENOTES POSITION OF POLARISING RIB
- Π - DENOTES POSITION OF LOCKING LATCH

SEE SHEET 1 EC NO: IPGZ014-1290 DRAWN: MONAHAN 2014/01/23 CHKD: APPR: STGRFFIN 2014/02/26 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY B. RUTTLE	DATE 2009/03/13	TITLE RAST PWR IDT CONN 5MM PITCH V0 HWI			
		4 PLACES	± ---	± ---	CHECKED BY	DATE	MOLEX MOLEX INCORPORATED			
		3 PLACES	± ---	± ---	T. TOURISH	2009/03/13				
		2 PLACES	± 0.10	± ---	APPROVED BY	DATE				
		1 PLACE	± 0.2	± ---	BMAGUIRE	2010/04/02				
		ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO.			SHEET NO. 3 OF 5	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHARTS		SD-93211-001				
		SIZE A2	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10 CIRCUIT								
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-8001	93212-0010	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-8501	93226-2010	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2

11 CIRCUIT								
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-9001	93212-0011	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-9251	93226-2011	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2

12 CIRCUIT								
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	ENDWALLS		POLARIZING RIB	LATCH
					FIRST	LAST		
93211-9501	93212-0012	NONE	NONE		OPEN	OPEN	NONE	NONE
93211-9751	93226-2012	NONE	NONE		OPEN	OPEN	NONE	BETWEEN CCT 1&2




VIEWING DIRECTION

NOTES:

- FIRST CKT SIDE IS THE SIDE CLOSEST TO CKT 1
- LAST CKT SIDE IS THE SIDE CLOSEST TO THE HIGHEST CKT SIZE

- ⊕ - DENOTES TERMINAL POSITION LOADED
- + - DENOTES TERMINAL POSITION VOIDED
- I - DENOTES POSITION OF POLARISING RIB
- - DENOTES POSITION OF LOCKING LATCH

SEE SHEET 1 EC NO: IP02014-1290 DRAWN: MONAHAN 2014/01/23 CHKD: APPR: STIGLITZ 2014/02/26 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY B. RUTTLE	DATE 2009/03/13	TITLE RAST PWR IDT CONN 5MM PITCH V0 HWI			
			4 PLACES	± ---	± ---	CHECKED BY T. TOURISH	DATE 2009/03/13				
			3 PLACES	± ---	± ---	APPROVED BY BMAGUIRE	DATE 2010/04/02				
			2 PLACES	± 0.10	± ---	MATERIAL NO.		DOCUMENT NO.			SHEET NO. 4 OF 5
			1 PLACE	± 0.2	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHARTS			
			ANGULAR ± 2 °		SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



ENTER DESCRIPTION
EC NO: IPG2014-1290
DRWN: MONAHAN 2014/01/23
CHKD:
APPR: STURGEON 2014/02/26

DESCRIPTION
REV

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.10	± ---
1 PLACE	± 0.2	± ---
0 PLACE	± ---	± ---

ANGULAR ± 2 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY
B. RUTTLE

CHECKED BY
T. TOURISH

APPROVED BY
BMAGUIRE

DATE
2009/03/13

DATE
2009/03/13

DATE
2010/04/02

MATERIAL NO.
99999999999

SIZE
A2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE
5:1

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

TITLE
RAST PWR IDT CONN
5MM PITCH
V0 HWI
molex

DOCUMENT NO.
SD-93211-001

SHEET NO.
5 OF 5

2 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-0001	NONE	NONE		OPEN	NONE	NONE
93322-0501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

6 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-4001	NONE	NONE		OPEN	NONE	NONE
93322-4501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

10 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-8001	NONE	NONE		OPEN	NONE	NONE
93322-8501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

3 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-1001	NONE	NONE		OPEN	NONE	NONE
93322-1002	CKT 2	a		OPEN	2&3	NONE
93322-1501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

7 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-5001	NONE	NONE		OPEN	NONE	NONE
93322-5501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

4 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-2001	NONE	NONE		OPEN	NONE	NONE
93322-2501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

8 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-6001	NONE	NONE		OPEN	NONE	NONE
93322-6501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

5 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-3001	NONE	NONE		OPEN	NONE	NONE
93322-3501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

9 CIRCUIT						
MOLEX PART NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	END WALLS	POLARIZING RB	LATCH
93322-7001	NONE	NONE		OPEN	NONE	NONE
93322-7501	NONE	NONE		OPEN	NONE	BETWEEN CCT 1&2

NOTES:
 1. FIRST CKT SIDE IS THE SIDE CLOSEST TO CKT 1
 2. LAST CKT SIDE IS THE SIDE CLOSEST TO THE HIGHEST CKT SIDE

• - DENOTES TERMINAL POSITION LOADED
 + - DENOTES TERMINAL POSITION VOIDED
 1 - DENOTES POSITION OF POLARIZING RB
 n - DENOTES POSITION OF LOCKING LATCH

SEE SHEET 1 ELEC: HZ004-187 DRAWN BY: J. RUTILE CHECKED BY: I. TOURISH APPROVED BY: B. MAGUIRE DATE: 2010/04/17 DATE: 2009/03/13 DATE: 2009/03/13 DATE: 2011/02/07	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ±.--- ±.--- 3 PLACES ±.--- ±.--- 2 PLACES ±0.10 ±.--- 1 PLACE ±0.2 ±.--- ANGULAR ± 2 °	DIMENSION STYLE MM ONLY DRAWN BY: J. RUTILE CHECKED BY: I. TOURISH APPROVED BY: B. MAGUIRE DATE: 2009/03/13 DATE: 2009/03/13 DATE: 2011/02/07	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	TITLE RAST PWR IDT CONN 5MM PITCH V0 HWI	MOLEX INCORPORATED	SHEET NO. 2 OF 2
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
	SD-93322-001								