









SECTION C-C



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± 0.25 1 PLC ± 0.20 2 PLC ± 0.20 3 PLC ± 0.15 4 PLC ± 0.15 ANGLES ± 3
MATERIAL	FINISH

DWN	ADAMS LV	21SEP2013
CHK	MARTIN LI	21SEP2013
APVD	STEVEN YAO	21SEP2013
PRODUCT SPEC	108-60034	
APPLICATION SPEC	-	
WEIGHT	-	-
CUSTOMER DRAWING		

TE Connectivity

RECEPTACLE ASSEMBLY RIGHT ANGLE
SMT USB 2.0

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

C=1932638

SCALE


NTS

SHEET


2 OF 3

REV

G1



G1 FOR 1932638-3/4/5 PACKAGE



8.42KG	4.284KG	350	6	2100
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX

DATECODE
XXXXXXXX
LINE OF MANUFACTORY
DAY OF WEEK
WEEK
YEAR

- NOTES :
- PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES PER TEC-138-702
* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.
* LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
* CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-B.
 - MATERIAL :
COVER TAPE : PS, COLOR: TRANSPARENT.
CARRIER TAPE : HIPS, COLOR: TRANSPARENT.
REEL : PC BLUE
SHIPPING BOX: CORRUGATED FIBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ADAMS LV 21SEP2013	TE Connectivity	
DIMENSIONS: mm		CHK MARTIN LI 21SEP2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.20 2 PLC ± 0.20 3 PLC ± 0.15 4 PLC ± 0.15 ANGLES ± 3		APVD STEVEN YAO 21SEP2013	NAME	
MATERIAL		PRODUCT SPEC 108-60034	RECEPTACLE ASSEMBLY RIGHT ANGLE SMT USB 2.0	
FINISH		APPLICATION SPEC	SIZE A2	CAGE CODE 00779
		WEIGHT —	DRAWING NO C=1932638	
		CUSTOMER DRAWING	SCALE NTS	SHEET 3 OF 3
			REV G1	