




3M™ FOUR-WALL HEADER, 3000 SERIES
.100" X .100" LATCH/EJECTOR, STRAIGHT AND RIGHT ANGLE



-X0XX
HEADER WITHOUT LATCH EJECTOR



-X2XX
HEADER WITH SHORT LATCH EJECTOR
FOR 3M SOCKETS WITHOUT STRAIN RELIEF



-X3XX
HEADER WITH LONG LATCH EJECTOR
FOR 3M SOCKETS WITH STRAIN RELIEF

2 PHYSICAL :

INSULATOR: GLASS FILLED POLYESTER (PCT)
MATERIAL: UL94V-0
FLAMMABILITY: COLOR: BLACK
CONTACT: MATERIAL: COPPER ALLOY
PLATING: UNDER PLATING: 100μ" [2.54μm] NICKEL-OVERALL
WIPING AREA: 30μ" [0.76μm] AVG. GOLD
SOLDER TAILS: TIN LEAD OR MATTE TIN (SEE ORDERING INFORMATION)
MARKINGS: 3M LOGO, PART IDENTIFICATION NUMBER AND ORIENTATION TRIANGLE

2 ELECTRICAL :

CURRENT RATING: 5.00A, 1 CONTACT POWERED
3.00A, 6 CONTACTS POWERED
1.75A, ALL CONTACTS POWERED
RATING CONDITIONS: EIA-364-070 METHOD 2, 30°C MAXIMUM
TEMPERATURE RISE, 20% DERATED. REFERENCE APPROPRIATE
3M PRODUCT SPECIFICATION FOR DETAILED CURRENT DERATING
CURVES.

INSULATION RESISTANCE: >1 X 10⁹Ω AT 500 V_{DC}
WITHSTANDING VOLTAGE: 1,000V_{RMS} AT SEA LEVEL

2 ENVIRONMENTAL :

TEMPERATURE RATING: -55°C TO 105°C
PROCESS RATING: 260°C, PER J-STD-020C, SINGLE PASS
MOISTURE SENSITIVITY LEVEL: 1 (PER J-STD-020C)

ORDERING INFORMATION

N= HIGH TEMP BLACK (PCT)/(RB PLATING REQ'D)
BLANK= (UB PLATING)
3M PART NUMBER:
(SEE TABLE 1)

PIN CONFIGURATION:
5 = RIGHT ANGLE SOLDER TAILS
6 = STRAIGHT SOLDER TAILS

PLATING:
RB = 30μ" [0.76μm] GOLD AND 200μ" [5.08μm] MATTE TIN
(APP. E1 & C1 APPLY)
UB = 30μ" [0.76μm] GOLD AND 200μ" [5.08μm]
TIN LEAD (APP. E3 & C2 APPLY)

TAIL:
02 = FOR .062 [1.57] THICK BOARD
03 = FOR .094 TO .125 [2.39 TO 3.18] THICK BOARD
K2 = KINKED FOR .062 [1.57] THICK BOARD

LATCH/EJECTOR SYSTEM:
0 = NO LATCH/EJECTOR INSTALLED
2 = SHORT ROLL PIN LATCH/EJECTORS
3 = LONG ROLL PIN LATCH/EJECTORS

3M ELECTRONIC MATERIALS SOLUTIONS DIVISION
INTERCONNECT SOLUTIONS
<http://www.3mconnectors.com>

3M IS A TRADEMARK OF 3M COMPANY.
FOR TECHNICAL, SALES OR ORDERING
INFORMATION CALL 800-225-5373

- * MILITARY (WITH 3M'S N3518 POLARIZING KEY) AND CENTERBUMP POLARIZATION.
- * OPTIONAL EJECTOR LATCHES.
- * MOUNTING HOLES FOR SECURING HEADER TO BOARD.
- * OPTIONAL POLARIZING POSTS AVAILABLE.
- * HIGH TEMPERATURE INSULATOR SUITABLE FOR "NO LEAD" SOLDERING OPERATIONS.
- * SUITABLE FOR REFLOW SOLDERING USING "PASTE IN HOLE" TECHNIQUES.
- * SOLDER TAIL OPTION.

- NOTES
1. REGULATORY INFORMATION: ROHS COMPLIANT. SEE THE REGULATORY INFORMATION APPENDIX (RIA) IN THE "ROHS COMPLIANCE" SECTION OF WWW.3MCONNECTORS.COM FOR COMPLIANCE INFORMATION.
 2. IN THE EVENT OF CONFLICT BETWEEN THIS DATA AND THAT CONTAINED IN THE PRODUCT SPECIFICATION, THE PRODUCT SPECIFICATION TAKES PRECEDENT.
 3. NOTCHES A & C WILL ACCOMODATE 3M POLARIZING KEY: N3518.
 4. MOUNTING HARDWARE: FROM SOLDER SIDE OF PC BOARD USE #4-24 THREAD CUTTING SCREW (3M PART #3341-5) WITH Ø.116 [2.95] MOUNTING HOLE. FOR RIGHT ANGLE VERSION ONLY: #2-56 BOLT AND NUT (3M PART #3341-6) WITH Ø.106 [2.69] MOUNTING HOLE MAY BE USED.
 5. THE RECOMMENDED PCB HOLE SIZE FOR THE KINKED TAIL POSITIONS ON THE .112 SOLDER TAIL CONNECTOR IS Ø.035±.002. (SEE K2 VERSION).

DIMENSIONS: INCHES [MM]
[MM] IS REF. ONLY

DESIGN REFERENCE	NEXT ASSEMBLY
DO NOT SCALE DRAWING	SCALE 2/1
THIRD ANGLE PROJECTION	INTERPRET PER ASME Y14.5 - 2009
MAX SURFACE ROUGHNESS	ENTRANCE SURFACES .000 ± OTHER SURFACES .000 ±
MARKED ONLY	ANGLES

S	60056	MAR 06,2015	JNC	RS
R	56068	JUL 25,2014	JNC	RS
REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD
CHKD	CASTIGLIONE	DATE JUL 25,2014	DATE	DATE
APPR	R. SCHERER	DATE SEP 05,2014	DATE	DATE
DIVISION	Interconnect Solutions	DIVISION CODE	EMSD	
DO NOT SCALE DRAWING	SCALE 2/1	TOLERANCES EXCEPT AS NOTED		
THIRD ANGLE PROJECTION	INTERPRET PER ASME Y14.5 - 2009	MAX SURFACE ROUGHNESS	ENTRANCE SURFACES .000 ± OTHER SURFACES .000 ±	ANGLES
CAGE NUMBER	SIZE	DRAWING NO.	REV.	
MODEL	3000 SERIES	DET	LISTS	YES
DATE	05/14/15	DATE	05/14/15	DATE

UL FILE NO: E68080

3M™ FOUR-WALL HEADER, 3000 SERIES
.100" X .100" LATCH/EJECTOR, STRAIGHT AND RIGHT ANGLE





TABLE 1							
PIN QTY.	3M PART NUMBER	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	POLARIZING NOTCHES	PIN QTY.
06	3869	1.06 [27.0]	.905 [22.99]	.665 [16.89]	.51 [12.9]	B*	06
08	3889	1.16 [29.5]	1.005 [25.53]	.765 [19.43]	.61 [15.5]	B*	08
10	3793	1.26 [32.1]	1.105 [28.04]	.865 [21.97]	.71 [18.0]	BC	10
14	3314	1.46 [37.2]	1.305 [33.12]	1.065 [27.05]	.91 [23.1]	BC	14
16	3408	1.56 [39.7]	1.405 [35.66]	1.165 [29.59]	1.01 [25.6]	ABC	16
20	3428	1.76 [44.8]	1.604 [40.74]	1.365 [34.67]	1.21 [30.7]	ABC	20
24	3627	1.96 [49.9]	1.805 [45.82]	1.565 [39.75]	1.41 [35.8]	ABC	24
26	3429	2.06 [52.4]	1.905 [48.36]	1.665 [42.29]	1.51 [38.3]	ABC	26
30	3440	2.26 [57.5]	2.105 [53.44]	1.865 [47.37]	1.71 [43.4]	ABC	30
34	3431	2.46 [62.6]	2.305 [58.52]	2.065 [52.45]	1.91 [48.5]	ABC	34
40	3432	2.76 [70.2]	2.605 [66.14]	2.365 [60.07]	2.21 [56.1]	ABC	40
50	3433	3.26 [82.9]	3.105 [78.84]	2.865 [72.77]	2.71 [68.8]	ABC	50
60	3372	3.76 [95.6]	3.605 [91.54]	3.365 [85.47]	3.21 [81.5]	ABC	60
64	3764	3.96 [100.7]	3.805 [96.62]	3.565 [90.55]	3.41 [86.6]	ABC	64


* AVAILABLE WITHOUT CENTER NOTCH B. CONTACT 3M

TABLE 2						
3M PART NUMBER SUFFIX	CONTACT TAIL	DIM. "E"	PIN CROSS SECTION			DIM. "G"
-5XX2	.062 [1.57] THICK PC BOARD	.112 [2.84]	DIM. "F" .0245+/- .0005 [.622]	DIAGONALS .028+/- .001 [.71]	CORNER RADIUS .0075 REF. [.191]	.035+/- .003 [.89] SEE NOTE 5
-6XX2						
-5X03	.094 [2.39] TO .125 [3.18] THICK PC BOARD	.155 [3.94]	.0245+/- .0005 [.622]	.028+/- .001 [.71]	.0075 REF. [.191]	.035+/- .003 [.89]
-6X03						




DESIGN REFERENCE	NEXT ASSEMBLY	REV	ECO	ISSUE DATE AND DESCRIPTION	DRFT	CHKD
3M CODES	3M CODES	DR	CASTIGLIONE	DATE JUL 25, 2014	MFG	DATE
DIVISION	Interconnect Solutions	DIVISION CODE	EMSD	APPR	R. SCHERER	DATE SEP 05, 2014
DO NOT SCALE DRAWING	SCALE 4 1	TOLERANCES EXCEPT AS NOTED	INCHES	0 ± .01	0.000 ± .005	0.0000 ±
THIRD ANGLE PROJECTION	INTERPRET PER ASME Y14.5 - 2009	MILLIMETERS	0 ± .3	0.00 ± .13	0.000 ±	0.000 ±
MAX SURFACE ROUGHNESS	12.5 SURFACES	MARKED ONLY	ANGLES			
3M		3M Center St. Paul, MN 55144		© 3M COPYRIGHT 2015 This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.		
TITLE		HEADER, 4-WALL, .100 X .100 LATCH/EJECTOR, STRAIGHT & RA				
CAGE NUMBER	SIZE	DRAWING NO.	REV.			
D	78-5100-0772-3	S				
MODEL	3000 SERIES	DET	LISTS	YES	NO	SHT 2 OF 4

3M™ FOUR-WALL HEADER, 3000 SERIES
.100" X .100" LATCH/EJECTOR, STRAIGHT AND RIGHT ANGLE



RECOMMENDED MOUNTING HOLE PATTERN
(STRAIGHT VERSION)



RECOMMENDED MOUNTING HOLE PATTERN
(RIGHT ANGLE VERSION)

PART CUSTOMIZATION




THIS SPEC SHEET DETAILS OUR STANDARD OFFERING.

3M HAS SEVERAL CAPABILITIES THAT CAN PROVIDE A PART TAILORED TO YOUR SPECIFIC NEEDS. ASK YOUR 3M SALES REPRESENTATIVE OR CUSTOMER SERVICE FOR MORE DETAILS.

BOTH SNAP-IN AND ROLL PIN LATCHES MAY BE ORDERED SEPARATELY. SNAP-IN AND ROLL PIN STYLE LATCHES ARE DIMENSIONALLY AND FUNCTIONALLY EQUIVALENT. IF ORDERING SNAP-IN OR ROLL PIN STYLE LATCHES SEPARATELY, PLEASE USE THE BELOW CHART.

MATERIAL	SHORT LATCH	LONG LATCH	LATCH STYLE	COLOR
HIGH TEMP. (PCT)	N3505-2B	N3505-3B	ROLL PIN	BLACK
HIGH TEMP (PPA)	N3505-30B	N3505-31B	SNAP-IN	BLACK

- * SELECTIVE PIN REMOVAL (ATA OR OTHER COMPATABILITY)
- * WIRE WRAP TAILS STYLE




LONG SHORT

SNAP-IN LATCHES

NOTE:
SNAP-IN LATCHES CAN ONLY BE ORDERED SEPARATELY AND ARE THE CUSTOMERS RESPONSIBILITY TO INSTALL.

POLARIZING POST



3M PART NO.	MATERIAL	COLOR
3201-4	LCP	BLACK


NOTE:
INSERT POST INTO ONE MOUNTING HARDWARE HOLE ON BOTTOM OF HEADER. SET POST TO PROTRUDE .115 [2.92]

K2 OPTION

2500 & 3000 SERIES SHROUDED HEADER						
TOTAL NO. OF PINS	NO. OF TAILS KINKED	POSITIONS KINKED				
10	4	3	4	7	8	
14	4	3	4	11	12	
16	4	3	4	13	14	
20	4	3	4	17	18	
24	4	3	4	21	22	
26	4	3	4	23	24	
30	4	5	6	25	26	
34	4	7	8	27	28	
36	4	7	8	27	28	
40	4	7	8	33	34	
50	4	7	8	43	44	
60	4	11	12	49	50	
64	4	11	12	53	54	

KINKED TAIL DETAIL:
- KINK IS LOCATED .05" BELOW BOTTOM SURFACE OF PLASTIC.
- EXTERNAL RADIUS OF KINK TOWARD PART CENTERLINE.

POLARIZING KEYS




3M PART NO.	MATERIAL	COLOR	DIM. 'A'
N3518	LCP	BLACK	.02

NOTE:
#2216 B/A SCOTCHWELD CAN BE USED TO ADHERE KEYS.


DESIGN REFERENCE		NEXT ASSEMBLY		S	60056	MAR 06,2015	JNC	RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		RS
REV		ECO		ISSUE DATE AND DESCRIPTION		DRFT		CHKD
R		56068		JUL 25,2014		JNC		

3M™ FOUR-WALL HEADER, 3000 SERIES
.100" X .100" LATCH/EJECTOR, STRAIGHT AND RIGHT ANGLE


MOUNTING HARDWARE



3341-5
(INSTALL FROM BOTTOM OF BOARD)
PANHEAD THREAD CUTTING SCREW:
#4-24 X 5/16"
TYPE: USA STD BT, FEDERAL BG
MATERIAL: STAINLESS STEEL




3341-6
HEX HEAD BOLT, NUT AND WASHER:
BOLT - #2-56 X 1/2"
MATERIAL: STAINLESS STEEL




STRAIGHT VERSION INSTALL
(MUST BE INSERTED PRIOR TO
LATCH INSTALL)

RIGHT ANGLE VERSION INSTALL

3341-6
#2-56 NUT AND BOLT
TORQUE FOR EACH BOLT: 1.25 - 3.125 INCH LBS.



#4-24 TYPE BT SELF THREADING SCREW
WHEN USING LATCHES, MAXIMUM LENGTH
OF SCREW IS .250 INCHES PLUS
THICKNESS OF THE BOARD.
TORQUE FOR EACH SCREW IS 3-5 INCH LBS.



3341-5

DESIGN REFERENCE		NEXT ASSEMBLY		REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD
Header	CODES			DRP	CASTIGLIONE	DATE	JUL 25, 2014	MFG	DATE
				CHKD		DATE		APPR	DATE
								R. SCHERER	SEP 05, 2014
DIVISION		DIVISION CODE		© 3M COPYRIGHT 2015					
Interconnect Solutions		EMSD		This document and the information it contains are 3M property and may not be reproduced or further distributed without 3M permission, or used or disclosed other than for 3M authorized purposes. All rights reserved.					
DO NOT SCALE DRAWING		SCALE 4 1		TOLERANCES EXCEPT AS NOTED		3M			
						3M Center St. Paul, MN 55144			
						TITLE			
						HEADER, 4-WALL, .100 X .100 LATCH/EJECTOR, STRAIGHT & RA			
						CAGE NUMBER		DRAWING NO.	
						D		78-5100-0772-3	
						MODEL		3000 SERIES	
								REV.	
								S	