

SCSI/Fibre Channel - Active External SCSI Terminator HD68M with Thumbscrews

MODEL NUMBER: **S132-000**



Description

Tripp Lite's single ended HD68M active terminator is the one for all of your external SCSI-II applications. Designed for use with external SCSI devices requiring HD68M terminator at the end of a SCSI chain. HD68M terminator has thumbscrews for secure connection. Tripp Lite's active terminators provide the clearest data signal maximizing signal integrity. Supports fast/ultra wide SCSI devices up to 80Mbps. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- Active terminators use voltage regulation to compensate for impedance irregularities between various generations of SCSI devices
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite active terminators include a voltage regulator circuit to compensate for fluctuations in the host adapter
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

General Info	
Product Group	CABLE ACCESSORIES
UPC ASSIGNMENT	
Unit Carton UPC#	037332013897
PHYSICAL	
Style	Active

Highlights

- Active terminators include a voltage regulator circuit to compensate for fluctuations in the host adapter

System Requirements

- Any external SCSI device requiring HD68Male terminator at the end of a SCSI chain

Package Includes

- Active External SCSI Terminator HD68M with Thumbscrews

CONNECTIONS

Connector A	HD68 (MALE)
-------------	-------------

WARRANTY

Product Warranty Period (Worldwide)	Lifetime limited warranty
-------------------------------------	---------------------------

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.