









THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
REVISED	EC NO: 117930 DRWN: JASANUMA CHK'D: YKOBAYASHIO2 APPR: TKUSUHARA01	2017/06/09	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®										
		2017/06/12		MM		10:1												
		2017/06/12		ANGULAR TOL ± 1.0 °			DRWN BY		DATE		0.5 FFC CONN ZIF E/O BTM CONT TYPE ASSY							
				4 PLACES		± 0.2		TMORISHITA		2015/02/09								
				3 PLACES		± 0.2		CHK'D BY		DATE								
				2 PLACES		± 0.2		KTAKAHASHI		2015/02/12								
				1 PLACE		± 0.25		APPR BY		DATE								
				0 PLACES		± 0.3		YNOGAWA		2015/02/12		PRODUCT CUSTOMER DRAWING						
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			DRAWING SIZE		THIRD ANGLE PROJECTION									
							A3				SERIES	MATERIAL NUMBER			CUSTOMER			
								505278	SEE SHEET 1			GENERAL						
								DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER					
								5052781000			PSD	000	3 OF 3					


NOTES

- 梱包数量： 3000個 / リール
NUMBER OF CONNECTORS : 3000 PCS/REEL.
- リードテープ長さ
LEAD TAPE LENGTH

引き出し方向
PULL OUT
DIRECTION



- カバートープの剥離強度については、IEC60286-3に準拠。
COVER TAPE PEEL FORCE IS DEFINED BY IEC 60286-3.
- 製品詳細寸法については、図面 5052781000/1001を参照下さい。
FOR DIMINTIONS OF PRODUCT, REFER TO 5052781000/1001.
- 材料 MATERIAL
キャリアテープ：ポリスチレン
CARRIER TAPE : POLYSTYRENE
トップテープ：ポリエチレンテレフタレート、ポリエチレン
TOP TAPE : POLYETHYLENE TEREHTHALATE, POLYETHYLENE
リール：ポリスチレン<リサイクル材を含む>
REEL : POLYSTYRENE <RECYCLE MATERIAL CONTAINED >
- ELV及びRoHS適合品 ELV AND RoHS COMPLIANT.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
EC NO: 106679 DRWN: YMIZUNO02 CHK'D: KTAKAHASHI APPR: TKUSUHARA01	2016/07/14 2016/07/28 2016/07/29	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		molex® 0.5 FFC CONN ZIF E/O EMBOSSED TAPE PKG							
				MM		2:1									
		ANGULAR TOL ± 1.0 °		DRWN BY		DATE		PRODUCT CUSTOMER DRAWING							
		4 PLACES ± 0.03		FSATO		2015/02/09									
		3 PLACES ± 0.03		CHK'D BY		DATE									
		2 PLACES ± 0.05		KTAKAHASHI		2015/02/12									
		1 PLACE ± 0.1		APPR BY		DATE		SERIES MATERIAL NUMBER CUSTOMER							
		0 PLACES ± 0.2		YNOGAWA		2015/02/12									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION				505278		SEE CHART		GENERAL	
				A3											
D	REV	DOCUMENT NUMBER DOC TYPE DOC PART SHEET NUMBER 5052780000 PSD 000 1 OF 2													

