

WHISTLER MOD JK

1. PURPOSE 目的

Define the packaging specification and packaging method of WHISTLER MOD JK products.

订定 WHISTLER MOD JK 产品之包装规格及包装方式。

2. APPLICABLE PRODUCT 适用范围

Product Part No.	Description
6368296-1	2X8 STACKED MOD JACK ASSY 8 POSITION SHIELDED
1368296-1	2X8 STACKED MOD JACK ASSY 8 POSITION SHIELDED
6368136-1	ASSY STACKED MODULAR JACK ,2X6, 8POS
1368136-1	ASSY STACKED MODULAR JACK ,2X6, 8POS
6339207-X	ASSY STACKED MODULAR JACK ,UPPER
1339207-X	ASSY STACKED MODULAR JACK ,UPPER
6339170-X	MODULAR JACK ASSY 2X8,8POSN SHIELDED,WAVE PANEL GROUND
1339170-X	MODULAR JACK ASSY 2X8,8POSN SHIELDED,WAVE PANEL GROUND
6339169-X	MODULAR JACK ASSY ,1X8 8POSN ,SHIELDED WAVE PANEL GROUND
1339169-X	MODULAR JACK ASSY ,1X8 8POSN ,SHIELDED WAVE PANEL GROUND
6339168-X	MODULAR JACK ASSY,2X4 ,8POSN SHIELDED,WAVE PANEL GROUND
1339168-X	MODULAR JACK ASSY,2X4 ,8POSN SHIELDED,WAVE PANEL GROUND
6339167-X	MODULAR JACK ASSY 1X4,8POSN SHIELDED ,WAVE PANEL GROUND
1339167-X	MODULAR JACK ASSY 1X4,8POSN SHIELDED ,WAVE PANEL GROUND
1339133-X	MODULAR JACK ASSY 1X6,8POSN SHIELDED ,WAVE PANEL GROUND
1339114-X	STK M.J ASSY,2*6,8 POSN SHIELDED ,WAVE PANEL GND
6339114-X	STK M.J ASSY,2*6,8 POSN SHIELDED ,WAVE PANEL GND
569265-1	MOD JK ASSY, 8 PORT, 8 POSN, RTANG, SHLE, PNL GND

DR

Sam Wu

CHK

Ocean Tang

APVD

Ansin Yang

3. PACKAGING MATERIAL 包装材料

Packing	Part No.	Description	Usage				
			1339114-3/4 6339114-3/4	1339170-X 1339168-X 1368296-1 1368136-1 1339114-1/2 6339114-1/2 6339168-X 6339170-X 6368136-1 6368296-1	1339207-7 1339169-X 569265-1 6339169-X 6339207-5/6/7	1339207-1 1339207-2 1339167-X 6339167-X 6339207-1	1339207-4 1339133-X 6339207-3
INNER	698550-1	TRAY	-	-	1/10	1/20	1/15
	698641-1	TRAY	1/18	-	-	-	-
	698639-1	TRAY	-	1/10	-	-	-
	623014-5	FOAM	-	-	as req.	as req.	as req.
	623865-4	INNER LABEL	1/18	1/10	1/10	1/20	1/15
MIDDLE	-	-	-	-	-	-	-
OUTER	999161-1	BOX	-	-	1/50	1/100	1/75
	999694-1	BOX	1/90	1/50	-	-	-
	623865-1	BOX	1/90	1/50	1/50	1/100	1/75

	Inner	Middle	Outer
LABEL	623865-4	-	623865-1
SEALING	-	-	Tape

4. PACKAGING QUANTITY 包装数量

Part No.	Inner	Middle	Outer
1339114-1/2 6339114-1/2 1339168-X 1339169-X 1339170-X 1339207-7 1368136-1 1368296-1 569265-1 6339168-X 6339169-X 6339170-X 6339207-5/6/7 6368136-1 6368296-1	10 pcs/tray	-	10 X 5=50 pcs/box
1339167-X 1339207-1/2 6339167-X 6339207-1	20 pcs/tray	-	20 X 5=100 pcs/box

4. PACKAGING QUANTITY 包装数量

Part No.	Inner	Middle	Outer
1339133-X 1339207-4 6339207-3	15 pcs/tray	-	15 X 5=75 pcs/box
1339114-3/4 6339114-3/4	18 pcs/tray	-	10 X 5=90 pcs/box

5. PACKING METHOD 包装方法

5.1. Put the specified parts as 4 into slot of tray.

按4中指定数量将产品朝同一方向依次放入TRAY 中。

Only for 1339169/167/133/207-X; 569265-1; 6339167/6339169/6339207-X:

5.2. Fill void of tray slot with foam have cut.

用裁好的海绵填充 TRAY 槽的空隙。

5.3. Seal the tray and ensure the four edges closure.

合上TRAY，并确认TRAY之四边已咬合紧密。

5.4. Place a label to the right connor of tray.

将标签贴在 TRAY 的右上角。

5.5. Set up the box and close the bottom with tape.

折叠好一纸箱，并用胶带封好纸箱的底部。

5.6. Place 5 trays of products into the box.

放五个装满产品的 TRAY 于箱中。

5.7. Seal the box with tape. And place product identification label in "product id" marked on box.

用胶带封箱，在箱外印有“PRODUCT ID”标识处贴上外标签。