





MATERIAL NO.	ENGINEERING NO.	LENGTH	WIRE CUT LENGTH
849070007	84907-0007	12.00 +1.75-0 (304.8 +44.5-0)	13.25 IN (336.6mm)



1	BROWN
2	WHITE
3	BLUE
4	BLACK

WIRING DIAGRAM



- NOTES:
1. MATERIALS: SEE TABLE
 2. FINISHES: SEE TABLE
 3. ELECTRICAL SPECIFICATIONS:
VOLTAGE RATING: 250V
CURRENT RATING, 4 AMPS
 4. LABEL IS MARKED WITH PART NO., DATE CODE, VOLTAGE AND CURRENT RATING
 5. LABEL IS ATTACHED TO BLUE WIRE (CIR. 3)
 6. ASSEMBLY IS ROHS COMPLIANT BY EXEMPTION (*).

ITEM	QTY	DESCRIPTION	MATERIAL	FINISH
7	1	LABEL	VINYL	BLACK/YELLOW
6	1	LOCKNUT, PANEL, 1/2 NPT	STEEL	ZINC PLATED
5	1	GASKET	NEOPRENE	BLACK
4	4	CONTACT PIN	BRASS *	TIN PLATED
3	1	INSULATOR, 4/C, DC KEY	NYLON	BLACK
2	1	RECEPTACLE SHELL	STAINLESS STEEL	PASSIVATED
1	4	WIRE, 22 AWG	PVC INSULATION	AS NOTED

RELEASED FOR BUILD	DATE: 2008/07/09
EC NO: WNA2009-0005	DRWNR: R.STONE
CHKDK: J.OZWIK	APPR: J.MURPHY
REV: A	DESCRIPTION: 2008/08/18

QUALITY SYMBOLS	▽=0	▽=0
GENERAL TOLERANCES (UNLESS SPECIFIED)	mm	INCH
4 PLACES	± .03	± .001
3 PLACES	± .04	± .001
2 PLACES	± .05	± .001
1 PLACE	± .07	± .001
ANGULAR	± .5°	

DIMENSION STYLE	IN/MM
SCALE	2:1
DESIGN UNITS	INCH
THIRD ANGLE PROJECTION	
DRAWN BY	R. STONE
DATE	2008/07/02
CHECKED BY	K. JOZWIK
DATE	2008/07/07
APPROVED BY	J. MURPHY
DATE	2008/07/10

TITLE		MIC-C RECEPTACLE, 4/C MALE, DC KEY, 22 AWG 1/2 NPT, SS	
MATERIAL NO.		SD-84907-012	
DOCUMENT NO.		1 OF 1	
MOLEX INCORPORATED			
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[84907-0007](#)