

### **TECHNICAL DATA SHEET**

**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 



### Features:

- 1621MHz Patch antenna
- RHCP Polarization
- Zenith Gain +4dBiC
- High Efficiency 84%
- Size 25 x 25 x 4 mm
- Pin mount with adhesive tape
- Tray packing

## **Applications:**

- Satellite receivers
- Tracking, Navigation, Satellite Positioning
- · Fleet management
- Asset tracking

All dimensions are in mm / inches

Issue: 1723

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### **TECHNICAL DATA SHEET**

**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

### **ELECTRICAL SPECIFICATIONS**

Frequency 1621±4 MHz

Nominal Impedance  $50 \Omega$ 

Return Loss\* <-15 dB

RHCP Gain (typical)\* 4 dBic

Zenith Axial Ratio(typical)\* 2.1 dB @1621MHz

Polarization: RHCP

## **MECHANICAL SPECIFICATIONS**

Overall Length 25x25x4mm
Weight 9.7g

## **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -40~+85 °C

Storage Temperature -40~+85 °C

RoHS Compliant Yes

<sup>\*</sup> Test the antenna on 60mmX60mm metal plane








#### **TECHNICAL DATA SHEET**


**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

## **MECHANICAL DRAWING**





NO.	Description	Structure and material
1	Antenna Substrate	Dielectric Ceramics
2	Pin	Copper and tinplated
3	Electrode	Ag Plated
4	Ground Base	Ag Plated
5	Adhesive type	NITTO 5000NS

Scale: 1:1



#### **TECHNICAL DATA SHEET**

**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

## **CHARTS**



## Return Loss\*



# Zenith total Radiation Efficiency

Issue: 1723

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



<sup>\*</sup> Test the antenna on 60mmX60mm metal plane



#### TECHNICAL DATA SHEET

**Description**: CERAMIC PATCH


ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

### **CHARTS**



## Zenith RHCP Gain\*



## Zenith Axial Ratio\*

Issue: 1723

ROHS

<sup>\*</sup> Test the antenna on 60mmX60mm metal plane




### TECHNICAL DATA SHEET

**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

## **CHARTS**



Radiation pattern on 60mmX60mm metal plane





### **TECHNICAL DATA SHEET**

**Description**: CERAMIC PATCH

ANTENNA,25x25x4mm GNSS PIN MOUNT

**PART NUMBER: W3228** 

## **PACKAGING**

Tray packing 50PCS/Tray 200PCS/small carton box 800PCS/big carton box

Big box dimensions (MM): 472x240x290



