




PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89032-X0Z	1.6	2.90
89032-X1Z	2.4	3.53


LOADING CONFIGURATION	POSITION ROW	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
89032-XY1	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	0	+	0	+	0	0	+	0
	c	0	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	0	0	+	0	0	0	0	+
	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0
	a	0	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	0	0	0	+	0	0	+	0
89032-XY2	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	0	+	0	+	0	0	+	0
	c	0	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	0	0	0	+	+	0	0	+
	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0
	a	0	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	0	0	+	0	+	0	+	0

+ =LOADED POSITION
 0 =EMPTY POSITION




ASSEMBLY AFTER HOT RIVETTING.

PC BOARD THICKNESS±0.20
(SEE TABLE)




NOTES:

- BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
- TERMINAL MATERIAL: PHOSPHOR BRONZE.
- PLATING SOLDER TAILS 2-8 um SnPb 90-97.
- INDICATED HOLES ARE UNPLATED.
- PRODUCT MARKING : PARTNUMBER & BATCH ID.
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

nat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
litr	ecnr	nodr	date	linear	projection	title	www.fciconnection
A	H30105	PSC	930222			RA FEMALE SIGNAL	
B	H30759	EFE	940118			STB 48 mm SPECIAL	
C	H40118	EFE	940211	angles			
D	H40811	RV1	941212	dr	P. Schalk	930201	
E	DG06-0448	CenH	11/03/06	engr	H. Bouwknegt	940311	
F	DG07-0171	CenH	05/25/07	chr	H. Bouwknegt	930201	
G	DG009-0068	CenH	06/06/09	appd	P. Schalk	930201	
sheet	revision	G	G	G	G		
Index	sheet	1	2	3	4		



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.falconet.com	
ltr ecn odr date				linear				project title		RA FEMALE SIGNAL	
6				angles						STB 48 mm SPECIAL	
								mm		product family (RAL tm)	
				dr Heaven Cen 11/03/06 Engr Collins Lu 11/03/06 chr Beer Fu 11/03/06 app Joseph Hala 11/03/06				sizedwg no		code 213	
								scale 5:1		89032	
sheet index				revision sheet						sheet 2 of	

1		2		3		4		5		6		7		8																																																																																																																																																																																																																																																														
PLATING CONTACT AREA:																																																																																																																																																																																																																																																																												
DASH NR:		PERFORMANCE LEVEL																																																																																																																																																																																																																																																																										
-1YY/1YYLF		TELCORDIA CO																																																																																																																																																																																																																																																																										
-2YY/2YYLF		CUSTOMER SPECIAL																																																																																																																																																																																																																																																																										
-3YY/3YYLF		CUSTOMER SPECIAL																																																																																																																																																																																																																																																																										
<table><tr><td colspan="3">PC BOARD VERSIONS</td></tr><tr><td>PRODUCTNR:</td><td>PCB THICKNESS</td><td>DIM"A"</td></tr><tr><td>89032-X0Z/X0ZLF</td><td>1.6</td><td>2.90</td></tr><tr><td>89032-X1Z/X1ZLF</td><td>2.4</td><td>3.53</td></tr></table>																PC BOARD VERSIONS			PRODUCTNR:	PCB THICKNESS	DIM"A"	89032-X0Z/X0ZLF	1.6	2.90	89032-X1Z/X1ZLF	2.4	3.53																																																																																																																																																																																																																																																	
PC BOARD VERSIONS																																																																																																																																																																																																																																																																												
PRODUCTNR:	PCB THICKNESS	DIM"A"																																																																																																																																																																																																																																																																										
89032-X0Z/X0ZLF	1.6	2.90																																																																																																																																																																																																																																																																										
89032-X1Z/X1ZLF	2.4	3.53																																																																																																																																																																																																																																																																										
<table><tr><td rowspan="2">LOADING CONFIGURATION</td><td>POSITION ROW</td><td>24</td><td>23</td><td>22</td><td>21</td><td>20</td><td>19</td><td>18</td><td>17</td><td>16</td><td>15</td><td>14</td><td>13</td><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr><tr><td>d</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>+</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td></tr><tr><td rowspan="4">89032-XY3/XY3LF</td><td>c</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td></tr><tr><td>b</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>+</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td></tr><tr><td>a</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>0</td><td>+</td><td>0</td></tr><tr><td>d</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>+</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td></tr><tr><td rowspan="4">89032-XY4/XY4LF</td><td>c</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>+</td><td>+</td><td>0</td><td>0</td><td>+</td></tr><tr><td>b</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>+</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td></tr><tr><td>a</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>0</td><td>+</td><td>0</td></tr><tr><td>d</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>+</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>+</td><td>0</td><td>0</td><td>+</td><td>0</td></tr></table>																LOADING CONFIGURATION	POSITION ROW	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0	89032-XY3/XY3LF	c	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	+	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0	a	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	+	0	+	0	89032-XY4/XY4LF	c	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	+	0	0	+	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0	a	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0	d	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0
LOADING CONFIGURATION	POSITION ROW	24	23	22	21	20	19	18	17	16	15	14	13	12	11		10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																		
	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0																																																																																																																																																																																																																																																			
89032-XY3/XY3LF	c	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	+																																																																																																																																																																																																																																																			
	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0																																																																																																																																																																																																																																																			
	a	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0																																																																																																																																																																																																																																																			
	d	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	+	0	+	0																																																																																																																																																																																																																																																			
89032-XY4/XY4LF	c	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	+	0	0	+																																																																																																																																																																																																																																																			
	b	+	0	+	0	+	0	+	0	+	+	+	0	+	0	0	0	+	0	+	0	0	0	+	0																																																																																																																																																																																																																																																			
	a	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0																																																																																																																																																																																																																																																			
	d	0	+	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	0	0	+	0	0	+	0																																																																																																																																																																																																																																																			
+ =LOADED POSITION 0 =EMPTY POSITION																																																																																																																																																																																																																																																																												

Tous droits strictement reserves. Reproduction ou communication a des tiers sans autorisation écrite du propriétaire de FCI b.v.
All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor. Property of FCI b.v.



nat'l. code		---		tolerances unless otherwise specified		CUSTOMER COPY				www.fciconnection.com	
ltn	ecn	nodr	date	linear			projection	title			
g				angles				RA FEMALE SIGNAL			
				dir	Heaven Cen	11/03/06	product family		METRAL(tm)		code
				engr	Collins Lu	11/03/06	size		dwg no		213
				chr	Beer Fu	11/03/06	scale		5:1		sheet
				appd	Joseph Hsia	11/03/06	A2		89032		3 of-
sheet	revision										
index	sheet										




Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite de FCI S.A. est formellement interdite.
All rights strictly reserved. Reproduction or issue in any form without written authority from the proprietor.
Reproduction or communication to third parties in any form without written authority from FCI S.A. is expressly prohibited.



PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL



PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM "A"
89032-X0Z	1.6	2.90
89032-X1Z	2.4	3.53

LOADING CONFIGURATION	POSITION ROW	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
		d	c	b	a	d	c	b	a	d	c	b	a	d	c	b	a	d	c	b	a	d	c	b	a
89032-XY5/XY5LF	d	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	+	0	+	0	0	0	0	+	0
	c	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	0	0	0	0	+
	b	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	+	0	+	0	0	0	0	0	+
	a	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	0	0	0	0	+
89032-XY6/XY6LF	d	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	+	0	+	0	0	0	0	0	+
	c	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	0	0	0	0	+
	b	+	0	+	0	+	0	+	0	+	+	0	+	0	0	0	+	0	+	0	0	0	0	0	+
	a	0	+	0	+	0	+	0	+	0	+	0	+	0	0	0	+	0	0	0	0	0	0	0	+
+ =LOADED POSITION																									
0 =EMPTY POSITION																									



- NOTES:
- 1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
 - 2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
 - 3 PLATING SOLDER TAILS 2-8 um SnPb 90-97 OR 2-8 um PURE
Sn FOR LEAD FREE.
 - 4 INDICATED HOLES ARE UNPLATED.
 - 5 PRODUCT MARKING: PART NUMBER & BATCH ID.
 - 6 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
 - 7 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK
TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION
 - 8 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.

PC BOARD THICKNESS±0.20
(SEE TABLE)



nat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
l	tr	ec	n	o	d	r	date
g							
linear		projection		title		www.fciconnection	
angles		mm		RA FEMALE SIGNAL		STB 48 mm SPECIAL	
dr	Heaven Cen	11/03/06		product family	METAL (tm)	code	
engr	Collins Lu	11/03/06		size	dwg no	213	
chr	Beer Fu	11/03/06		scale	51	sheet	
appd	Joseph Hsia	11/03/06		A2	89032	4 of	
sheet	revision						
index	sheet						