






PRODUCT NO.
SEE TABLE

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.




mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
lir	ecm no	dr	date	linear	projection	title	www.fciconnect.com
A	V70383	CAH	4/11/97	linear	⊕	RJ45 ENHANCED SHIELD GANG JACK ASSY. SNAP PEG	
B	V70795	OTA	5/28/97	linear	⊕	product family MOD JACK	code 213
C	V71113	CAH	7/25/97	angles	⊕	size dwg no	sheet 1 of 5
D	V72589	LP	11/7/01	dr	MM/INCH	scale	
E	M05-0066	ERE	04/07/05	engr	4/11/97	1:1	
				chr	Y. BELOPOLSKY		
				appd	Y. BELOPOLSKY		
sheet	revision	E	E	E	E		
index	sheet	1	2	3	4	5	

PRODUCT NO.
SEE TABLE




VIEW FOR 2 THRU 12 PORT (WITHOUT END TABS)
P/N -XXY1--XXY1LF (SEE TABLE)



VIEW FOR 1 PORT ONLY (WITHOUT END TABS)
P/N -X011--X011LF (SEE TABLE)


VIEW E
SCALE: 2/1
TYP FOR ALL GROUND SPRINGS



VIEW FOR 2 THRU 12 PORT (WITH END TABS)
P/N -XXY0--XXY0LF (SEE TABLE)
DIMENSIONS SHOWN APPLY TO
-XXY1--XXY1LF PRODUCT ALSO

VIEW C-C

VIEW FOR 1 PORT ONLY (WITH END TABS)
P/N -X010--X010LF (SEE TABLE)
DIMENSIONS SHOWN APPLY TO
-X011--X011LF PRODUCT ALSO



VIEW D
SCALE: 2/1

DIMENSIONS ALSO APPLY TO -X010, -X010LF, -X011 & -X011LF PRODUCT

mat'l. code			tolerances unless otherwise specified			CUSTOMER COPY		FCI	
ltr	ecr	no	dr	date		linear	angles	projection	title
E						$\pm .3 / .xx \pm .01$	$xx \pm .13 / .xxx \pm .005$	$xx \pm .051 / .xxx \pm .0020$	RJ45 ENHANCED SHIELD GANG JACK ASSY. SNAP PEG
						$0^\circ \pm 2^\circ$			product family MOD JACK
									size
									sheet
									2 of 2
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									72582
									sheet
									2 of 2
									code
									22526
									code
									7258


PRODUCT NO. (6)	NO. OF PORTS	DIM A +60[.024] -00[.000]	DIM B	DIM C ±.10 ±.004	DIM D ±.15 ±.006	DIM E ±.20 ±.008	DIM F	DIM J ±.13 ±.005	REMARKS
72582-X01Y	1	15.74 [0.620]	-----	-----	11.43 [0.450]	2.16 [0.085]	7.87 [0.310]	16.87 [0.664]	TOOLED
72582-X02Y	2	30.98 [1.220]	13.97 [0.550]	12.70 [0.500]	25.40 [1.000]	2.79 [0.110]	8.51 [0.335]	32.11 [1.264]	NOT TOOLED
72582-X03Y	3	44.95 [1.770]	27.94 [1.010]	19.69 [0.775]	39.37 [1.550]	2.79 [0.110]	8.51 [0.335]	46.08 [1.814]	NOT TOOLED
72582-X04Y	4	58.92 [2.320]	41.91 [1.650]	26.67 [1.050]	53.34 [2.100]	2.79 [0.110]	8.51 [0.335]	60.05 [2.364]	TOOLED
72582-X05Y	5	72.89 [2.870]	55.88 [2.200]	33.66 [1.325]	67.31 [2.650]	2.79 [0.110]	8.51 [0.335]	74.09 [2.917]	NOT TOOLED
72582-X06Y	6	86.86 [3.420]	69.85 [2.750]	40.64 [1.600]	81.28 [3.200]	2.79 [0.110]	8.51 [0.335]	87.99 [3.464]	TOOLED
72582-X07Y	7	100.83 [3.970]	83.82 [3.300]	47.63 [1.875]	95.25 [3.750]	2.79 [0.110]	8.51 [0.335]	101.96 [4.014]	NOT TOOLED
72582-X08Y	8	114.80 [4.520]	97.79 [3.850]	54.61 [2.150]	109.22 [4.300]	2.79 [0.110]	8.51 [0.335]	115.93 [4.564]	TOOLED
72582-X09Y	9	128.77 [5.070]	111.76 [4.400]	61.60 [2.425]	123.19 [4.850]	2.79 [0.110]	8.51 [0.335]	129.89 [5.114]	NOT TOOLED
72582-X10Y	10	142.74 [5.620]	125.73 [4.950]	68.58 [2.700]	137.16 [5.400]	2.79 [0.110]	8.51 [0.335]	143.86 [5.664]	NOT TOOLED
72582-X11Y	11	156.71 [6.170]	139.70 [5.500]	75.57 [2.975]	151.13 [5.950]	2.79 [0.110]	8.51 [0.335]	157.84 [6.214]	NOT TOOLED
72582-X12Y	12	170.68 [6.720]	153.67 [6.050]	82.55 [3.250]	165.10 [6.500]	2.79 [0.110]	8.51 [0.335]	171.81 [6.764]	NOT TOOLED

NOTES:

1. RECOMMENDED P.C.B. THICKNESS 1.60 [0.063].
2. HOUSING MATERIAL: HIGH TEMPERATURE NYLON, 94-V-0.
3. CONTACTS: PHOS BRONZE ALLOY UNS-C51000, Ø 0.460 [0.0181] ROUND WIRE, PLATING SEE TABLE.
4. REAR SHIELD MAT'L: .25 [0.010] THICK BRASS ALLOY, 2.54µM/100µ" BRIGHT TIN-LEAD PLATED, OVER 1.02µM/40µ" MIN NICKEL UNDERPLATING PER BUS-15-002/M.
5. FRONT SHIELD MAT'L: 2.54µM/100µ" BRIGHT TIN PLATED, OVER 1.02µM/40µ" MIN NICKEL UNDERPLATING PER BUS-15-002/M.
6. ALL DIMENSIONS IN MILLIMETERS/INCHES.
7. CENTER PEG FOR 8-PORTS AND ABOVE.
8. ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
9. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm IF THEY ARE AVAILABLE.
10. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
11. PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.


DASH NO.	CODE Y	DESCRIPTION
0		WITH SIDE TABS
1		WITHOUT SIDE TABS

PLATING CODE X	PLATING (1)
0	.76µM/50µ" G.X.T.
1	.38µM/15µ" GOLD
3	.76µM/50µ" GOLD
5	1.27µM/50µ" GOLD




mat'l. code		tolerances unspecified otherwise specified		CUSTOMER COPY		FCJ	
lir	ecr no	dr	date	linear	projection	title	www.fcjconnect.com
E				.xx±.13/.xxx ±.005	⊕	RJ45 ENHANCED SHIELD GANG JACK ASSY. SNAP PEG	
				.xxx±.051/.xxx ±.0020			
				angles	0' ±2'		
				dr	G. HULL 4/11/97	product family	MOD JACK
				engr Y. BELOPOLSKIY 4/11/97		size	213
				chr Y. BELOPOLSKIY 4/11/97		code	3 d
				oppl Y. BELOPOLSKIY 4/11/97		scale	1:1
sheet	revision						
index	sheet						

PRODUCT NO.
SEE TABLE



PORT NO. 4,5,8,10,12



PORT NO. 3,5,7,9,11

RECOMMENDED P.C.B LAYOUT
AS VIEWED FROM TOP SIDE (COMPONENT SIDE)

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
lit	ecr	no	dr	date	linear	projection	title
E					$X \pm 3/X \pm 0.1$	$X \pm 13/XXX \pm 0.05$	RJ45 ENHANCED SHIELD
					$XXX \pm 0.05 / XXXX \pm 0.020$	$0' \pm 2'$	GANG JACK ASSY. SNAP PEG
					angles	dr	product family
					engr Y. BELOPOLSKY 4/11/97	MM/INCH	MOD JACK
					chr Y. BELOPOLSKY 4/11/97	scale	code
					opdr Y. BELOPOLSKY 4/11/97	1:1	213
sheet	revision						sheet
index	sheet						4 of

ACAD	PDM: Rev:E	STATUS:Released	Printed: Mar 10, 2007
3	4	22526	4

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Property of FCI. Copyright FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.
SEE TABLE

LATCHING AND GROUNDING TAB LOCATING CONFIGURATION

- INDICATES LATCHING TAB (SEE SHEET 1)
 - INDICATES GROUNDING TAB ON THE FRONT OF PRODUCT (SEE SHEET 1)
 - ▨ INDICATES GROUNDING LEG ON THE BACK OF PRODUCT (VIEW B)
- NOTE: SEE VIEW D FOR TYPICAL END CONFIGURATION OF ALL -XXYY PRODUCT

PORT NUMBERS



mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		FCI	
litr	ecr no	dr	date	linear	projection	title	
E				$\pm .01$	$\pm .01$	RJ45 ENHANCED SHIELD	
				$\pm .01$	$\pm .01$	GANG JACK ASSY. SNAP PEG	
				$\pm .01$	$\pm .01$	product family	MOD JACK
				$\pm .01$	$\pm .01$	size	213
				$\pm .01$	$\pm .01$	code	5 d
				$\pm .01$	$\pm .01$	scale	1:1
				$\pm .01$	$\pm .01$	sheet	5 d
				$\pm .01$	$\pm .01$	code	72582
				$\pm .01$	$\pm .01$	code	22526
				$\pm .01$	$\pm .01$	code	4