

[Home](#) :: [Contact Us](#) :: [Advanced Search](#) :: [About Us](#)[Products](#)[Support](#)[Newsroom](#)[Where To Buy](#)

Supermicro Family of Products

[→ Products Home](#)[→ SuperBlade®](#)[→ SuperServers](#)[→ Motherboards](#)[→ Chassis](#)[→ Accessories](#)

→ Accessories

Cables List

[-----Select Another-----](#)

<u>Part #</u>	<u>Description</u>
<u>CBL-0001-01</u>	SCSI Cable (Internal), 3 Connector, 60cm
<u>CBL-0010-LP</u>	COM Port (Serial Port) Cable, 9-pin, w/ Low-profile Bracket
<u>CBL-0010L</u>	COM Port DTK (Serial Port) Cable, 9-pin, Pb-free
<u>CBL-0012-01</u>	Floppy/IDE ATA33 Cable Set (For ATX Motherboards)
<u>CBL-0014-01</u>	SCSI Cable, 68-pin, Internal/External (For P6DLS)
<u>CBL-0017-01</u>	Floppy/IDE ATA33 Cable Set (For MicroATX Motherboards)
<u>CBL-0020-01</u>	IDE ATA66 Cable, 46cm
<u>CBL-0022L</u>	Floppy Cable, 3-connector, PBF (For ATX Motherboards)
<u>CBL-0024-01</u>	S-Video / TV Out Cable
<u>CBL-0026-01</u>	COM Port Cable, Dual-port, 9-pin, w/ Bracket
<u>CBL-0027L-U320</u>	SCSI Ultra 320 Cable (Internal), 2-connector, 75cm, Pb-free
<u>CBL-0028L</u>	SCSI Ultra 320 Round Cable (Internal), 2-connector, 72cm, Pb-free
<u>CBL-0029L</u>	SCSI Ultra 320 Cable (Internal to External), 67cm, Pb-free
<u>CBL-0031L</u>	USB Cable, 1 Head w/ Bracket, Pb-free
<u>CBL-0033L-U320</u>	SCSI Ultra 320 Cable (Internal), 2-connector, 23cm, Pb-free
<u>CBL-0034L-U320</u>	SCSI Ultra 320 LVD Cable (Internal), 5-connector, 125cm, Pb-free
<u>CBL-0036L-03</u>	IDE ATA100 Cable, Pb-free
<u>CBL-0037L-U320</u>	SCSI Ultra 320 Cable (Internal), 2-connector, 15cm, Pb-free
<u>CBL-0038-01</u>	Front Panel Cable, 16-pin to 34-pin
<u>CBL-0039L</u>	IDE ATA33 Round Cable, 50cm, Pb-free

<u>CBL-0040L</u>	Floppy Round Cable, Pb-free
<u>CBL-0041L</u>	USB 2.0 Cable, 4-port w / Bracket, Pb-free
<u>CBL-0042L</u>	Power Connector Extension Cable, 24-pin, Pb-free
<u>CBL-0043L</u>	SCSI Round Cable, 2-connector, 23cm, Pb-free
<u>CBL-0044L</u>	SATA Cable, 50cm, Pb-free
<u>CBL-0045</u>	SCSI High Density to 64-pin Round Cable (External), 100cm
<u>CBL-0046</u>	SCSI High Density Round Cable (External), 100cm
<u>CBL-0047L</u>	Front Panel Switch Cable, 20-pin to 20-pin, Pb-free
<u>CBL-0048</u>	Front Panel Switch Cable, 16-pin to 20-pin
<u>CBL-0049L</u>	Front Panel Switch Cable, 16-pin to 16-pin, Pb-free
<u>CBL-0050</u>	Front Panel Switch Cable, 34-pin Split
<u>CBL-0051L</u>	Floppy Round Cable, 60cm, Pb-free
<u>CBL-0052L</u>	IDE Round Cable, 60cm, Pb-free
<u>CBL-0053</u>	Game Port Cable (Internal to External)
<u>CBL-0056L</u>	SATA HDD LED Flat Cable, 10-pin, 1x5+1x5, 45.7cm, Pb-free
<u>CBL-0057L</u>	SATA HDD LED Split Cable, 10-pin to 10-in, 66cm, Pb-free
<u>CBL-0058L</u>	SATA Cable, 17cm, Pb-free
<u>CBL-0059</u>	ATX Power Connector Extension Cable, 20-pin to 20-pin, 20cm
<u>CBL-0060L</u>	12V Power Connector Extension Cable, 4-pin to 4-pin, 20cm, Pb-free
<u>CBL-0061L</u>	SATA Cable, 35cm, Pb-free
<u>CBL-0062L</u>	12V Power Connector Extension Cable, 8-pin to 8-pin, 20cm, Pb-free
<u>CBL-0063L</u>	SCSI Round Cable, 2-connector, 51cm, Pb-free
<u>CBL-0064L</u>	Fan Power Extension Cord, 3-pin to 3-pin, 23cm, Pb-free
<u>CBL-0065L</u>	Fan Power Adapter Cord, 4-pin to 3-pin, Pb-free
<u>CBL-0067</u>	Front Panel Switch Cable, 20-pin Split, 30cm
<u>CBL-0068L</u>	Front Panel Cable, 16-pin Split, 30cm, Pb-free
<u>CBL-0069</u>	SATA HDD LED Round Cable, 30cm
<u>CBL-0071L</u>	Front Panel Switch Cable (Round), 16-pin to 16-pin, 76cm
<u>CBL-0072</u>	12V Power Split Cable, 1x8-pin to 2x4-pin
<u>CBL-0074L</u>	SATA Cable, 14cm, Pb-free

<u>CBL-0075</u>	COM Port Extension Cable (Internal), 9-pin, 76cm
<u>CBL-0077L</u>	SATA HDD LED Split Cable, 10-pin to 10-pin, 66cm, Pb-free
<u>CBL-0078</u>	Floppy Round Cable, 45cm
<u>CBL-0080L</u>	SATA Power Adapter Cable, 15cm, Pb-free
<u>CBL-0081L</u>	Printer Port Cable, 25-pin w/ Bracket, 30cm, Pb-free
<u>CBL-0082L</u>	SATA Power Adapter Cable, Y-split, 15cm, Pb-free
<u>CBL-0083L</u>	USB 2.0 Cable, 2-port w/ Bracket, 40cm, Pb-free
<u>CBL-0084</u>	Front Panel Switch Cable (Split), 16-pin, 15cm
<u>CBL-0085</u>	Front Panel Switch Cable (Split), 20-pin, 15cm
<u>CBL-0087</u>	Front Panel Switch Cable (Round), 16-pin to 16-pin, 51cm, Pb-free
<u>CBL-0088L</u>	Power Cord, 4-pin, 27cm (for SC743X-645), Pb-free
<u>CBL-0097L-02</u>	IPASS to 4 SATA Cable, 50cm, Pb-free
<u>CBL-0103L</u>	SAS (SFF-8484) to 4 SATA Expander Cable, 50cm
<u>CBL-0108L-02</u>	IPASS to IPASS SAS Cable, 39cm, Pb-free
<u>CBL-0116L</u>	IPASS to 4 SATA Cross-over Cable, 50cm, Pb-free
<u>CBL-0118L-02</u>	IPASS to 4 SATA Cable, 23-cm Pb-free
<u>CBL-0119L-02</u>	IPASS to SATA Straight Cable, 13cm, Pb-free
<u>CBL-0123</u>	Power-Fail Extension Cable
<u>CBL-0134L</u>	IDE ATA100 Cable (for DVD ROM), 35cm, Pb-free
<u>CBL-0166L</u>	SAS EL2/EL1 Cascading Cable (External), 68cm
<u>CBL-0167L</u>	SAS EL2/EL1 Backplane Cable (Internal) w/ 2-port Cascading Cable, 68cm
<u>CBL-0168L</u>	SAS Dual-port Cable Assembly (Internal to External), 68/76cm

[Terms & Conditions](#) | [Privacy](#) | [Investor Relations](#)

Copyright © 2008 Super Micro Computer, Inc.

Information in this document is subject to change without notice.

Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

Page Viewed: Sunday, December 14, 2008: @11:39:47