

10

9

8

7

6

5

4

3


2

1

NOTES

1. 梱包数量：1000個/リール
NUMBER OF CONNECTORS : 1000PCS/REEL

2. リードテープ長さ LEAD TAPE LENGTH



3. トップテープの剥離強度：0.1N ～ 0.7N(10.2gf ～ 71.4gf)
(剥離方向は下図参照)


尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)

PEELING OFF FORCE OF TOP TAPE : 0.1N ～ 0.7N(10.2gf ～ 71.4gf)

(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)

THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT.

PEEL OFF SHOULD NOT BE ALLOWED , DURING TRANSPORTATION.



4. 52610-**-17のアクチュエータはハウジング内に押し下げた状態とする。

詳細寸法については図面 SD-52610-055 を参照下さい。

ACTUATOR OF PART NO. 52610-**-17 SHOULD BE LOCKED.

RE DETAILED DIMENSIONS , SEE SD-52610-055

5. 材料(MATERIAL)


キャリアテープ(CARRIER TAPE)：ポリプロピレン(POLYPROPYLENE)

トップテープ(TOPTAPE)：PET , PE , PEF


リール(REEL)：ポリスチレン(PS) <リサイクル材を含む>

POLYSTYREN(PS) <RECYCLE MATERIAL CONTAINED>

引き出し方向


PULL OUT
DIRECTION

"F"



C ± 1

2 ± 0.5



DETAIL "F"

REVISED	EC NO. J2015-0015	DRWN: AOKAJIMA 2014/07/07	CHKD: YKOBAYASHI 2014/07/07	APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
						10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.0 FPC CONN SMT ZIF EMBSTP PKG SHEET 1 OF 5			
						10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE				
						30 OVER	± 0.3	APPROVED BY	DATE				
						ANGULAR ±3 °	MATERIAL NO.	DOCUMENT NO.	SHEET NO.				
B	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52610-052		1 OF 5					
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

9

8

7




6

5

4

3

2



24	25.5	15.25	11.32	52610-1090	10
		13.25	9.32	52610-0890	8
		12.25	8.32	52610-0790	7
		11.25	7.32	52610-0690	6
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極数 CKT.

REVISED EC NO: J2015-0015 DRWN: AOKA JIMA 2014/07/07 CHKD: YKOBAYASHI 2014/07/07 APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY DATE MTAKAHASHI 04 2013/06/03		TITLE 1.0 FPC CONN SMT ZIF EMBSTP PKG SHEET 2 OF 5				
		10 OVER 30 UNDER	± 0.25	CHECKED BY DATE KTAKAHASHI 2013/06/03						
		30 OVER	± 0.3	APPROVED BY DATE YNOGAWA 2013/07/30		molex				
		ANGULAR ±3 °		MATERIAL NO.						
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F


E

D

C

B



A






32	33.5	20.25	16.32	52610-1590	15
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極数 CKT.

REVISED EC NO: J2015-0015 DRWN: AOKAJIMA 2014/07/07 CHKD: YKOBAYASHI 2014/07/07 APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY DATE MTAKAHASHI 2013/06/03		TITLE 1.0 FPC CONN SMT ZIF EMBSTP PKG SHEET 3 OF 5			
		10 OVER 30 UNDER	± 0.25	CHECKED BY DATE KTAKAHASHI 2013/06/03					
		30 OVER	± 0.3	APPROVED BY DATE YNOGAWA 2013/07/30					
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52610-052			3 OF 5	
	REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2





tb_frame_A3_J_ME_S
Rev G 2012/01/25



56	57.5	35.25	31.32	52610-3090	30
		33.25	29.32	52610-2890	28
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極数 CKT.

REVISED EC NO: J2015-0015 DRWN: AOKA JIMA 2014/07/07 CHKD: YKOBAYASHI 2014/07/07 APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
		10 UNDER	± 0.2	DRAWN BY DATE MTAKAHASHI 2013/06/03		TITLE 1.0 FPC CONN SMT ZIF EMBSTP PKG SHEET 5 OF 5					
		10 OVER 30 UNDER	± 0.25	CHECKED BY DATE KTAKAHASHI 2013/06/03							
		30 OVER	± 0.3	APPROVED BY DATE YNOGAWA 2013/07/30		molex					
		ANGULAR ±3 °		MATERIAL NO.							DOCUMENT NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52610-052			5 OF 5		
	REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



注記 (NOTES) :

1. 材料 (MATERIAL)

ハウジング (HOUSING) : 46NYLON , UL94V-0

アクチュエータ (ACTUATOR) : PPS , UL94V-0

ターミナル (TERMINAL) : リン青銅、錫メッキ (tO. 32)


PHOS-BRO. TIN-PLATED

2. エンボステープ梱包時は、アクチュエータがロックした状態とする。 IN THE PACKAGE , ACTUATOR OF PART NO.52610-**17 SHOULD BE LOCKED.


△3 ソルダートール半田付け面のズレ量は、基準面 [F] に対し上方向 0.05 MAX. 下方向 0.15 MAX. とする。
MISALIGNMENT OF SOLDER TAILS FROM [F] UPPER DIRECTION : 0.05 MAX., LOWER DIRECTION : 0.15 MAX.

△4 偶数極に適用。
APPLY FOR EVEN CIRCUIT.

REVISED EC NO: J2015-0015 DRAWN: AOKA I IWA 2014/07/07 CHK'D: YOKABAYASHI 2014/07/17 APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		10 UNDER	± 0.2	DRAWN BY	DATE	TITLE 1.0 FPC ZIF FOR SMT ST SHEET 1 OF 2		
		10 OVER 30 UNDER	± 0.25	CHECKED BY	DATE			
		30 OVER	± 0.3	APPROVED BY	DATE			
		ANGULAR ±3 °		MATERIAL NO.				
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2 OF 2		SD-52610-055		1 OF 2
				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



適合FPC推奨寸法
APPLICABLE FPC RECOMMENDED DIM.
仕上がり厚さ(THICKNESS): 0.3 ± 0.05



36.6	34.85	31.2	29	52610-3017	30
34.6	32.85	29.2	27	-2817	28
29.6	27.85	24.2	22	-2317	23
28.6	26.85	23.2	21	-2217	22
21.6	19.85	16.2	14	-1517	15
16.6	14.85	11.2	9	-1017	10
14.6	12.85	9.2	7	-0817	8
13.6	11.85	8.2	6	-0717	7
12.6	10.85	7.2	5	52610-0617	6
D	(C)	B	(A)	ENG. NO.	CKT.

REVISED EC NO: J2015-0015 DRWN: AOKAJIMA 2014/07/07 CHKD: YKOBAYASHI 2014/07/07 APPR: YNOGAWA 2014/07/17	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
		10 UNDER	± 0.2	DRAWN BY MTAKAHASHI	DATE 2014/02/24	TITLE 1.0 FPC CONN ZIF FOR SMT SHEET 2 OF 2			
		10 OVER 30 UNDER	± 0.25	CHECKED BY KTAKAHASHI	DATE 2014/02/25				
		30 OVER	± 0.3	APPROVED BY YNOGAWA	DATE 2014/03/11	molex			
		ANGULAR ±3 °		MATERIAL NO.					DOCUMENT NO.
	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-52610-055		2 OF 2	
A		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						