+

| | THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP. | | | | | | | | | | | | |
|--|--|------|------|--|---------|------------|--|-----|----|-------------------------|--|------------------------------------|--|
| | © | PEN | VII | PAR NAMI | | F | NDUI ⁻ PART JMBER NOTE | | | LENGTH in. (mm.) | STATIC LOAD (SEE NOTE 2) | APPROX. WEIGHT | |
| | | | | | | LD10**6-A | | | | 72.0±.09 1829±2.3 | | .122 lbs/ft (.182 g/mm) | |
| | 2 | | | | | LD10 |)**8- | A | | 96.0±.09 2438±2.3 | | .122 lbs/ft (.182 g/mm) | |
| | | | | LATCH DUC | | LD10**10-A | | | | 20.0±.09 3048±2.3 | | .122 bs/ft (.182 g/mm) | |
| | | //// | //// | | | LD10**2-A | | | (; | 78.74±.0 2000.0±2 | | .122 bs/ft (.182 g/mm) | |
| | / ADE | | | BACKING TE 3 | | LD10 |)**3- | Α | | 118.11±. 3000.0±2 | | .122 lbs/ft (.182 g/mm) | |
| SUFFIXES TO INDICATE COLOR AND OR PACKAGED QUANTITY. 94 REF [23.9] NOTH SURFACE. THE SURFACE MUST BE PROPERLY PREPARED IN ACCORDANCE WITH PANDUIT RECOMMENDATIONS. 3. PRESSURE SENSITIVE FOAM .040 (1.0) THICK WITH PROTECTIVE LINER. 4. TO APPLY PART: 2. PART IS DESIGNED TO SUPPORT MAXIMUM WEIGHT ON A CLEAN, DRY, SMOOTH SURFACE MUST BE PROPERLY PREPARED IN ACCORDANCE WITH PANDUIT RECOMMENDATIONS. 3. PRESSURE SENSITIVE FOAM .040 (1.0) THICK WITH PROTECTIVE LINER. 5. PLACE PART IN DESIRED LOCATION. 6. PLACE PART IN DESIRED LOCATION. 6. PLACE PART IN DESIRED LOCATION. 6. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE BY PANDUIT WITH RESPECT TO ADHESIVE BOND PERFORMANCE, AMONG OTHER THINGS, THE CONDITIONS UNDER WHICH THESE MOUNTS MAY BE APPLIED AND/OR THE SURFACE TO WHICH THEY MAY BE APPLIED ARE BEYOND PANDUIT'S CONTROL. [38.4] DITENMENTANCES DITENM | | | | | | | | | | | | | |
| 11 | 06-12-03 | JHEP | RMHI | O. REVISED TAPE WIDTH; 1.00 WAS 1.25 | 1783 | 2 RGR | RGRO | | | | | | |
| 10 | 11-19-98 | DW | HIW | N. REVISED NOTE 2 M. ADDED LD10++2-A AND LD10++3-A TO CHA | RT 1783 | 2 HIW | HIW | | | | CORP. | TINLEY PARK, ILLINOIS | |
| 9 | 02-13-98 | РМ | HIW | L. FILE NAME WAS WPXD-LATCHING-DUCT_02. K. REVISED CHART AND NOTES | | 2 HIW | HIW | | | LATCHING DUCT (LD10) | | | |
| - | | | | J. ADDED PARTS LD10**8-A AND LD10**10-A | | | | | | CUSTOMER DRAWING | | | |
| 8 | 07-30-97 | RACB | HIW | H. REVISED REVISION SIMBOLS | | 2 HIW | HIW | | | DIMENSION | UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: ALL DIMENSIONS ARE GIVEN | | |
| - | | | | G. DELETED NON-STANDARD NOTE 4 | | - | - | | | (.X) ± (.XX) ± | (.XXX) ± ANGLES ± | IN INCHES, THIRD ANGLE PROJECTION. | |
| - | | | | F. OMIT LATCHING CLIP LC10-A FROM DWG REFER TO 34348-2 FOR LATCH CLIP DWG | | - | - | | | DRAWN BY GDN DATE | MAT'L: RIGID PVC | DRAWING NO. | |
| 7 | 06-10-92 | DW | | E. REVISED NOTE 1 AND OMIT COLOR FROM DD. ADDED THICKNESS DIMENSION .055 | | | 1 | | | 11-19-82 | (POLYVINYL CHLORIDE) | SS-17832 A | |
| REV | DATE | BY | CHK | DESCRIPTION | ECN | - R | CUST | SUP | | HVP | | SIZE | |

+

+

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit: