# **Direct Operated 2 Port Solenoid Valve New**







# Direct Operated 2 Port Solenoid Valve Series VXN/VX2











Flame resistance UL94V-0 conformed

# Low-noise construction

Metal noise reduced by the rubber bumper

# Piping variations

Series VXN: Thread piping

Series VX2: Thread piping, One-touch fitting

**Power consumption** 

4.5 W (Size 1)

**7** W (Size 2)

**20** W (Size 3)

# **Improved armature** durability

# **Body material**

Series VXN: C37 (Brass),

Stainless steel Series VX2: Aluminum, Resin

# Series VXN







Stainless steel body

# Series VX2







Aluminum body

# **Full-wave rectifier type** (AC specification)

Improved durability

Service life is extended by the special construction. (compared with current shading coil)

Reduced buzz noise

Rectified to DC by the full-wave rectifier, resulting in a buzz noise reduction.

Reduced apparent power

10 VA  $\rightarrow$  **7** VA (Size 1)

20 VA  $\rightarrow$  **9.5** VA (Size 2)

32 VA  $\rightarrow$  23 VA (Size 3)

Improved OFF response

Specially constructed to improve the OFF response when operated with a higher viscosity fluid such as oil.

Low-noise construction

Specially constructed to reduce the metal noise during operation.

### Normally Closed (N.C.) Series VXN Page 1

		Orific					
Signich		3/64	3/32	1/8	5/32	7/32	Port size
	mm	1.2	2.4	3.2	4	5.6	
Size 1					_	_	1/8
Size 2		_	•	•	•	•	1/8, 1/4, 3/8
Si	ze 3	_	_	•	•	•	1/8, 1/4, 3/8

<sup>\*</sup>Refer to "How to Order" for the combination of orifice diameter and port size.

# Normally Closed (N.C.) Series VX2 Page 15

	Orifice diameter (inch, mm)									
Size	inch	5/64	1/8	5/32	13/64	9/32	5/16	25/64	Port size	
	mm	2	3	4	5	7	8	10		
Si	ze 1			_				1/8, 1/4 One-touch fitting: ø6, ø8		
Si	ze 2	_	_	•	_	•	_	_	1/4, 3/8 One-touch fitting: ø8, ø10	
Si	ze 3	_	_	_		_	•	•	1/4, 3/8, 1/2 One-touch fitting: ø10, ø12	

<sup>\*</sup> Refer to "How to Order" for the combination of orifice diameter and port size.



# Series VXN Common Specifications/Selection Steps

# Standard Specifications

	Valve construct	ion	Direct operated poppet		
	Withstand press		430 psi (3.0 MPa)		
	Body material		C37 (Brass), Stainless steel		
specifications	s Seal material		NBR, FKM		
	Enclosure		Dust-tight, Water-jet-proof type (IP65 Note 1), NEMA4X Note 2))		
	Environment		Location without corrosive or explosive gases		
	Rated voltage	AC 100 VAC, 200 VAC, 110 VAC, 230 VAC, (220 VAC, 240 VAC, 24 VAC, 48 VAC			
	nateu voitage	DC	24 VDC, (12 VDC) Note 3)		
Coil	Allowable voltage	ge fluctuation	±10% of rated voltage		
specifications	Allowable leakage	AC(Built-in full-wave rectifier type)	Size 1, 2: 10% or less of rated voltage Size 3: 5% or less of rated voltage		
	voltage	DC	2% or less of rated voltage		
	Coil insulation t	ype	Class B		

Note 1) Electrical entry "Faston" type terminal is IP40.

Note 2) Applicable to conduit type only.

Note 3) Voltage in ( ) indicates special voltage. (Refer to page 8.)

⚠ Be sure to read "Specific Product Precautions" before handling.

# **Solenoid Coil Specifications**

# Normally Closed (N.C.)

## **DC Specification**

Size	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)
Size 1	4.5	50
Size 2	7	55
Size 3	20	90

Note 1) Power consumption: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%)

Note 2) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

Step 4 For other special options, refer to page 8.


# AC Specification (Built-in Full-wave Rectifier Type)

Size	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
Size 1	7	60
Size 2	9.5	70
Size 3	23	90

Note 1) Apparent power: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation:  $\pm 10\%$ )

Note 2) There is no difference in the frequency and the inrush and energized apparent power, since a rectifying circuit is used in the AC (built-in full-wave rectifier type).

Note 3) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.



VXN

Specifications

For Air/ Water

> For Medium Vacuum

For Oil

Construction

Dimensions

VX2

Specifications

For Air

Construction

Dimensions

# Series VXN






# For Air/Water Single Unit

# **Model/Valve Specifications**

N.C.

# Passage symbol







**Normally Closed (N.C.)** 

11011110	illy Glosca (	· • · · · · · ·												
		Orifice di	omotor		F	low-rate	characte	ristics		Maximum pressure	n operating differential		Weight Not	e)
Size	Port size	Office di	ameter	Model	A	ir		Wate	r	noi	MPa		(g)	
		inch	mm		C [dm <sup>3</sup> /(s·bar)]	b	Cv	Av x 10 <sup>-6</sup> m <sup>2</sup>	Conversion Cv	psi	MPa	Port size 1/8	Port size 1/4	Port size 3/8
		3/64	1.2		0.21	0.52	0.06	1.4	0.06	210	1.5			
1	1/8	3/32	2.4	VXN12	0.66	0.55	0.21	5.0	0.21	140	1.0	290	_	
		1/8	3.2		1.08	0.52	0.35	8.4	0.35	85	0.6			
		3/32	2.4		0.68	0.52	0.21	5.0	0.21	430	3.0	430		_
2	1/8, 1/4, 3/8	1/8	3.2	VXN22	1.12	0.51	0.35	8.4	0.35	180	1.2		430	
	1/6, 1/4, 3/6	5/32	4	VAINZZ	1.56	0.50	0.52	12.5	0.52	140	1.0		430	460
		7/32	5.6		2.29	0.55	0.73	17.5	0.73	50	0.35			
		1/8	3.2		1.19	0.47	0.35	8.4	0.35	430	3.0	560		
3	1/8, 1/4, 3/8	5/32	4	VXN32	1.56	0.50	0.52	12.5	0.52	300	2.1		570	590
		7/32	5.6		3.14	0.47	0.88	21.1	0.88	130	0.9	_		

Note) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

• Refer to "Glossary of Terms" on page 26 for details on the maximum operating pressure differential.

# Fluid and Ambient Temperature

oizo	Fluid tempe	Ambient temperature (°C	
size	Air	Air Water	
Size 1, 2	-10 Note 1) to 60	1 Note 2) to 60	-20 to 60
Size 3	-10 100 17 10 60	1 100 27 10 60	-20 to 40

Note 1) Dew point temperature: –10°C or less Note 2) No freezing


# Valve Leakage

Internal Leakage

mitorriar Boartage						
Seal material	Leakage rate <sup>Note)</sup>					
Seai materiai	Air	Water				
NBR	1 cm³/min or less	0.1 cm <sup>3</sup> /min or less				


**External Leakage** 

Seal material	Leakage rate Note)				
Seai materiai	Air	Water			
NBR	1 cm³/min or less	0.1 cm <sup>3</sup> /min or less			





# Direct Operated 2 Port Solenoid Valve Series VXN



# **How to Order (Single Unit)**





**VXN** 

**Common Specifications** Valve type N.C. Seal material NBR Coil insulation type Class B Thread type NPT

Fluid • Air/Water

Symbol	Voltage	Electric	al entry			
A	24 VDC	Grommet				
В	100 VAC	Grommet				
С	110 VAC	/With surge \ voltage				
D	200 VAC	suppressor				
E	230 VAC					
F	24 VDC					
G	24 VDC	DIN terminal				
Н	100 VAC	/With surge \ voltage				
J	110 VAC	\suppressor/				
Κ	200 VAC					
L	230 VAC	]				
М	24 VDC	Conduit terminal	_			
N	100 VAC	/With surge \ voltage				
Р	110 VAC	\suppressor /				
Q	200 VAC					
R	230 VAC					
S	24 VDC	Conduit				
Т	100 VAC	/With surge \ voltage				
U	110 VAC	\suppressor/				
٧	200 VAC					
W	230 VAC					
Y	24 VDC	Faston terminal				
Z	Othe	r voltages and electr	rical option			

Size	—Fluid v	/alve	•	Body	material/P	ort size/O	ifice dia	meter
Symbol	Size	Fluid	[e,	ymbol	Body	Port size	Orifice di	ameter
Symbol	Size	valve	]	ymboi	material	(NPT)	inch	mm
				Α			3/64	1.2
		Cinala		В	C37	1/8	3/32	2.4
1	Size 1	Single Unit		С			1/8	3.2
•	OIZO I	N.C.		N	Stainless		3/64	1.2
				Р	steel	1/8	3/32	2.4
			LL	Q			1/8	3.2
				В		4 /0	3/32	2.4
				С		1/8	1/8	3.2
				D			3/32	2.4
				Е		4 / 4	1/8	3.2
				F	C37	1/4	5/32	4
				G			7/32	5.6
				J		3/8	1/8	3.2
				K			5/32	4
2	Size 2	Single Unit		L			7/32	5.6
	SIZE Z	N.C.		Р		1/8	3/32	2.4
				Q		1/0	1/8	3.2
				R			3/32	2.4
				S	Stainless steel	1/4	1/8	3.2
				Т			5/32	4
				U			7/32	5.6
				W			1/8	3.2
				X		3/8	5/32	4
			LL	Υ			7/32	5.6
				С		1/8	1/8	3.2
				Е			1/8	3.2
				F		1/4	5/32	4
				G	C37		7/32	5.6
				J			1/8	3.2
				K		3/8	5/32	4
3	Size 3	Single Unit		L			7/32	5.6
3	SIZES	N.C.		Q		1/8	1/8	3.2
				S			1/8	3.2

Т

U

W

X

Stainless

steel

1/4

3/8

5/32

7/32

1/8

5/32

7/32

4

5.6

3.2

5.6

4

	24 VAC
	48 VAC
Special voltage	220 VAC
-	240 VAC
	12 VDC
DIN terminal with li	ight
Conduit terminal w	ith light
Without DIN conne	ector
Low concentration ozone resist	ant and applicable to deionized water (Seal material: FK
Oil-free	
G thread	
Rc thread	

Dimensions → Page 10 (Single Unit)



VXN

Specifications

For Oil

Dimensions Construction

Specifications

For Air

Construction

Dimensions

# Series VXN




# For Medium Vacuum Single Unit

# **Model/Valve Specifications**

N.C.






**Normally Closed (N.C.)** 

1401111	any Clos	<del>54 (111</del>	<u> </u>											
	Port size	Orifice diameter			Flow-rate characteristics			Operating pessure range				Weight Note)		
Size				Model		Air ①Used with vacuum			②Used wi	th pressure	(g)			
		inch	mm		C [dm3/(s·bar)]	b	Cv	Torr	Pa-abs	psi	MPa	Port size 1/8	Port size 1/4	Port size 3/8
		3/64	1.2	VXN14	0.21	0.52	0.06			0 to 210	0 to 1.5		_	
1	1/8	3/32	2.4		0.66	0.55	0.21			0 to 140	0 to 1	290		
		1/8	3.2		1.08	0.52	0.35			0 to 85	0 to 0.6			
	1/8, 1/4, 3/8	3/32	2.4	VXN24	0.68	0.52	0.21	10 <sup>-3</sup> to Atmospheric pressure		0 to 430	0 to 3	430		_
2		1/8	3.2		1.12	0.51	0.35		0.1 to	0 to 180	0 to 1.2		420	
2		5/32	4		1.56	0.57	0.52		pressure	0 to 140	0 to 1		430 46	460
		7/32	5.6		2.29	0.55	0.73		P. C. C. C.	0 to 50	0 to 0.35			
3		1/8	3.2		1.19	0.47	0.35			0 to 430	0 to 3	560		
	1/8, 1/4, 3/8	5/32	4	VXN34	1.71	0.50	0.52			0 to 300	0 to 2.1	_	570	590
	3/0	7/32	5.6		3.14	0.47	0.88			0 to 130	0 to 0.9			

Note) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

# Fluid and Ambient Temperature

Size	Fluid temperature (°C)	Ambient temperature (°C)
Size 1, 2	1 Note) to 60	-20 to 60
Size 3	1 10 60	-20 to 40




# Valve Leakage

| Seal material | Leakage rate Note |
| FKM | 10<sup>-6</sup> Pa·m³/sec or less

**External Leakage** 

Seal material	Leakage rate Note)
FKM	10 <sup>-6</sup> Pa⋅m³/sec or less



# Direct Operated 2 Port Solenoid Valve Series VXN



# **How to Order (Single Unit)**





VXN |

Orifice diameter

mm

1.2

2.4

3.2

1.2

2.4

3.2

2.4

3.2

2.4

3.2

5.6

3.2

5.6

2.4

3.2

2.4

3.2

4

5.6

3.2

5.6

3.2

3.2

5.6

3.2

5.6

3.2

3.2

5.6

3.2

5.6

4

4

4

4

4

M

N

4

4

inch

3/64

3/32

1/8

3/64

3/32

1/8

3/32

1/8

3/32

1/8

5/32

7/32

1/8

5/32

7/32

3/32

1/8

3/32

1/8

5/32

7/32

1/8

5/32

7/32

1/8

1/8

5/32

7/32

1/8

5/32

7/32

1/8

1/8

5/32

7/32

1/8

5/32

7/32

Fluid

Medium vacuum

Body material/Port size/Orifice diameter

Body

material

C37

Stainless

steel

C37

Stainless

steel

C37

Stainless

steel

Symbo

Α

В

C

N

Р

Q

В

С

D

Ε

F

G

J

K

Р

Q

R

S

Т

U

W

X

С

Ε

F

G

J

K

L

Q

S

Т

U

W

X

Υ

Port size

(NPT)

1/8

1/8

1/8

1/4

3/8

1/8

1/4

3/8

1/8

1/4

3/8

1/8

1/4

3/8

**Common Specifications** Valve type

Seal material FKM Coil insulation type Class B Thread type Oil-free Non-leak

	Tron rount									
Volt	● Voltage/Electrical entry									
Symbol	Voltage	Electrical entry								
A	24 VDC	Grommet								
В	100 VAC	Grommet								
С	110 VAC	With surge voltage								
D	200 VAC	\suppressor/								


Ε 230 VAC F **24 VDC** G DIN 24 VDC With Н 100 VAC volta ∖supp J 110 VAC Κ 200 VAC L 230 VAC

24 VDC

100 VAC

DIN terminal /With surge \ voltage \suppressor	
Conduit terminal /With surge \	•

voltage suppressor Ρ 110 VAC Q 200 VAC R 230 VAC S 24 VDC Conduit With surge Т 100 VAC voltage suppressor U 110 VAC ٧ 200 VAC ۷



W	230 VAC	
Y	24 VDC	Faston terminal
Z	Oth	er voltages and elect

Other voltages and electrical option For other special options, refer to

page 8.							
	24 VAC						
	48 VAC						
Special voltage	220 VAC						
	240 VAC						
	12 VDC						
DIN terminal with li	ght						
Conduit terminal wi	th light						
Without DIN conne	ctor						
G thread							
Rc thread							

	24 VAC			
Special voltage	48 VAC			
	220 VAC			
	240 VAC			
	12 VDC			
DIN terminal with li	ght			
Conduit terminal wi	th light			
Without DIN conne	ctor			
G thread				
Rc thread				

Dimensions → Page 10 (Single Unit)

Size

Symbol

1

2

3

Size 3

Fluid valve

Size

Size 1

Size 2

Fluid

valve

Single

Unit

N.C.

Single

Unit

N.C.

Single

Unit

N.C.



Specifications

**VXN** 

For Oil

Construction

Dimensions

# Series VXN




# **⚠When the fluid is oil.**

The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s. The special construction of the armature adopted in the built-in full-wave rectifier type gives an improvement in OFF response by providing clearance on the absorbed surface when it is switched ON.

# **Model/Valve Specifications**

N.C.

Passage symbol







**Normally Closed (N.C.)** 

tromany blobba (tr.b.)											
		Orifice diameter			Flow-rate characteristics		Maximum operating pressure differential		Weight Note)		
Size	Port size			Model			psi MPa		(g)		
		inch	mm		Av x 10 <sup>-6</sup> m <sup>2</sup>	Conversion Cv	psi	IVIFA	Port size 1/8	Port size 1/4	Port size 3/8
		3/64	1.2		1.4	0.06	210	1.5	290	_	
1	1/8	3/32	2.4	VXN13	5.0	0.21	140	1.0			
		1/8	3.2		8.4	0.35	85	0.6			
	1/8, 1/4, 3/8	3/32	2.4	VXN23	5.0	0.21	430	3.0	430 4	430 460	_
2		1/8	3.2		8.4	0.35	180	1.2			460
		5/32	4		12.5	0.52	140	1.0			
		7/32	5.6		17.5	0.73	50	0.35			
3		1/8	3.2	VXN33	8.4	0.35	430	3.0	560		
	1/8, 1/4, 3/8	5/32	4		12.5	0.52	300	2.1		570 590	590
		7/32	5.6		21.1	0.88	130	0.9			

Note) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

• Refer to "Glossary of Terms" on page 26 for details on the maximum operating pressure differential.

# Fluid and Ambient Temperature

Size	Fluid temperature (°C)	Ambient temperature (°C)		
Size 1, 2	-5 <sup>Note)</sup> to 60	-20 to 60		
Size 3	_5 ········ 10 60	-20 to 40		




# Valve Leakage

| Seal material | Leakage rate (Oil) Note | FKM | 0.1 cm³/min or less


**External Leakage** 

Seal material	Leakage rate (Oil) Note)
FKM	0.1 cm <sup>3</sup> /min or less






# Direct Operated 2 Port Solenoid Valve Series VXN



# **How to Order (Single Unit)**





Oil

# **Common Specifications**

Valve type	N.C.
Seal material	FKM
Coil insulation type	Class B
Thread type	NPT

	<u>ugo, =:00:::</u>	cal entry
Symbol	Voltage	Electrical entry
A	24 VDC	Grommet
В	100 VAC	Grommet
С	110 VAC	/With surge voltage
D	200 VAC	suppressor
E	230 VAC	
F	24 VDC	
G	24 VDC	DIN terminal
Н	100 VAC	With surge voltage
J	110 VAC	\suppressor/
K	200 VAC	
L	230 VAC	
M	24 VDC	Conduit terminal
N	100 VAC	(With surge voltage
Р	110 VAC	\suppressor/
Q	200 VAC	
R	230 VAC	4
S	24 VDC	Conduit
Т	100 VAC	/With surge voltage
U	110 VAC	\suppressor/
V	200 VAC	
W	230 VAC	
Y	24 VDC	Faston terminal
Z	Otho	r voltages and electrical option

<b>■</b> Body material/Port size/Orifice diameter												
Symbol	Body	Port size	Orifice di	ameter								
Symbol	material	(NPT)	inch	mm								

3

				Α			3/64	1.2
				В	C37	1/8	3/32	2.4
1	Size 1	Single Unit		С			1/8	3.2
'	0126 1	N.C.		N	04-1-1		3/64	1.2
				Р	Stainless steel	1/8	3/32	2.4
			L	Q			1/8	3.2
				В			3/32	2.4
				С		1/8	1/8	3.2
				D			3/32	2.4
				E		4.14	1/8	3.2
				F	C37	1/4	5/32	4
				G			7/32	5.6
	2 Size 2			J			1/8	3.2
		0: 1		K		3/8	5/32	4
2		Single Unit		L			7/32	5.6
	0126 2	N.C.		Р		1/8	3/32	2.4
				Q		1/0	1/8	3.2
				R	Stainless steel		3/32	2.4
				S		1/4	1/8	3.2
				Т		-, -	5/32	4
				U			7/32	5.6
				W			1/8	3.2
				X		3/8	5/32	4
			LJ	Υ			7/32	5.6
				С		1/8	1/8	3.2
				E			1/8	3.2
				F		1/4	5/32	4
				G	C37		7/32	5.6
				J			1/8	3.2
		Cinala		K		3/8	5/32	4
3	Size 3	Single Unit		L			7/32	5.6
	5.20 0	N.C.		Q		1/8	1/8	3.2
				S			1/8	3.2
				Т	Stainless	1/4	5/32	4
				U	steel		7/32	5.6
				W			1/8	3.2
				X		3/8	5/32	4
			L	Υ			7/32	5.6

For other special on age 8.	options, refer to
	24 VAC
	48 VAC
Special voltage	220 VAC
	240 VAC
	12 VDC
DIN terminal with li	ght
Conduit terminal w	ith light
Without DIN conne	ector
Oil-free	
G thread	
Rc thread	

Dimensions → Page 10 (Single Unit)

Size-

Symbol

Fluid valve

Size

Fluid

valve



VXN

Specifications

For Oil

Construction


Dimensions

Specifications

For Air

# Series VXN Other Special Options


# Electrical options (Special voltage, with light)



## 

Specification	Symbol	Voltage	Electrical entry
	1A	48 VAC	•
	1B	220 VAC	Grommet
	1C	240 VAC	(With surge voltage suppressor)
	1U	24 VAC	
	1D	12 VDC	Grommet
	1E	10.1/00	Grommet
	15	12 VDC	(With surge voltage suppressor)
	1F	48 VAC	
	1G	220 VAC	DIN terminal
age	1H	240 VAC	(With surge voltage suppressor)
lg l	1V	24 VAC	(Trun dange remage capprocess)
Special voltage	1J	12 VDC	
eci	1K	48 VAC	
Sp	1L	220 VAC	Conduit terminal
	1M	240 VAC	(With surge voltage suppressor)
	1W	24 VAC	(Trun dange remage capprocess)
	1N	12 VDC	
	1P	48 VAC	
	1Q	220 VAC	Conduit
	1R	240 VAC	(With surge voltage suppressor)
	1Y	24 VAC	, ,
	15	12 VDC	
	1T	12 VDC	Faston terminal
	2A	24 VDC	
	2B	100 VAC	
	2C	110 VAC	
	2D	200 VAC	
	2E	230 VAC	DIN terminal
	2F	48 VAC	(With surge voltage suppressor)
	2G	220 VAC	
	2H 2V	240 VAC 24 VAC	
ght	_		
드	2J 2K	12 VDC 24 VDC	
With light	2L	100 VAC	
	2M	110 VAC	
	2N	200 VAC	
	2P	230 VAC	Conduit terminal
	2Q	48 VAC	(With surge voltage suppressor)
	2R	220 VAC	
	2S	240 VAC	
	2W	24 VAC	
	2T	12 VDC	
	3A	24 VDC	
to	3B	100 VAC	
Эес	3C	110 VAC	
on	3D	200 VAC	
Z	3E	230 VAC	DIN terminal
	3F	48 VAC	(With surge voltage suppressor)
out	3G	220 VAC	
Without DIN connector	3H	240 VAC	
\$	3V	24 VAC	
	3J	12 VDC	

## Other options (Low concentration ozone resistant and applicable to deionized water, Oil-free, Port thread)



(Low concentration ozone resistant and applicable to deionized water/Oil-free/Port thread)

Symbol	Low concentration ozone resistant and applicable to deionized water * (Seal material: FKM)	Oil-free	Port thread
Α	<del></del>	_	G
В	<del>_</del>	_	NPT
ပ	0	_	Rc
D	<del></del>	0	G
Е	_	0	NPT
F	0	_	G
G	0	_	NPT
Н	0	0	Rc
K	0	0	G
L	0	0	NPT
Ζ	_	0	Rc

<sup>\*</sup> Applicable to air and water (VXN□2)


\* Enter symbols in the order below when ordering a combination of electrical option, other option.

Example) VXN 1 2 A Z 1A Z 1A C Control Other option

# Series VXN Construction

# Construction/Normally Closed (N.C.)

Body material: C37, Stainless steel



# **Component Parts**

No.	Description	Material
1	Solenoid coil	Cu + Fe + Resin
2	Core	Fe
3	Tube	Stainless steel
4	Spring	Stainless steel
5	Armature assembly	NBR, FKM, Stainless steel
6	Seal	NBR, FKM
7	Body	C37, Stainless steel

# Series VXN







Air, Water, Medium Vacuum, Oil

# Dimensions/Body Material: C37, Stainless Steel inch


# Grommet




# **Grommet (with surge voltage suppressor)**





# **DIN terminal**



# **Conduit terminal**








(inch)

Size	Port size	ort size A E		A B B <sub>1</sub> C		D E		E F		Dimensions				nmet	Grommet (with surge voltage suppressor)	
	P								Н	J	K	N	Q	R	Q	R
1	1/8	0.55	1.19	0.59	2.46	1.18	0.35	0.79	0.30	0.59	0.69	0.25	1.06	1.73	1.18	1.20
	1/8	0.55	1.19	0.59	2.89	1.38	0.35	0.87	0.30	0.59	0.69	0.25	1.16	2.13	1.28	1.57
2	1/4	0.75	1.56	0.79	2.83	1.38	0.35	0.87	0.34	0.87	0.87	0.30	1.16	2.07	1.28	1.52
	3/8	0.87	1.88	0.94	2.95	1.38	0.43	0.87	0.57	0.75	0.81	0.24	1.16	2.11	1.28	1.56
	1/8	0.55	1.19	0.59	3.07	1.57	0.35	0.96	0.30	0.59	0.69	0.25	1.26	2.28	1.38	1.75
3	1/4	0.75	1.56	0.79	3.01	1.57	0.35	0.96	0.34	0.87	0.87	0.30	1.26	2.22	1.38	1.69
	3/8	0.87	1.88	0.94	3.13	1.57	0.43	0.96	0.57	0.75	0.81	0.24	1.26	2.26	1.38	1.73


Size	Port size	D	IN termin	ıal	Conduit terminal						
	F	Q	R	S	Q	R	S	Т			
1	1/8	2.54	1.42	2.07	3.92	1.50	2.70	3.09			
	1/8	2.64	1.81	2.17	4.02	1.87	2.80	3.48			
2	1/4	2.64	1.73	2.17	4.02	1.81	2.80	3.43			
	3/8	2.64	1.77	2.17	4.02	1.85	2.80	3.54			
	1/8	2.74	1.97	2.26	4.11	2.05	2.89	3.66			
3	1/4	2.74	1.91	2.26	4.11	1.99	2.89	3.60			
	3/8	2.74	1.95	2.26	4.11	2.03	2.89	3.72			


# Dimensions/Body Material: C37, Stainless Steel inch





# Conduit


# **Faston type**











(inch)

Size	Port size	А	В	B <sub>1</sub>	С	D	E	F		Dimer	nsions		Cor	nduit	Fasto	n type
	P								Н	J	K	N	Q	R	Q	R
1	1/8	0.55	1.19	0.59	2.46	1.18	0.35	0.79	0.30	0.59	0.69	0.25	1.87	1.50	0.91	1.73
	1/8	0.55	1.19	0.59	2.89	1.38	0.35	0.87	0.30	0.59	0.69	0.25	1.97	1.87	1.00	2.13
2	1/4	0.75	1.56	0.79	2.83	1.38	0.35	0.87	0.34	0.87	0.87	0.30	1.97	1.81	1.00	2.07
	3/8	0.87	1.88	0.94	2.95	1.38	0.43	0.87	0.57	0.75	0.81	0.24	1.97	1.85	1.00	2.11
	1/8	0.55	1.19	0.59	3.07	1.57	0.35	0.96	0.30	0.59	0.69	0.25	2.07	2.05	1.10	2.28
3	1/4	0.75	1.56	0.79	3.01	1.57	0.35	0.96	0.34	0.87	0.87	0.30	2.07	1.99	1.10	2.22
	3/8	0.87	1.88	0.94	3.13	1.57	0.43	0.96	0.57	0.75	0.81	0.24	2.07	2.03	1.10	2.26



# Series VXN







Air, Water, Medium Vacuum, Oil

# Dimensions/Body Material: C37, Stainless Steel mm


## Grommet




# **Grommet (with surge voltage suppressor)**





# **DIN terminal**



# **Conduit terminal**








(mm) Grommet (with surge **Dimensions** Grommet Port size С voltage suppressor) Size Α В В1 D Ε F K N Q R 1 1/8 14 30 15 62.5 30 9 20 6.4 30.5 8 15 18 27 44 30 1/8 14 30 15 73.5 35 9 22 15 18 6.4 29.5 54 32.5 40 8 2 1/4 19 40 20 72 35 9 22 9 22.2 22.2 7.6 29.5 52.5 32.5 38.5 3/8 22 48 22 14 20.6 29.5 53.5 39.5 24 75 35 11 19 6 32.5 1/8 14 30 15 78 40 9 24.5 8 15 18 6.4 32 58 35 44.5 3 1/4 19 40 20 76.5 40 9 24.5 9 22.2 22.2 7.6 32 56.5 35 43 3/8 22 48 79.5 11 24.5 14 19 20.6 57.5 44


Size	Port size	DI	IN termin	ıal		Conduit terminal						
	F	Q	R	S	Q	R	S	Т				
1	1/8	64.5	36	52.5	99.5	38	68.5	78.5				
	1/8	67	46	55	102	47.5	71	88.5				
2	1/4	67	44	55	102	46	71	87				
	3/8	67	45	55	102	47	71	90				
	1/8	69.5	50	57.5	104.5	52	73.5	93				
3	1/4	69.5	48.5	57.5	104.5	50.5	73.5	91.5				
	3/8	69.5	49.5	57.5	104.5	51.5	73.5	94.5				


# Dimensions/Body Material: C37, Stainless Steel mm


# Conduit


# **Faston type**














(mm)

Size	Port size	Port size A		A B		B <sub>1</sub>	С	D	E	F		Dimer	nsions		Cor	nduit	Fasto	n type
	Г								Н	J	K	N	Q	R	Q	R		
1	1/8	14	30	15	62.5	30	9	20	8	15	18	6.4	47.5	38	23	44		
	1/8	14	30	15	73.5	35	9	22	8	15	18	6.4	50	47.5	25.5	54		
2	1/4	19	40	20	72	35	9	22	9	22.2	22.2	7.6	50	46	25.5	52.5		
	3/8	22	48	24	75	35	11	22	14	19	20.6	6	50	47	25.5	53.5		
	1/8	14	30	15	78	40	9	24.5	8	15	18	6.4	52.5	52	28	58		
3	1/4	19	40	20	76.5	40	9	24.5	9	22.2	22.2	7.6	52.5	50.5	28	56.5		
	3/8	22	48	24	79.5	40	11	24.5	14	19	20.6	6	52.5	51.5	28	57.5		




# Series VXN




# **Replacement Parts**

• DIN Connector Part No.

Without electrical option C18312G6GCU





Air, Water, Medium Vacuum, Oil

- Gasket for DIN Connector VCW20-1-29-1
- Lead Wire Assembly for Faston Terminal (Set of 2 pcs.) VX021S-1-16FB

# Series **VX2**

# **Common Specifications/Selection Steps**

# Standard Specifications

	Valve construction Withstand pressure		Direct operated poppet
			Aluminum body type 290 psi (2.0 MPa), Resin body type 215 psi (1.5 MPa)
Valve	Body material		Aluminum, Resin
specifications	Seal material		NBR
	Enclosure		Dust-tight, Water-jet-proof type (IP65) Note 1)
	Environment		Location without corrosive or explosive gases
	Rated voltage	AC	100 VAC, 200 VAC, 110 VAC, 230 VAC, (220 VAC, 240 VAC, 24 VAC, 48 VAC) Note 2)
	nated voltage	DC	24 VDC, (12 VDC) Note 2)
Coil	Allowable volta	age fluctuation	±10% of rated voltage
specifications	Allowable leakage AC (Built-in full-wave rectifier type)		10% or less of rated voltage
	voltage	DC	2% or less of rated voltage
	Coil insulation type		Class B

Note 1) Electrical entry "Faston" type terminal is IP40.

Note 2) Voltage in ( ) indicates special voltage. (Refer to page 18.)

⚠ Be sure to read "Specific Product Precautions" before handling.

# Solenoid Coil Specifications

# Normally Closed (N.C.)

# **DC Specification**

Size	Power consumption (W) Note 1)	Temperature rise (°C) Note 2)
Size 1	4.5	50
Size 2	7	55
Size 3	10.5	65

Note 1) Power consumption: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%)

Note 2) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

# AC Specification (Built-in Full-wave Rectifier Type)

Size	Apparent power (VA) Note 1) 2)	Temperature rise (°C) Note 3)
Size 1	7	60
Size 2	9.5	70
Size 3	12	70

Note 1) Apparent power: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation:  $\pm 10\%$ )

Note 2) There is no difference in the frequency and the inrush and energized apparent power, since a rectifying circuit is used in the AC (built-in full-wave rectifier type).

Note 3) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

# **Selection Steps**

Step 1 Select "Body material", "Port size" and "Orifice diameter" from "Flow rate — Pressure" of each fluid.

Item		Selection item			Symbol		_
Select from "Flow		Size	Size 3	$\Rightarrow$	3	0	
rate — Pressure."  • Body material	<b>→</b>	Body material	Aluminum				VX2 3 0 A A
Port size		Port size	1/8	$\Rightarrow$	Α	0	
Orifice diameter		Orifice diameter	2				

**Step 2** Select electrical specification.

Item	l	Selection item			Symbol						
Select electrical	_	Voltage	24 VDC	)			VX2 3 0 A A	$\overline{\mathbf{A}}$			
specification.		Electrical entry	Grommet		A	8	VAZ	J	U	A	A
											A

Step 3 For other special options, refer to page 18.

||.0≥

**VXN** 

r Medium /acuum

For Me Vacu

For Oil

Construction

Dimensions

VX2

Specification

For Air

ns Construction

Dimensions




# Series VX2




**Model/Valve Specifications** 

N.C.

## Passage symbol





Normally Closed (N.C.) Aluminum Body Type

Size	Port size	Orifice diameter		Model	Flow	Maximum operating pressure differential		Weight Note)		
Size	1 011 3126	inch	mm	Wiodei	C[dm3/(s·bar)]	b	Cv	psi	MPa	(g)
		5/64	2		0.63	0.63	0.23	145	1.0	220
1	1/8, 1/4	1/8	3	VX210	1.05	0.68	0.41	85	0.6	220
		13/64	5		2.20	0.39	0.62	29	0.2	220
2	1/4, 3/8	5/32	4	VX220	1.90	0.52	0.62	145	1.0	340
		9/32	7		3.99	0.44	1.08	21	0.15	340
		13/64	5		1.96	0.55	0.75	145	1.0	450
3	1/4, 3/8	5/16	8	VX230	5.67	0.33	1.58	43	0.3	450
3		25/64	10	V A 2 3 U	5.74	0.64	2.21	14	0.1	450
	1/2	25/64	10		8.42	0.39	2.21	14	0.1	470

Resin Body Type (Built-in One-touch Fittings)

nesiii L	Circ Port circ Orifice diameter Model Flow-rate characteristics Maximum operating pressure differential Weight Note)									
Size	Port size	Orifice of	diameter	Model	Flow	Flow-rate characteristics				Weight Note)
Size	Port size	inch	mm	Model	C[dm3/(s·bar)]	b	Cv	psi	MPa	(g)
		5/64	2		0.82	0.44	0.23	145	1.0	220
	C6	1/8	3		1.25	0.34	0.35	85	0.6	220
_		13/64	5	VX210	1.45	0.43	0.40	29	0.2	220
ı		5/64	2	VX210	0.82	0.44	0.23	145	1.0	220
	C8	1/8	3		1.81	0.40	0.41	85	0.6	220
		13/64	5		2.11	0.32	0.56	29	0.2	220
	C8	5/32	4	VX220	1.69	0.40	0.47	145	1.0	340
2		9/32	7		3.14	0.34	0.84	21	0.15	340
2	C10	5/32	4		1.68	0.49	0.50	145	1.0	340
		9/32	7		3.54	0.36	0.90	21	0.15	340
		13/64	5		2.50	0.44	0.70	145	1.0	460
	C10	5/16	8		2.77	0.82	1.22	43	0.3	460
3		25/64	10	VX230	5.69	0.46	1.54	14	0.1	460
٥	C12	13/64	5		2.50	0.44	0.70	145	1.0	460
		5/16	8		2.56	0.88	1.38	43	0.3	460
		25/64	10		5.69	0.64	1.76	14	0.1	460

Note) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

• Refer to "Glossary of Terms" on page 26 for details on the maximum operating pressure differential.

# Fluid and Ambient Temperature

Fluid temperature (°C)	Ambient temperature (°C)			
-10 Note) to 60	-20 to 60			
Note) Dew point temperature: -10°C or less				

# Valve Leakage

Internal Leakage

mitorina: Lountage			
Seal material	Leakage rate (Air) Note)		
NBB	1 cm³/min or less (Aluminum body type		
INDI	15 cm <sup>3</sup> /min or less (Resin body type)		

**External Leakage** 

External Leakage	
Seal material	Leakage rate (Air) Note)
NBR	1 cm³/min or less (Aluminum body type)
NDN	15 cm <sup>3</sup> /min or less (Resin body type)

Note) Leakage is the value at ambient temperature 20°C.







# **How to Order (Single Unit)**

VXN

Specifications

For Medium Vacuum

<u>=</u>

For

Construction

Dimensions

VX2

Specifications

For Air

**VX2** | Fluid 0 Air

mm

2

3

5

2

3

5

2

3

5

2

3

5

4

7

4

7

4

7

4

7

5

8

10

5

8

10

10

5

8

10

5

8

10

9/32

13/64

5/16

25/64

13/64

5/16

25/64

25/64

13/64

5/16

25/64

13/64

5/16

25/64

1/4

3/8

1/2

ø10 one-touch fitting

ø12 one-touch fitting

L

M

N

P

Q

R

S

т

U

٧

W

Υ

Ζ

**24 VDC** 

100 VAC

110 VAC

200 VAC

230 VAC

24 VDC

Common Specifications

Valve type Seal material Coil insulation type Class B Thread type Rc\*

When the body is resin, one-touch fittings are equipped.

♦ Voltage/Electrical entry

VOIL	voltage/Electrical entry							
Symbol	Voltage	Elec	ctrical entry					
A	24 VDC	Grommet						
В	100 VAC	Grommet						
С	110 VAC	/With surge \ voltage						
D	200 VAC	suppressor						
E	230 VAC							
F	24 VDC							
G	24 VDC	DIN terminal						
Н	100 VAC	/With surge \ voltage						
J	110 VAC	suppressor						
K	200 VAC							

230 VAC 24 VDC Conduit terminal /With surge 100 VAC voltage 110 VAC suppressor 200 VAC 230 VAC

Conduit With surge voltage suppressor

Faston terminal



Other voltages and electrical option For other special options, refer to

page 18.					
	24 VAC				
	48 VAC				
Special voltage	220 VAC				
	240 VAC				
	12 VDC				
DIN terminal with lig	ght				
Conduit terminal wit	th light				
Without DIN connec	ctor				
Low concentration ozone re	esistant (Seal material: FKM)				
Oil-free					
G thread					
NPT thread					

Fluid valve Body material/Port size/Orifice diameter Size ⋅ Fluid Orifice diameter Body Port size Symbol Symbol valve material inch Α 5/64 В 1/8 1/8 C 13/64 Aluminum D 5/64 Ε 1/4 1/8 Single F 13/64 1 Size 1 Unit Н 5/64 N.C. J ø6 one-touch fitting 1/8 K 13/64 Resin L 5/64 М 1/8 ø8 one-touch fitting N 13/64 Α 5/32 1/4 В 9/32 Aluminum D 5/32 3/8 Single Ε 9/32 2 Unit Size 2 Н 5/32 N.C. ø8 one-touch fitting J 9/32 Resin L 5/32 ø10 one-touch fitting М

Α

В

C

D

Ε

F

G

Н

J

K

L

М

N

Single

Unit

N.C.

3

Size 3

Aluminum

Resin


Dimensions → Page 20 (Single Unit)



Construction Dimensions

# Series VX2 Other Special Options


# Electrical options (Special voltage, with light)



# 

			beciai voitage, with light)				
Specification			Electrical entry				
	1A	48 VAC	_				
	1B	220 VAC	Grommet				
	1C	240 VAC	(With surge voltage suppressor)				
	10	24 VAC	_				
	1D	12 VDC	Grommet				
	1E	12 VDC	Grommet (With surge voltage suppressor)				
	1F	48 VAC					
o l	1G	220 VAC	DIN terminal				
ag	1H	240 VAC	DIN terminal (With surge voltage suppressor)				
vol	1V	24 VAC	(will surge vollage suppressor)				
Special voltage	1J	12 VDC					
)ec	1K	48 VAC					
တ္တ	1L	220 VAC	Conduit terminal				
	1M	240 VAC	Conduit terminal (With surge voltage suppressor)				
	1W	24 VAC	(******** surge volkage supplessor)				
	1N	12 VDC					
	1P	48 VAC					
	1Q	220 VAC	Conduit				
	1R	240 VAC	(With surge voltage suppressor)				
	1Y	24 VAC	(vviii) surge voitage suppressor)				
	1S	12 VDC					
	1T	12 VDC	Faston terminal				
	2A	24 VDC					
	2B	100 VAC					
	2C	110 VAC					
	2D	200 VAC					
	2E	230 VAC	DIN terminal				
	2F	48 VAC	(With surge voltage suppressor)				
	2G	220 VAC					
	2H	240 VAC					
Ħ	2V	24 VAC					
With light	2J	12 VDC					
\ Vi#	2K	24 VDC					
>	2L	100 VAC					
	2M	110 VAC					
	2N	200 VAC	One about 1				
	2P	230 VAC	Conduit terminal				
	2Q	48 VAC	(With surge voltage suppressor)				
	2R 2S	220 VAC					
	25 2W	240 VAC 24 VAC					
	2T	12 VDC					
	3A	24 VDC					
<u>_</u>	3B	100 VAC					
Without DIN connector	3C	110 VAC					
nne	3D	200 VAC					
8	3E	230 VAC	DIN terminal				
Z	3F	48 VAC	(With surge voltage suppressor)				
	3G	220 VAC	Trial daige vollage supplessor)				
hot	3H	240 VAC					
N I	3V	24 VAC					
	3J	12 VDC	-				
	JU	12 100					

# Other options (Low concentration ozone resistant, Oil-free, Port thread)



(Low concentration ozone resistant/ Oil-free/Port thread)

	100/1 Off till oddy		
Symbol	Low concentration ozone resistant (Seal material: FKM)	Oil-free	Port thread Note)
Α			G
В	_	_	NPT
С	0	_	Rc
D			G
E	_	0	NPT
F	0		G
G		_	NPT
Н	0	0	Rc
K			G
L		O	NPT
Z	_	0	Rc

Note) When the body is resin, one-touch fittings are equipped.

\* Enter symbols in the order below when ordering a combination of electrical option, other option.


Example) VX2 1 0 A Z 1A Z Electrical option

Other option

# Series VX2 Construction

# **Construction/Normally Closed (N.C.)**


**Body material: Aluminium** 



**Component Parts** 

Material
0
Cu +Fe +Resin
Fe
Stainless steel
Stainless steel
NBR, FKM, Stainless steel
NBR, FKM
Aluminum

**Body material: Resin** 



**Component Parts** 

	ipononii ano	
No.	Description	Material
1	Solenoid coil	Cu + Fe + Resin
2	Core	Fe
3	Tube	Stainless steel
4	Spring	Stainless steel
5	Armature assembly	NBR, Stainless steel
6	Seal	NBR, FKM
7	Body	Resin (PBT)

For Oil

Construction

Dimensions

VX2

Specifications

For Air

Construction

Dimensions




# Series VX2




# Dimensions/Body Material: Aluminum inch


# **Grommet (DC)**




# **Grommet (with surge voltage suppressor)**




# **DIN terminal**




# **Conduit terminal**





# Conduit






# **Faston type**






	(inch														
									Electrical entry						
Size	Port size	Α	В	B <sub>1</sub>	С	D	E	F	Grommet		Grommet voltage si	with surge uppressor)			
									Q	QR		R			
1	1/8, 1/4	0.75	1.69	0.83	2.40	1.18	0.37	0.79	1.06	1.65	1.18	1.12			
2	1/4, 3/8	0.94	1.77	0.89	2.99	1.38	0.47	0.87	1.16	2.11	1.28	1.56			
3	1/4, 3/8	0.94	1.77	0.89	3.19	1.57	0.47	0.96	1.26	2.28	1.38	1.75			
3	1/2	1.18	1.97	0.98	3.41	1.57	0.59	0.96	1.26	2.40	1.38	1.87			

		Electrical entry												
Size	Port size <b>P</b>	DIN terminal			C	onduit	termina	al	Con	duit	Faston type			
		Q	R	S	Q	R	S	Т	Q	R	Q	R		
1	1/8, 1/4	2.54	1.34	2.07	3.92	1.42	2.70	3.03	1.87	1.42	0.91	1.65		
2	1/4, 3/8	2.64	1.77	2.17	4.02	1.85	2.80	3.58	1.97	1.85	1.00	2.11		
2	1/4, 3/8	2.74	1.97	2.26	4.11	2.05	2.89	3.78	2.07	2.05	1.10	2.28		
3	1/2	2.74	2.09	2.26	4.11	2.17	2.89	4.00	2.07	2.17	1.10	2.40		





Dimensions/Body Material: Resin inch



For information on handling one-touch fittings and appropriate tubing, refer to page 37 and KQ2 series one-touch fittings in Best Pneumatics No. 6.
The KQ2 series information can be downloaded from the following SMC website, http://www.smcworld.com

													(inch)	
Size	One-touch	В	B₁	С	D	Е	F	Mounting bracket dimensions						
Size	fitting <b>P</b>	6	ы			_		U	U <sub>1</sub>	W	X	<b>X</b> 1	Y	
1	C6, C8	2.11	1.14	2.58	1.18	0.53	0.79	1.77	0.89	0.87	2.05	1.02	30	
2	C8, C10	2.60	1.42	3.01	1.38	0.59	0.87	2.09	1.04	1.06	2.44	1.22	35	
3	C10, C12	2.68	1.46	3.31	1.57	0.65	0.96	2.28	1.14	1.22	2.64	1.32	40	

	One-touch fitting <b>P</b>	Electrical entry													
Size		Grommet			Grommet (with surge voltage suppressor)		DIN terminal			Conduit terminal					
		QR		Q	R	Q	R	S	Q	R	S	Т			
1	C6, C8	1.06	1.67	1.18	1.14	2.54	1.36	2.07	3.92	1.44	2.70	3.21			
2	C8, C10	1.16	2.01	1.28	1.46	2.64	1.69	2.17	4.02	1.77	2.80	3.60			
3	C10, C12	1.26	2.22	1.38	1.69	2.74	1.91	2.26	4.11	1.99	2.89	3.88			

Construction

Dimensions

# Series VX2



# Dimensions/Body Material: Resin inch

Œ





# Conduit


G1/2


<u>2 x</u> P

Port size













# **Faston type**











																		(inch)
																Electric	cal entry	У
5	Size	One-touch fitting <b>P</b>	В	B <sub>1</sub>	С	D	E	F	N	Mounting bracket dimensions					Cor	duit	Fasto	n type
		_							U	U₁	W	X	<b>X</b> 1	Υ	Q	R	Q	R
	1	C6, C8	2.11	1.14	2.58	1.18	0.53	0.79	1.77	0.89	0.87	2.05	1.02	30	1.87	1.44	0.91	1.67
	2	C8, C10	2.60	1.42	3.01	1.38	0.59	0.87	2.09	1.04	1.06	2.44	1.22	35	1.97	1.77	1.00	2.01
	3	C10, C12	2.68	1.46	3.31	1.57	0.65	0.96	2.28	1.14	1.22	2.64	1.32	40	2.07	1.99	1.10	2.22


# Direct Operated 2 Port Solenoid Valve Series VX2




# Dimensions/Body Material: Aluminum mm



# **Grommet (DC)**



# **Grommet (with surge voltage suppressor)**



# VXN






















# **DIN terminal**




# **Conduit terminal**




# Conduit





# **Faston type**





**Terminal part** Faston connector 250 Series





VX2

Po
struction

	Construction
	imensions


												(mm)		
									Electrical entry					
Size	Port size <b>P</b>	A	В	B <sub>1</sub>	С	D	E	F	Grommet		surge	et (with voltage essor)		
									Q	R	Q	R		
1	1/8, 1/4	19	43	21	61	30	9.5	20	27	42	30	28.5		
2	1/4, 3/8	24	45	22.5	76	35	12	22	29.5	53.5	32.5	39.5		
3	1/4, 3/8	24	45	22.5	81	40	12	24.5	32	58	35	44.5		
3	1/2	30	50	25	86.5	40	15	24.5	32	61	35	47.5		

			Electrical entry											
Size	Port size <b>P</b>	DIN terminal			С	onduit	termin	al	Conduit		Faston type			
		Q	R	S	Q	R	S	Т	Q	R	Q	R		
1	1/8, 1/4	64.5	34	52.5	99.5	36	68.5	77	47.5	36	23	42		
2	1/4, 3/8	67	45	55	102	47	71	91	50	47	25.5	53.5		
3	1/4, 3/8	69.5	50	57.5	104.5	52	73.5	96	52.5	52	28	58		
<u> </u>	1/2	69.5	53	57.5	104.5	55	73.5	101.5	52.5	55	28	61		

# Series VX2







For information on handling one-touch fittings and appropriate tubing, refer to page 37 and KQ2 series one-touch fittings in Best Pneumatics No. 6.

The KQ2 series information can be downloaded from the following SMC website, http://www.smcworld.com

Size	One-touch fitting	В	B₁		_			Mounting bracket dimensions					s
Size	P	-	D1		ט		Г	U	U <sub>1</sub>	W	Х	<b>X</b> 1	Υ
1	C6, C8	53.5	29	65.5	30	13.5	20	45	22.5	22	52	26	30
2	C8, C10	66	36	76.5	35	15	22	53	26.5	27	62	31	35
3	C10, C12	68	37	84	40	16.5	24.5	58	29	31	67	33.5	40

			Electrical entry											
Size One-touch fitting <b>P</b>		(Frommet		Grommet (with surge voltage suppressor)		DIN terminal			Conduit terminal					
		Q	R	Q	R	Q	R	S	Q	R	S	Т		
1	C6, C8	27	42.5	30	29	64.5	34.5	52.5	99.5	36.5	68.5	81.5		
2	C8, C10	29.5	51	32.5	37	67	43	55	102	45	71	91.5		
3	C10, C12	32	56.5	35	43	69.5	48.5	57.5	104.5	50.5	73.5	98.5		



VXN

Specifications

For Air/ Water

For Medium Vacuum

<u>=</u>

For

Construction


Dimensions

VX2


Specifications


**Dimensions/Body Material: Resin** 


# Conduit

























		0	
_	0	0	
P			Н
			H
—u	<b>©</b>	0	
	0		


																	(mm)
															Electric	cal entry	У
Size	One-touch fitting <b>P</b>	В	B <sub>1</sub>	С	D	E	F	Mounting bracket dimensions						Cor	nduit	Fasto	n type
								U	U <sub>1</sub>	W	Х	<b>X</b> 1	Υ	Q	R	Q	R
1	C6, C8	53.5	29	65.5	30	13.5	20	45 22.5 22 52 26 30					47.5	36.5	23	42.5	
2	C8, C10	66	36	76.5	35	15	22	53	26.5	27	62	31	35	50	45	25.5	51
3	C10, C12	68	37	84	40	16.5	24.5	58	29	31	67	33.5	40	52.5	50.5	28	56.5

# **Replacement Parts**

DIN Connector Part No.

C18312G6GCU Without electrical option

With electrical option (light)



GDM2A-L Electrical option L With light Rated voltage 1 100 VAC, 110 VAC 200 VAC, 220 VAC 230 VAC, 240 VAC 24 VDC, 24 VAC 6 12 VDC

**15** 48 VAC

- Gasket for DIN Connector VCW20-1-29-1
- Lead Wire Assembly for Faston Terminal (Set of 2 pcs.)

VX021S-1-16FB

For Air

Construction

Dimensions



# Series VXN/VX2 Glossary of Terms

#### **Pressure Terminology**

#### 1. Maximum operating pressure differential

The maximum pressure differential (the difference between the inlet and outlet pressure) which is allowed for operation. When the outlet pressure is 0 psi (0 MPa), this becomes the maximum operating pressure.

#### 2. Minimum operating pressure differential

The minimum pressure differential (the difference between the inlet pressure and outlet pressure) required to keep the main valve fully opened.

## 3. Maximum system pressure

The maximum pressure that can be applied inside the pipelines (line pressure).

[The pressure differential in the solenoid valve portion must be less than the maximum operating pressure differential.]

#### 4. Withstand pressure

The pressure in which the valve must be withstood without a drop in performance after holding for one minute under prescribed (static) pressure and returning to the operating pressure range. [value under the prescribed conditions]

#### **Others**

#### 1. Material

NBR: Nitrile rubber

FKM: Fluoro rubber – Trade names: Viton®, Dai-el®, etc.

#### 2. Oil-free treatment

The degreasing and washing of wetted parts

#### 3. Passage symbol

In the JIS symbol ( $(\Box\Box\Box\Box)M)$ ) IN and OUT are in a blocked condition( $\dot{-}$ ), but actually in the case of reverse pressure (OUT>IN), there is a limit to the blocking.

#### **Faston Terminal**

- 1. Faston™ is a trademark of Tyco Electronics Corp.
- For electrical connection of the Faston terminal and molded coil, please use Tyco's "Amp/Faston connector/250 Series" or the equivalent.

#### **Electrical Terminology**

#### 1. Surge voltage

A high voltage which is momentarily generated by shutting off the power in the shut-off area.

#### 2. Enclosure

A degree of protection defined in the "JIS C 0920: Waterproof test of electric machinery/appliance and the degree of protection against the intrusion of solid foreign objects."

Verify the degree of protection for each product.



#### First Characteristics:

Degrees of protection against solid foreign objects

0	Non-protected
1	Protected against solid foreign objects of 50 mmø and greater
2	Protected against solid foreign objects of 12 mmø and greater
3	Protected against solid foreign objects of 2.5 mmø and greater
4	Protected against solid foreign objects of 1.0 mmø and greater
5	Dust-protected
6	Dust-tight

#### Second Characteristics:

# Degrees of protection against water

U	Non-protected	_
1	Protected against vertically falling water drops	Dripproof type 1
2	Protected against vertically falling water drops when enclosure tilted up to 15°	Dripproof type 2
3	Protected against rainfall when enclosure tilted up to 60°	Rainproof type
4	Protected against splashing water	Splashproof type
5	Protected against water jets	Water-jet-proof type
6	Protected against powerful water jets	Powerful water-jet-proof type
7	Protected against the effects of temporary immersion in water	Immersible type
8	Protected against the effects of continuous immersion in water	Submersible type

# Example) IP65: Dust-tight, Water-jet-proof type

"Water-jet-proof type" means that no water intrudes inside an equipment that could hinder from operating normally by means of applying water for 3 minutes in the prescribed manner. Take appropriate protection measures, since a device is not usable in an environment where a droplet of water is splashed constantly.



# **Electrical Terminology**

# 3. NEMA4X

# Comparison of Specific Applications of Enclosures for Indoor Nonhazardous Locations

Provides a degree of protection against					Type of e	enclosure				
the following environmental conditions	1*	2*	4	4X	5	6	6P	12	12K	13
Incidental contact with the enclosed equipment	X	Х	X	Х	Х	Х	Х	Х	Х	Х
Falling dirt	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Falling liquids and light splashing	_	Х	Х	Х	Х	Х	Х	Х	Х	Х
Circulating dust, lint, fibers, and flyings**	_	_	Х	Х	_	Х	Х	Х	Х	Х
Settling airborne dust, lint, fibers, and flyings**	_	_	X	Х	Х	Х	Х	Х	Х	Х
Hosedown and splashing water	_	_	Х	Х	_	Х	Х	_	_	
Oil and coolant seepage	_	_	_	_	_	_	_	Х	Х	Х
Oil or coolant spraying and splashing	_	_	_	_	_	_	_	_	_	Х
Corrosive agents	_	_	_	Х	_	_	Х	_	_	_
Occasional temporary submersion	_	_	_	_	_	Х	Х	_	_	_
Occasional prolonged submersion	_	_	_	_	_	_	Х	_	_	-

<sup>\*</sup> These enclosures may be ventilated. However, Type 1 may not provide protection against small particles of falling dirt when ventilation is provided in the enclosure top. Consult the manufacturer. See 3.7

Notes approved as Authorized Engineering Information 5-25-1988.

# Comparison of Specific Applications of Enclosures for Outdoor Nonhazardous Locations

	ioi outuooi	Monnazara									
Prvides a degree of protection against		Type of enclosure									
the following environmental conditions	3	3R***	3S	4	4X	6	6P				
Incidental contact with the enclosed equipment	X	Х	Х	Х	Х	Х	X				
Rain, snow, and sleet*	X	Х	Х	Х	Х	Х	Х				
Sleet**	_	_	X	_	_	_	_				
Windblown dust	X	_	X	X	Х	X	X				
Hosedown	_	_	_	X	Х	Х	X				
Corrosive agents	_	_	_	_	Х	_	Х				
Occasional temporary submersion	_	_	_	_	_	Х	Х				
Occasional prolonged submersion	_	_	_	_	_	_	X				

<sup>\*</sup> External operating mechanisms are not required to be operable when the enclosure is ice covered.

Notes approved as Authorized Engineering Information 1-10-1979.



<sup>\*\*</sup>These fibers and flying are nonhazardous materials and are not considered the Class III type ignitable fibers or combustible flying. For Class III type ignitable fibers or combustible flyings see the National Electrical Code, Article 500.

<sup>\*\*</sup> External operating mechanisms are operable when the enclosure is ice covered. See 6.6.2.1

<sup>\*\*\*</sup>These enclosures may be ventilated.

# Series VXN/VX2

# **Solenoid Valve Flow-rate Characteristics 1**

(How to indicate flow-rate characteristics)

# 1. Indication of flow-rate characteristics

The flow-rate characteristics in equipment such as a solenoid valve, etc. are indicated in their specifications as shown in Table (1).

## Table (1) Indication of Flow-rate Characteristics

Corresponding equipment	Indication by international standard	Other indications	Conformed standard
Duarratia	C, b	_	ISO 6358: 1989 JIS B 8390: 2000
Pneumatic equipment	_	s	JIS B 8390: 2000 Equipment: JIS B 8373, 8374, 8375, 8379, 8381
		Cv	ANSI/(NFPA)T3.21.3: 1990
Process fluid control	Av	_	IEC60534-2-3: 1997 JIS B 2005: 1995
equipment	_	Cv	Equipment: JIS B 8471, 8472, 8473

# 2. Pneumatic equipment

## 2.1 Indication according to the international standards

- (1) Conformed standard
  - ISO 6358: 1989 : Pneumatic fluid power—Components using compressible fluids—
    - **Determination of flow-rate characteristics**
  - JIS B 8390: 2000 : Pneumatic fluid power—Components using compressible fluids—
    - How to test flow-rate characteristics
- (2) Definition of flow-rate characteristics
  - The flow-rate characteristics are indicated as a result of a comparison between sonic conductance  $\boldsymbol{C}$  and critical pressure ratio **b**.
  - Value which divides the passing mass flow rate of an equipment in a choked flow Sonic conductance *C* condition by the product of the upstream absolute pressure and the density in a
    - standard condition.
  - Critical pressure ratio **b**: Pressure ratio (downstream pressure/upstream pressure) which will turn to a choked
    - flow when the value is smaller than this ratio.
  - : The flow in which the upstream pressure is higher than the downstream pressure and Choked flow
    - where sonic speed in a certain part of an equipment is reached.
    - Gaseous mass flow rate is in proportion to the upstream pressure and not dependent
    - on the downstream pressure.
  - Subsonic flow Flow greater than the critical pressure ratio
  - : Air in a temperature state of 20°C, absolute pressure 0.1 MPa (= 100 kPa = 1 bar), Standard condition
    - relative humidity 65%.
    - It is stipulated by adding the "(ANR)" after the unit depicting air volume.
    - (standard reference atmosphere)
    - Conformed standard: ISO 8778: 1990 Pneumatic fluid power—Standard reference atmosphere, JIS B 8393: 2000: Pneumatic fluid power—Standard reference atmosphere
- (3) Formula for flow rate

Described by the practical units as following.

When 
$$\frac{P_2 + 0.1}{P_1 + 0.1} \le b$$
, choked flow  $Q = 600 \times C (P_1 + 0.1) \sqrt{\frac{293}{273 + t}}$  (1

When 
$$\frac{\boldsymbol{P}_{2}+0.1}{\boldsymbol{P}_{1}+0.1}>\boldsymbol{b}$$
, subsonic flow

When 
$$\frac{P_{2} + 0.1}{P_{1} + 0.1} > b$$
, subsonic flow
$$Q = 600 \times C (P_{1} + 0.1) \sqrt{1 - \left[\frac{P_{2} + 0.1}{P_{1} + 0.1} - b\right]^{2}} \sqrt{\frac{293}{273 + t}} \dots (2)$$

- Q: Air flow rate [dm³/min (ANR)], dm³ (Cubic decimeter) of SI unit are allowed to be described by L (liter).
  - $1 \text{ dm}^3 = 1 \text{ L}$

# Solenoid Valve Flow-rate Characteristics Series VXN/VX2

**C**: Sonic conductance [dm<sup>3</sup>/(s·bar)]

b : Critical pressure ratio [—]
P<sub>1</sub> : Upstream pressure [MPa]
P<sub>2</sub> : Downstream pressure [MPa]

t : Temperature [°C]

Note) Formula of subsonic flow is the elliptic analogous curve.

Flow-rate characteristics are shown in Graph (1) For details, please make use of SMC's "Energy Saving Program".


## Example)

Obtain the air flow rate for  $P_1 = 0.4$  [MPa],  $P_2 = 0.3$  [MPa], t = 20 [°C] when a solenoid valve is performed in C = 2 [dm<sup>3</sup>/(s·bar)] and b = 0.3.

According to formula (1), the maximum flow rate = 600 x 2 x (0.4 + 0.1) x  $\sqrt{\frac{293}{273 + 20}}$  = 600 [dm<sup>3</sup>/min (ANR)]

Pressure ratio = 
$$\frac{0.3 + 0.1}{0.4 + 0.1} = 0.8$$

Based on Graph (1), the flow rate ratio will be 0.7 when the pressure ratio is 0.8 and  $\mathbf{b} = 0.3$ . Therefore, flow rate = Maximum flow rate x flow rate ratio =  $600 \times 0.7 = 420 \text{ [dm}^3/\text{min}(ANR)]$ 



Graph (1) Flow-rate characteristics

## (4) Test method

Attach a test equipment with the test circuit shown in Fig. (1) while maintaining the upstream pressure to a certain level which does not go below 0.3 MPa. Next, measure the maximum flow to be saturated in the first place, then measure this flow rate at 80%, 60%, 40%, 20% and the upstream and downstream pressure. And then, obtain the sonic conductance  $\boldsymbol{C}$  from this maximum flow rate. Besides that, substitute each data of others for the subsonic flow formula to find  $\boldsymbol{b}$ , then obtain the critical pressure ratio  $\boldsymbol{b}$  from that average.




Fig. (1) Test circuit based on ISO 6358, JIS B 8390

# Series VXN/VX2

# **Solenoid Valve Flow-rate Characteristics 2** (How to indicate flow-rate characteristics)

#### 2.2 Effective area S

## Conformed standard

JIS B 8390: 2000: Pneumatic fluid power—Components using compressible fluids—

How to test flow-rate characteristics

Equipment standards: JIS B 8373: 2 port solenoid valve for pneumatics

JIS B 8374: 3 port solenoid valve for pneumatics

JIS B 8375: 4 port, 5 port solenoid valve for pneumatics

JIS B 8379: Silencer for pneumatics

JIS B 8381: Fittings of flexible joint for pneumatics

## (2) Definition of flow-rate characteristics

Effective area S: The cross-sectional area having an ideal throttle without friction or without reduced flow. It is deduced from the calculation of the pressure changes inside an air tank when discharging the compressed air in a choked flow, from an equipment attached to the air tank. This is the same concept representing the "easy to run through" as sonic conductance  $\boldsymbol{C}$ .

## (3) Formula for flow rate

When 
$$\frac{P_{2} + 0.1}{P_{1} + 0.1} \le 0.5$$
, choked flow

$$Q = 120 \times S (P_1 + 0.1) \sqrt{\frac{293}{273 + t}}$$
 ....(3)

When 
$$\frac{P_{2} + 0.1}{P_{1} + 0.1} > 0.5$$
, subsonic flow

When 
$$\frac{P_2 + 0.1}{P_1 + 0.1} > 0.5$$
, subsonic flow  $Q = 240 \times S\sqrt{(P_2 + 0.1) (P_1 - P_2)} \sqrt{\frac{293}{273 + t}}$  ....(4)

Conversion with sonic conductance C:

 $S = 5.0 \times C$  .....(5)

**Q**: Air flow rate [dm³/min(ANR)], dm³ (cubic decimeter) of SI unit are allowed to be described by L (liter).  $1 \text{ dm}^3 = 1 \text{ L}$ 

S: Effective area [mm<sup>2</sup>]

**P**<sub>1</sub>: Upstream pressure [MPa]

**P**<sub>2</sub>: Downstream pressure [MPa]

*t*: Temperature [°C]

Note) Formula for subsonic flow (4) is only applicable when the critical pressure ratio **b** is unknown for equipment. In the formula (2) by the sonic conductance  $\boldsymbol{C}$ , it is the same formula as when  $\boldsymbol{b} = 0.5$ .

#### (4) Test method

Attach a test equipment with the test circuit shown in Fig. (2) in order to discharge air into the atmosphere until the pressure inside the air tank goes down to 0.25 MPa (0.2 MPa) from an air tank filled with the compressed air at a certain pressure level (0.5 MPa) which does not go below 0.6 MPa. At this time, measure the discharging time and the residual pressure inside the air tank which had been left until it turned to be the normal values to determine the effective area S, using the following formula. The volume of an air tank should be selected within the specified range by corresponding to the effective area of an equipment for test. In the case of JIS B 8373, 8374, 8375, 8379, 8381, the pressure values are in parentheses and the coefficient of the Power




Fig. (2) Test circuit based on JIS B 8390

### 2.3 Flow coefficient CV factor

The United States Standard ANSI/(NFPA)T3.21.3: 1990: Pneumatic fluid power—Flow rating test procedure and reporting method-For fixed orifice components

Defines the flow coefficient, *Cv* factor by the following formula which is based on the test conducted by the test circuit analogous to ISO 6358.

$$CV = \frac{Q}{114.5 \sqrt{\frac{\Delta P (P_2 + P_a)}{T_1}}}$$
 (7)

 $\Delta P$ : Pressure drop between the static pressure tapping ports [bar]

**P**<sub>1</sub>: Pressure of the upstream tapping port [bar gauge]

 $P_2$ : Pressure of the downstream tapping port [bar gauge]:  $P_2 = P_1 - \Delta P$ 

Q : Flow rate [dm³/s standard condition]
 Pa : Atmospheric pressure [bar absolute]
 T1 : Upstream absolute temperature [K]

Test conditions are  $P_1 + P_a = 6.5 \pm 0.2$  bar absolute,  $T_1 = 297 \pm 5$  K, 0.07 bar  $\leq \Delta P \leq 0.14$  bar.

This is the same concept as effective area **A** which ISO 6358 stipulates as being applicable only when the pressure drop is smaller than the upstream pressure and the compression of air does not become a problem.

# 3. Process fluid control equipment

## (1) Conformed standard

IEC60534-2-3: 1997: Industrial-process control valves. Part 2: Flow capacity, Section Three-Test procedures

JIS B 2005: 1995: How to test flow coefficient of a valve
Equipment standards: JIS B 8471: Solenoid valve for water
JIS B 8472: Solenoid valve for steam
JIS B 8473: Solenoid valve for fuel oil

#### (2) Definition of flow-rate characteristics

**Av** factor: Value of the clean water flow rate represented by m<sup>3</sup>/s which runs through a valve (equipment for test) when the pressure differential is 1 Pa. It is calculated using the following formula.

$$\mathbf{A}\mathbf{v} = \mathbf{Q}\sqrt{\frac{\rho}{\Delta \mathbf{P}}}$$
 .....(8)

**Av**: Flow coefficient [m²]

Q: Flow rate [m<sup>3</sup>/s]

 $\Delta \mathbf{P}$ : Pressure differential [Pa]  $\rho$ : Fluid density [kg/m<sup>3</sup>]

#### (3) Formula for flow rate

Described by the practical units. Also, the flow-rate characteristics are shown in Graph (2). In the case of liquid:

$$Q = 1.9 \times 10^6 \text{ Av} \sqrt{\frac{\Delta P}{G}}$$
 ....(9)

**Q**: Flow rate [L/min]

Av: Flow coefficient [m2]

 $\Delta P$ : Pressure differential [MPa]

G: Specific gravity [water = 1]

In the case of saturated steam:

$$Q = 8.3 \times 10^6 \text{ Av } \sqrt{\Delta P (P_2 + 0.1)}$$
 .....(10)

Q: Flow rate [kg/h]

**Av**: Flow coefficient [m<sup>2</sup>]

 $\Delta \mathbf{P}$ : Pressure differential [MPa]

 $P_1$ : Upstream pressure [MPa]:  $\Delta P = P_1 - P_2$ 

**P**<sub>2</sub>: Downstream pressure [MPa]

# Series VXN/VX2

# Solenoid Valve Flow-rate Characteristics 3 (How to indicate flow-rate characteristics)

Conversion of flow coefficient:

 $Av = 28 \times 10^{-6} Kv = 24 \times 10^{-6} Cv$  .....(11)

Here


Kv factor : Value of the clean water flow rate represented by m3/h which runs through a

valve at 5 to 40°C, when the pressure differential is 1 bar.

 ${\it Cv}$  factor (Reference values): Value of the clean water flow rate represented by US gal/min which runs

through a valve at 60°F, when the pressure differential is 1 lbf/in² (psi).

Value is different from **Kv** and **Cv** factors for pneumatic purpose due to different test method.



Graph (2) Flow-rate characteristics

#### Example 1)

Obtain the pressure differential when water 15 [L/min] runs through a solenoid valve with an  $\mathbf{A}\mathbf{v} = 45 \text{ x } 10^{-6} \text{ [m}^2\text{]}$ . Since  $\mathbf{Q}_0 = 15/45 = 0.33$  [L/min], according to Graph (2), if reading  $\Delta \mathbf{P}$  when  $\mathbf{Q}_0$  is 0.33, it will be 0.031 [MPa].

#### Example 2)

Obtain the saturated steam flow rate when  $P_1 = 0.8$  [MPa],  $\Delta P = 0.008$  [MPa] with a solenoid valve with an  $Av = 1.5 \times 10^{-6}$  [m<sup>2</sup>].

According to Graph (2), if reading  $\mathbf{Q}_0$  when  $\mathbf{P}_1$  is 0.8 and  $\Delta \mathbf{P}$  is 0.008, it is 0.7 [kg/h]. Therefore, the flow rate  $\mathbf{Q} = 0.7 \times 1.5 = 1.05$  [kg/h].

## (4) Test method

Attach a test equipment with the test circuit shown in Fig. (3). Next, pour water at 5 to  $40^{\circ}$ C, then measure the flow rate with a pressure differential of 0.075 MPa. However, the pressure differential needs to be set with a large enough difference so that the Reynolds number does not go below a range of 4 x  $10^{4}$ . By substituting the measurement results for formula (8) to figure out  $\boldsymbol{Av}$ .




Fig. (3) Test circuit based on IEC60534-2-3, JIS B 2005




# Series VXN

# **Flow-rate Characteristics**

Note) Use this graph as a guide. In the case of obtaining an accurate flow rate, refer to pages 28 through to 32.


# For Air



#### How to read the graph

The sonic range pressure to generate a flow rate of 400 L/min (ANR) is  $P_1 \approx 0.33$  MPa for a 5/32 (ø4) orifice and  $P_1 \approx 0.51$  MPa for a 1/8 (ø3.2) orifice.

# For Water



## How to read the graph

When a water flow of 2 L/min is generated,  $\Delta P \approx 0.016$  MPa for a valve with 1/8 (ø3.2) orifice.




# Series VX2

# **Flow-rate Characteristics**

Note) Use this graph as a guide. In the case of obtaining an accurate flow rate, refer to pages 28 through to 32.

# For Air



#### How to read the graph

The sonic range pressure to generate a flow rate of 400 L/min (ANR) is P₁ ≈ 0.2 MPa for a ø4 orifice and P₁ ≈ 0.58 MPa for a ø3 orifice.



Be sure to read before handling.

Refer to back cover for Safety Instructions, "Handling Precautions for SMC Products" (M-E03-3) and the Operation Manual for 2 Port Solenoid Valves for Fluid Control Precautions. Please download it via our website, http://www.smcworld.com

Design

# **⚠** Warning

1. Cannot be used as an emergency shutoff valve, etc.

The valves presented in this catalog are not designed for safety applications such as an emergency shutoff valve. If the valves are used in this type of system, other reliable safety assurance measures should also be adopted.

#### 2. Extended periods of continuous energization

The solenoid coil will generate heat when continuously energized. Avoid using in a tightly shut container. Install it in a well-ventilated area. Furthermore, do not touch it while it is being energized or right after it is energized.

#### 3. Liquid rings

In cases with a flowing liquid, provide a bypass valve in the system to prevent the liquid from entering the liquid seal circuit.

#### 4. Actuator drive

When an actuator, such as a cylinder, is to be driven using a valve, take appropriate measures to prevent potential danger caused by actuator operation.

#### 5. Pressure (including vacuum) holding

It is not usable for an application such as holding the pressure (including vacuum) inside of a pressure vessel because air leakage is entailed in a valve.

- 6. When the conduit type is used as equivalent to an IP65 enclosure, install a wiring conduit, etc.
- 7. When an impact, such as water hammer, etc., caused by the rapid pressure fluctuation is applied, the solenoid valve may be damaged. Give an attention to it.

Selection

# **⚠** Warning

#### 1. Fluid

#### 1) Type of fluid

Before using a fluid, check whether it is compatible with the materials of each model by referring to the fluids listed in this catalog. Use a fluid with a kinematic viscosity of 50 mm²/s or less. If there is something you do not know, please contact SMC.

### 2) Flammable oil, Gas

Check the specifications for leakage in the interior and/or exterior area.

## 3) Corrosive gas

Cannot be used since it will lead to cracks by stress corrosion or result in other incidents.

- 4) Depending on water quality, a brass body can cause corrosion and internal leakage may occur. If such abnormalities occur, exchange the product for a stainless steel body.
- 5) Use an oil-free specification when any oily particle must not enter the passage.
- 6) Applicable fluid on the list may not be used depending on the operating condition. Give adequate confirmation, and then determine a model, just because the compatibility list shows the general case.

#### Selection

# **⚠** Warning

#### 2. Fluid quality

#### <Air>

#### 1) Use clean air.

Do not use compressed air that contains chemicals, synthetic oils including organic solvents, salt or corrosive gases, etc., as it can cause damage or malfunction.

#### 2) Install an air filter.

Install an air filter close to the valve on the upstream side. A filtration degree of 5  $\mu m$  or less should be selected.

#### 3) Install an aftercooler or air dryer, etc.

Compressed air that contains excessive drainage may cause malfunction of valves and other pneumatic equipment. To prevent this, install an aftercooler or air dryer, etc.


 If excessive carbon powder is generated, eliminate it by installing a mist separator on the upstream side of valves

If excessive carbon powder is generated by the compressor, it may adhere to the inside of the valves and canse a malfunction.

Refer to Best Pneumatics No.5 for further details on compressed air quality.

#### <Vacuum>

Please be aware that there is a range of pressure that can be used



Vacuum piping direction: if the system uses a vacuum pump, we ask that you install the vacuum pump on the secondary side. Also, install a filter on the primary side, and be careful that no foreign material is picked up.

Please replace the valve after operating the device approximately 300,000 times.





Be sure to read before handling.

Refer to back cover for Safety Instructions, "Handling Precautions for SMC Products" (M-E03-3) and the Operation Manual for 2 Port Solenoid Valves for Fluid Control Precautions. Please download it via our website, http://www.smcworld.com

#### Selection

# **⚠** Warning

#### <Water>

The use of a fluid that contains foreign objects can cause problems such as malfunction and seal failure by promoting wear of the valve seat and armature, and by sticking to the sliding parts of the armature, etc. Install a suitable filter (strainer) immediately upstream from the valve. As a general rule, use 80 to 100 mesh.

The supply water includes materials that create a hard sediment or sludge such as calcium and magnesium. Sediment and sludge can cause the valve to not operate properly. Therefore, install a water softening device, which removes these materials, and a filter (strainer) directly in front of the valve.

#### Tap water pressure:

The water pressure for tap water is normally 0.4 MPa or less. However, in places like a high-rise building, the pressure may be 1.0 MPa. When selecting tap water, be careful of the maximum operating pressure differential.

When using water or heated water, poor operation or leaks may be caused by dezincification, erosion, corrosion, etc. The brass (C37) body of this product uses dezincification-resistant material as a standard. We also offer a stainless steel body type with improved corrosion resistance. Please use the one that fits your needs.

#### <0il>

Generally, FKM is used as seal material, as it is resistant to oil. The resistance of the seal material may deteriorate depending on the type of oil, manufacturer or additives. Check the resistance before using. The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s

#### 3. Ambient environment

Use within the operable ambient temperature range. Check the compatibility between the product's composition materials and the ambient atmosphere. Be certain that the fluid used does not touch the external surface of the product.

#### 4. Countermeasures against static electricity

Take measures to prevent static electricity since some fluids can cause static electricity.

#### 5. Low temperature operation


- The valve can be used in an ambient temperature of between -20 to -10°C. However, take measures to prevent freezing or solidification of impurities, etc.
- 2) When using valves for water application in cold climates, take appropriate countermeasures to prevent the water from freezing in tubing after cutting the water supply from the pump, by draining the water, etc. When warming by a heater, etc., be careful not to expose the coil portion to a heater. Installation of a dryer, heat retaining of the body is recommended to prevent a freezing condition in which the dew point temperature is high and the ambient temperature is low, and the high flow runs.

#### Selection

# **⚠** Caution

#### 1. Leakage voltage

Particularly when using a resistor in parallel with a switching element and using a C-R element (surge voltage suppressor) to protect the switching element, take note that leakage current will flow through the resistor, C-R element, etc., creating a possible danger that the valve may not turn off.



AC/Class B built-in full-wave rectifier coil: 10% or less of rated voltage

DC coil: 2% or less of rated voltage

#### 2. Selecting model

Material depends on fluid. Select optimal models for the fluid.

#### 3. When the fluid is oil.

The kinematic viscosity must not exceed 50 mm<sup>2</sup>/s.

#### Mounting

# **⚠** Warning

1. If air leakage increases or equipment does not operate properly, stop operation.

After mounting is completed, confirm that it has been done correctly by performing a suitable function test.

2. Do not apply external force to the coil section.

When tightening is performed, apply a wrench or other tool to the outside of the piping connection parts.

Mount a valve with its coil position upward, not downward.

When mounting a valve with its coil positioned downward, foreign objects in the fluid will adhere to the iron core leading to a malfunction. Especially for strict leakage control, such as with vacuum applications and non-leak specifications, the coil must be positioned upward.

4. Do not warm the coil assembly with a heat insulator,

Use tape, heaters, etc., for freeze prevention on the piping and body only. They can cause the coil to burn out.

- Secure with brackets, except in the case of steel piping and copper fittings.
- Avoid sources of vibration, or adjust the arm from the body to the minimum length so that resonance will not occur.

#### 7. Painting and coating

Warnings or specifications printed or labeled on the product should not be erased, removed or covered up.





Be sure to read before handling.

Refer to back cover for Safety Instructions, "Handling Precautions for SMC Products" (M-E03-3) and the Operation Manual for 2 Port Solenoid Valves for Fluid Control Precautions. Please download it via our website, http://www.smcworld.com

### **Piping**

# **⚠** Warning

 During use, deterioration of the tube or damage to the fittings could cause tubes to come loose from their fittings and thrash about.

To prevent uncontrolled tube movement, install protective covers or fasten tubes securely in place.

For piping the tube, fix the product securely using the mounting holes so that the product is not in the air.

# **∧** Caution

1. Preparation before piping

Before piping is connected, it should be thoroughly blown out with air (flushing) or washed to remove chips, cutting oil and other debris from inside the pipe.

Install piping so that it does not apply pulling, pressing, bending or other forces on the valve body.

- 2. Avoid connecting ground lines to piping, as this may cause electric corrosion of the system.
- Tighten threads with the proper tightening torque.
   When attaching fittings to valves, tighten with the proper tightening torque shown below.

**Tightening Torque for Piping** 

Connection thread	Proper tightening torque (N·m)							
Rc1/8	7 to 9							
Rc1/4	12 to 14							
Rc3/8	22 to 24							
Rc1/2	28 to 30							

4. Connection of piping to products

When connecting piping to a product, refer to its operation manual to avoid mistakes regarding the supply port, etc.

In applications such as vacuum and non-leak specifications, use caution specifically against the contamination of foreign objects or airtightness of the fittings.

# **Recommended Piping Conditions**

1. When connecting tubes using one-touch fittings, provide some spare tube length shown in Fig. 1, recommended piping configuration.

Also, do not apply external force to the fittings when binding tubes with bands, etc. (see Fig. 2.)




Fig. 1 Recommended piping configuration

Unit: mm

Tube	N	Straight		
size	Nylon tube	Soft nylon tube	Polyurethane tube	portion length
ø1/8"	44 or more	29 or more	25 or more	16 or more
ø6	84 or more	39 or more	39 or more	30 or more
ø1/4"	89 or more	56 or more	57 or more	32 or more
ø8	112 or more	58 or more	52 or more	40 or more
ø10	140 or more	70 or more	69 or more	50 or more
ø12	168 or more	82 or more	88 or more	60 or more




Fig. 2 Binding tubes with bands

# Wiring

# **⚠** Caution

- As a rule, use electrical wire with a cross sectional area of 0.5 to 1.25 mm<sup>2</sup> for wiring.
   Furthermore, do not allow excessive force to be
  - Furthermore, do not allow excessive force to be applied to the lines.
- 2. Use electrical circuits which do not generate chattering in their contacts.
- 3. Use voltage which is within  $\pm 10\%$  of the rated voltage. In cases with a DC power supply where importance is placed on responsiveness, stay within  $\pm 5\%$  of the rated value. The voltage drop is the value in the lead wire section connecting the coil.
- 4. When a surge from the solenoid affects the electrical circuitry, install a surge voltage suppressor, etc., in parallel with the solenoid. Or, adopt an option that comes with the surge voltage protection circuit. (However, a surge voltage occurs even if the surge voltage protection circuit is used. For details, please consult with SMC.)





Be sure to read before handling.

Refer to back cover for Safety Instructions, "Handling Precautions for SMC Products" (M-E03-3) and the Operation Manual for 2 Port Solenoid Valves for Fluid Control Precautions. Please download it via our website, http://www.smcworld.com

## **Operating Environment**

# **⚠** Warning

- 1. Do not use in an atmosphere having corrosive gases, chemicals, sea water, water, water vapor, or where there is direct contact with any of these.
- 2. Do not use in explosive atmospheres.
- Do not use in locations subject to vibration or impact.
- 4. Do not use in locations where radiated heat will be received from nearby heat sources.
- 5. Employ suitable protective measures in locations where there is contact with water droplets, oil or welding spatter, etc.

#### Maintenance

# **⚠** Warning

# 1. Removing the product

The valve will reach a high temperature when used with high temperature fluids. Confirm that the valve temperature has dropped sufficiently before performing work. If touched inadvertently, there is a danger of being burned.

- Shut off the fluid supply and release the fluid pressure in the system.
- 2) Shut off the power supply.
- 3) Remove the product.

#### 2. Low frequency operation

Switch valves at least once every 30 days to prevent malfunction. Also, in order to use it under the optimum state, conduct a regular inspection once a half year.

# **⚠** Caution

#### 1. Filters and strainers

- 1) Be careful regarding clogging of filters and strainers.
- Replace filter elements after one year of use, or earlier if the pressure drop reaches 0.1 MPa.
- 3) Clean strainers when the pressure drop reaches 0.1 MPa.

### 2. Lubrication

When using after lubricating, never forget to lubricate continuously.

#### 3. Storage

In case of long term storage after use with heated water, thoroughly remove all moisture to prevent rust and deterioration of rubber materials, etc.

4. Exhaust the drainage from an air filter periodically.

## **Operating Precautions**

# **⚠** Warning


- If there is a possibility of reverse pressure being applied to the valve, take countermeasures such as mounting a check valve on the downstream side of the valve.
- 2. When problems are caused by a water hammer, install water hammer relief equipment (accumulator, etc.), or use an SMC water hammer relief valve (Series VXR). For details, please consult with SMC.

#### **Electrical Connections**

# **⚠** Caution

#### ■ Grommet

Class B coil: AWG20 Outside insulator diameter of 2.5 mm




Rated voltage	Lead wire color	
	1)	2
DC	Black	Red
100 VAC	Blue	Blue
200 VAC	Red	Red
Other AC	Gray	Gray

<sup>\*</sup> There is no polarity.


#### **■** DIN terminal

Since internal connections are shown below for the DIN terminal, make connections to the power supply accordingly.



Terminal no.	1	2
DIN terminal	+ (-)	- (+)

- \* There is no polarity.
- Use a heavy-duty cord with an outside cable diameter of ø6 to 12 mm.
- Use the tightening torques below for each section.



Note) For an outside cable diameter of ø9 to 12 mm, remove the internal parts of the rubber seal before using.





Be sure to read before handling.

Refer to back cover for Safety Instructions, "Handling Precautions for SMC Products" (M-E03-3) and the Operation Manual for 2 Port Solenoid Valves for Fluid Control Precautions. Please download it via our website, http://www.smcworld.com


#### **Electrical Connections**

# **⚠** Caution

#### ■ Conduit terminal

In the case of the conduit terminal, make connections according to the marks shown below.

- Use the tightening torques below for each section.
- Properly seal the terminal connection (G1/2) with the special wiring conduit, etc.




View A-A

(Internal connection diagram)

#### ■ Conduit

When used as an IP65 equivalent, use seal to install the wiring conduit. Also, use the tightening torque below for the conduit.

Class B coil: AWG20 Outside insulator diameter of 2.5 mm



Rated voltage	Lead wire color	
	1	2
DC	Black	Red
100 VAC	Blue	Blue
200 VAC	Red	Red
Other AC	Grav	Grav

\* There is no polarity.

Description	Part no.	
Seal	VCW20-15-6	


Note) Please order separately.

#### **Electrical Circuits**


# **⚠** Caution


## [DC circuit]

# **Grommet, Faston terminal**



#### Grommet, DIN terminal, Conduit terminal, Conduit






With light/surge voltage suppressor

### [AC circuit]


\* For AC (Class B), the standard product is equipped with surge voltage suppressor.

#### Grommet, DIN terminal, Conduit terminal, Conduit



Without electrical option

**DIN terminal, Conduit terminal** 



With light/surge voltage suppressor

#### One-touch Fitting

# **∕**∴ Caution

For information on handling one-touch fittings and appropriate tubing, refer to page 37 and the KQ2 series one-touch fittings in Best Pneumatics No. 6. The KQ2 series information can be downloaded from the following SMC website, http://www.smcworld.com



# **⚠** Safety Instructions

These safety instructions are intended to prevent hazardous situations and/or equipment damage. These instructions indicate the level of potential hazard with the labels of "Caution," "Warning" or "Danger." They are all important notes for safety and must be followed in addition to International Standards (ISO/IEC)\*1), and other safety regulations.

Caution indicates a hazard with a low level of risk Caution: which, if not avoided, could result in minor or moderate injury.

Warning indicates a hazard with a medium level of Warning: risk which, if not avoided, could result in death or serious injury.

**⚠** Danger :

Danger indicates a hazard with a high level of risk which, if not avoided, will result in death or serious injury.

\*1) ISO 4414: Pneumatic fluid power – General rules relating to systems. ISO 4413: Hydraulic fluid power – General rules relating to systems. IEC 60204-1: Safety of machinery – Electrical equipment of machines. (Part 1: General requirements)

ISO 10218-1: Manipulating industrial robots - Safety.

# **⚠** Warning

1. The compatibility of the product is the responsibility of the person who designs the equipment or decides its specifications. Since the product specified here is used under various operating conditions, its compatibility with specific equipment must be decided by the person who designs the equipment or decides its specifications based on necessary analysis and test results. The expected performance and safety assurance of the equipment will be the responsibility of the person who has determined its compatibility with the product. This person should also continuously review all specifications of the product referring to its latest catalog information, with a view to giving due consideration to any possibility of equipment failure when configuring the

2. Only personnel with appropriate training should operate machinery and equipment.

The product specified here may become unsafe if handled incorrectly. The assembly, operation and maintenance of machines or equipment including our products must be performed by an operator who is appropriately trained and experienced.

- 3. Do not service or attempt to remove product and machinery/ equipment until safety is confirmed.
  - 1. The inspection and maintenance of machinery/equipment should only be performed after measures to prevent falling or runaway of the driven objects have been confirmed.
  - 2. When the product is to be removed, confirm that the safety measures as mentioned above are implemented and the power from any appropriate source is cut, and read and understand the specific product precautions of all relevant products carefully.
  - 3. Before machinery/equipment is restarted, take measures to prevent unexpected operation and malfunction.
- 4. Contact SMC beforehand and take special consideration of safety measures if the product is to be used in any of the following
  - 1. Conditions and environments outside of the given specifications, or use outdoors or in a place exposed to direct sunlight.
  - 2. Installation on equipment in conjunction with atomic energy, railways, air navigation, space, shipping, vehicles, military, medical treatment, combustion and recreation, or equipment in contact with food and beverages, emergency stop circuits, clutch and brake circuits in press applications, safety equipment or other applications unsuitable for the standard specifications described in the product catalog.
  - 3. An application which could have negative effects on people, property, or animals requiring special safety analysis.
  - 4. Use in an interlock circuit, which requires the provision of double interlock for possible failure by using a mechanical protective function, and periodical checks to confirm proper operation.

# **⚠** Caution

1. The product is provided for use in manufacturing industries.

The product herein described is basically provided for peaceful use in manufacturing industries.

If considering using the product in other industries, consult SMC beforehand and exchange specifications or a contract if necessary.

If anything is unclear, contact your nearest sales branch.

# Limited warranty and Disclaimer/ **Compliance Requirements**

The product used is subject to the following "Limited warranty and Disclaimer" and "Compliance Requirements".

Read and accept them before using the product.

## **Limited warranty and Disclaimer**

- 1. The warranty period of the product is 1 year in service or 1.5 years after the product is delivered, whichever is first.\*2)
  - Also, the product may have specified durability, running distance or replacement parts. Please consult your nearest sales branch.
- 2. For any failure or damage reported within the warranty period which is clearly our responsibility, a replacement product or necessary parts will be provided. This limited warranty applies only to our product independently, and not to any other damage incurred due to the failure of the product.
- 3. Prior to using SMC products, please read and understand the warranty terms and disclaimers noted in the specified catalog for the particular products.
  - 2) Vacuum pads are excluded from this 1 year warranty. A vacuum pad is a consumable part, so it is warranted for a year after it is delivered. Also, even within the warranty period, the wear of a product due to the use of the vacuum pad or failure due to the deterioration of rubber material are not covered by the limited warranty.

## **Compliance Requirements**

- 1. The use of SMC products with production equipment for the manufacture of weapons of mass destruction (WMD) or any other weapon is strictly prohibited.
- 2. The exports of SMC products or technology from one country to another are governed by the relevant security laws and regulations of the countries involved in the transaction. Prior to the shipment of a SMC product to another country, assure that all local rules governing that export are known and followed.

▲ Safety Instructions | Be sure to read "Handling Precautions for SMC Products" (M-E03-3) before using.

# **SMC** Corporation

Akihabara UDX 15F

4-14-1, Sotokanda, Chiyoda-ku, Tokyo 101-0021, JAPAN Phone: 03-5207-8249 Fax: 03-5298-5362

http://www.smcworld.com

© 2012 SMC Corporation All Rights Reserved