




PART NO.

MC8533-6201

REVISIONS								
ECN#	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	1.0	RELEASED	AB	07/05/12	ER	07/05/12	ER	07/05/12







Specification

Qualified Cat.6 /Class E
Permanent Link / Channel of
TIA/EIA-568-B.2 Cat.6 ISO / IEC 11801
Cenelec EN 50173
IEC 60603-7

Electrical

 $\begin{tabular}{lll} Current Rating & : 1.5 Amps \\ Insulation Resistance & : 500MΩ Min. \\ Contact Resistance & : <math>20mΩ Max. \\ DC Resistance & : <math>0.1Ω Max. \\ \end{tabular}$

Mechanical

Plug Insertion Life : 750 Cycles Min. Plug & Jack Contact Force : 100 Grams Min.

Using FCC-Approved Plug

Plug Retention Force : 30lbs Min.

Temperature : -40°F to 150°F (-40°C to 68°C)

Physical

Housing : High Impact Flame Retardant Plastic Shielded : 0.25t Copper Alloy with Nickel Plated

Bracket : 0.3t SUS 301

PCB : FR4, 1mm Thickness
Jack Wiring : Phosphor Bronze

Gold Over Nickel Plated

Flange : Zinc Alloy 3 with Nickel Plated

Screw : #4-40 UNC

Part Number Table

Description	Part Number
Category 56 STP Coupler with Flange Frame	MC8533-6201

www.element14.com www.farnell.com www.newark.com

RoHS

Compliant

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual properly rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (Inducting liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell pla (2012.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE

PURPOSES ONLY.

TOLERANCES:

	DRAWN BY:	DATE:		
	AB	07/05/12		
	CHECKED BY:	DATE:		
	ER	07/05/12		
	APPROVED BY:	DATE:		
	ER	07/05/12		

DRAWING TITLE:

Category 56 STP Coupler with Flange Frame

SCALE: NTS U.O.M.: mm (inch) SHEET: 1 of 1