

Zero-Ohm Strap Resistors




FEATURES

- Resistive element made with high stability film allowing low end resistance and high current through resistance
- Color band marking for ease of identification after mounting
- Compatible with automatic insertion equipment
- Material categorization: For definitions of compliance please see www.vishay.com/doc?99912


RoHS
COMPLIANT

APPLICATIONS

- Electronic circuits for any usage

DIMENSIONS in millimeters					
		SERIES	A MAX.	Ø B max.	Ø c
		SL3	3.9	1.8	0.5
		SL4	6.2	2.5	0.6

MECHANICAL SPECIFICATIONS		
	SL4	SL3
Max. ohmic value	10 mΩ	15 mΩ
Max. current through resistor	3 A	2 A
Insulation voltage	> 500 V _{CC}	> 500 V _{CC}
Insulation resistance	$\geq 10^5$ MΩ	$\geq 10^5$ MΩ
Max. unit weight	0.25 g	0.15 g

IDENTIFICATION

Brown body with a black ring in the middle.

PACKAGING				
<ul style="list-style-type: none"> • Reel of 5000 pieces: code B0 5000 • "Ammopack" box of 1000 pieces: code AM 1000 • Reel packaging as per CEI 286 and EIA 296D specifications 				

ORDERING INFORMATION				
SL SERIES	4 VERSION	0U OHMIC VALUE	AM 1000 PACKAGING	e3 LEAD (Pb)-FREE

GLOBAL PART NUMBER INFORMATION								
GLOBAL MODEL		SIZE		OHMIC VALUE			PACKAGING	
SL		3		R	0	0	A	22
		4						R00 = 0 Ω

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Vishay](#):

[SL2L](#) [SL4.0151%TR](#)