

Pad-per-hole double-sided prototyping circuit board with plated-thru holes.

Features


- **PadBoard** has a general purpose pad-per-hole pattern which is good for general purpose analog and digital use.
- Double sided board with plated-thru holes allows components to be easily soldered to either side of the board.
- A square pad every 5th hole makes it easy to align the components on top and bottom.
- 0.1" hole spacing for DIP integrated circuits and headers.
- An anti-tarnish coating protects the copper for a long shelf-life and provides easy soldering.

Specifications


- Etched FR4 glass-epoxy circuit board.
- Double sided, 1oz/ft² copper with an anti-tarnish coating for easy soldering. Lead free and RoHS compatible.
- Holes are drilled on 0.1" (2.54mm) centers.
- 0.037" (0.94mm) holes sized for ICs or square post headers.
- 31 x 19 holes. Four 0.125" mounting holes.
- Size 1 = 50 x 80mm (1.97 x 3.15in), 1/16" thick (1.6mm)

Order Part# PAD1

Board Photo




Board Layout (actual size)



PadBoard Size1
Same Pattern Top & Bottom

Board Dimensions



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[BusBoard Prototype Systems:](#)

[PAD1](#)