







EPI



PCB Layout



Schematic (Typical)



2, 4, 6, 8, 10 Positions Available

Dimensions: Millimetres (Inches)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Jagan

DATE:

19/01/12

APPROVED BY:

DATE:

02/02/12

DRAWING TITLE:

Dual In Line Switches - Piano Type

SIZE

A

DWG NO.

M10000816

ELECTRONIC FILE

EPI(M)-V_DWG

REV

A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 1 OF 6






PART NO.

MCEP Series



REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Ashok	19/01/12	Jagan	19/01/12	Farnell	02/02/12


EPM



PCB Layout



Schematic (Typical)

**2, 4, 6, 8, 10 Positions Available**

Dimensions: Millimetres (Inches)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Veena

DATE:

19/01/12

APPROVED BY:

DATE:

02/02/12

DRAWING TITLE:

Dual In Line Switches - Piano TypeSIZE
A

DWG NO.

M10000816ELECTRONIC FILE
EPI(M)-V_DWGREV
A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 2 OF 6



PART NO.

MCEP Series

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Ashok	19/01/12	Jagan	19/01/12	Farnell	02/02/12

Specifications:**Mechanical:**

Maximum operating force : 800 gf
Operating temperature range : -20°C to +85°C
Storage temperature range : -40°C to +85°C
Mechanical life : 2,000 cycles

Electrical:

Electrical life : 2,000 cycles
Rating : 25 mA, 24 V dc
Maximum contact resistance : 100 mΩ at 500 V dc
Maximum insulation resistance : 100 MΩ at 500 V dc
Dielectric strength : 500 V ac/1 minute
Circuit : Single pole and single throw

Materials:

Cover : UL 94V-0 Nylon high temperature thermoplastic
Colour : Black
Base : UL 94V-0 Nylon high temperature thermoplastic
Colour : Black
Stem : UL 94V-0 Nylon high temperature thermoplastic
Colour : White
Contact : Alloy copper with gold cladding
Terminal : Brass with gold cladding

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Veena

DATE:

19/01/12

APPROVED BY:**DATE:**

02/02/12

DRAWING TITLE:**Dual In Line Switches - Piano Type****SIZE
A**

DWG NO.

M10000816ELECTRONIC FILE
EPI(M)-V_DWGREV
A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 3 OF 6




PART NO.

MCEP Series

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Ashok	19/01/12	Jagan	19/01/12	Farnell	02/02/12

**Reflow Temperature Profile****Soldering Process:****Wave soldeing:** Recommended solder temperature at 500°F (260°C) maximum of 5 seconds for through hole type**Hand soldering:** Use a soldering iron of 30 watts, controlled at 350°C approximately maximum 5 seconds while applying**Reflow soldering:** When applying reflow soldering, the peak temperature or the reflow Oven should be set at 260°C maximum

Do not wash the switch except top tape sealed type, which suitable for spray cleaning method from top of the s/w

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Veena

DATE:

19/01/12

APPROVED BY:

02/02/12

DRAWING TITLE:**Dual In Line Switches - Piano Type****SIZE
A**

DWG NO.

M10000816ELECTRONIC FILE
EPI(M)-V_DWGREV
A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 4 OF 6



PART NO.

MCEP Series

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Ashok	19/01/12	Jagan	19/01/12	Farnell	02/02/12

Specification Table

Number of Positions	Dimensions (A)	Dimensions (B)	Part Number
2	4.98 (0.196)	2.54 (0.1)	MCEPI-02
4	10.06 (0.396)	7.62 (0.3)	MCEPI-04
6	15.14 (0.596)	12.7 (0.5)	MCEPI-06
8	20.22 (0.796)	17.78 (0.7)	MCEPI-08
10	25.3 (0.996)	22.86 (0.9)	MCEPI-10
2	4.98 (0.196)	2.54 (0.1)	MCEPM-02
4	10.06 (0.396)	7.62 (0.3)	MCEPM-04
6	15.14 (0.596)	12.7 (0.5)	MCEPM-06
8	20.22 (0.796)	17.78 (0.7)	MCEPM-08
10	25.3 (0.996)	22.86 (0.9)	MCEPM-10

Dimensions : Millimetres (Inches)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Veena

DATE:

19/01/12

APPROVED BY:

DATE:

02/02/12

DRAWING TITLE:

Dual In Line Switches - Piano TypeSIZE
A

DWG NO.

M10000816ELECTRONIC FILE
EPI(M)-V_DWGREV
A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 5 OF 6




PART NO.

MCEP Series

REVISIONS

ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	A	RELEASED	Ashok	19/01/12	Jagan	19/01/12	Farnell	02/02/12

Part Number Explanation:



Terminal Type : I = Through Hole Type
: M = SMT Type

Actuator Type : ☐ = Long Actuator

Number of Positions : 02, 04, 06, 08, 10 Positions

www.element14.com
www.farnell.com
www.newark.com

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Ashok

DATE:

19/01/12

CHECKED BY:

Veena

DATE:

19/01/12

APPROVED BY:

DATE:

02/02/12

DRAWING TITLE:

Dual In Line Switches - Piano TypeSIZE
A

DWG NO.

M10000816ELECTRONIC FILE
EPI(M)-V_DWGREV
A

SCALE: NTS

U.O.M.: mm (Inches)

SHEET: 6 OF 6