

Product SKU:	C1356.21.01
Product Description:	Speaker Wire, UL Listed (Wires, Misc.) 120V max., No. of Conductors: 2, Gauge Size (AWG): 24, Conductor/Strands: 7/32, Jacket: Premium Grade PVC - Black - 1000 Ft. Spool
Product Category:	Electronics - Special Applications - Audio, Video, and Entertainment Cable - Speaker Wire - Black

**Product Construction:**

Conductor:	<ul style="list-style-type: none">• 24 thru 12 AWG fully-annealed 1 bare, 1 tin stranded copper per ASTM B-174
Insulation/Jacket:	<ul style="list-style-type: none">• Premium grade PVC

Product Specification:

No. of Conductors:	<ul style="list-style-type: none">• 2
Conductor Size (AWG):	<ul style="list-style-type: none">• 24
Conductor/Strands:	<ul style="list-style-type: none">• 7/32
Jacket Color:	<ul style="list-style-type: none">• Black
Nominal Insulation Thickness (in):	<ul style="list-style-type: none">• 0.016
Nominal Insulation Thickness (mm):	<ul style="list-style-type: none">• 0.41
Nominal Outside Diameter (in):	<ul style="list-style-type: none">• 0.055 x 0.110
Nominal Outside Diameter (mm):	<ul style="list-style-type: none">• 1.39 x 2.79
Standard Packaging:	<ul style="list-style-type: none">• 1000' Spool
Standard Package Quantity:	<ul style="list-style-type: none">• 2
UPC #:	<ul style="list-style-type: none">• 079407762057

Put-up:	<ul style="list-style-type: none"> • 1000
SCC-14:	<ul style="list-style-type: none"> • 50079407762055
Cube:	<ul style="list-style-type: none"> • 499.686
Weight Per Unit of Measure:	<ul style="list-style-type: none"> • .01
ColorOption:	<ul style="list-style-type: none"> • Black

Product Information:

Applications:	<ul style="list-style-type: none"> • Hi-fi and stereo speaker wire • Juke boxes • Lamps • Radios • Suggested voltage rating: 120 Volts • Not for in-wall use
Compliances:	<ul style="list-style-type: none"> • UL Wires Misc. (UL: 120V)
Packaging:	<ul style="list-style-type: none"> • 1000' (305 m) Spools • 500' (152 m) Spools • Other put-ups available- consult Customer Service

Technical Specifications

[Unit Conversion Factors](#)

[Cable Design Equations - Balanced Pair](#)

[Insulation and Jacket Properties](#)

[Temperature Conversion Chart](#)

[Decimal and Unit Conversion Factors](#)

[Cable Design Equations - Braid Shield](#)

[AWG Conductor Chart](#)

[Conduit Capacity Chart](#)

[Cable Design Equations - Coaxial Cable](#)

[Engineering Prefixes](#)

[Coax Connector Cross Reference](#)

[Glossary](#)



**CAROL
BRAND**