

ADHESIVE CHAIN LUBRICANT

Product Code: ACL

PRODUCT DESCRIPTION

Electrolube's **Adhesive Chain Lubricant** is a high quality, odourless lubricant composed of synthetic polymers in a blend of non chlorinated hydrocarbon solvents. It has been designed to be highly penetrating and has adhesive qualities, which ensure minimal loss in high-speed conditions.

PRODUCT USE

Adhesive Chain Lubricant has been developed for the lubrication and corrosion protection of all types of mechanical chains e.g. forklift trucks, motorcycles, bikes and conveyor belts, which prove difficult for normal lubricants. It shows excellent mechanical stability at high and low temperatures and offers continuous protection for chains and drives. The product is propelled by butane and should be kept away from naked flames, live electrical equipment and other sources of ignition.

FEATURES

- * Highly tenacious grease with water repellent qualities gives long term protection
- * Adhesive nature ensures low fling-off even under high speed conditions
- * Enables lubrication of parts which prove difficult for standard lubricants
- * Reduces leaks, noise and vibration
- * Excellent penetration ensures effective cleaning and lubrication

TYPICAL PROPERTIES

Flash point	230°C
Corrosion (on copper)	1
Four-ball test (wear)	0.5 mm
Four-ball test (load)	4100 N
Temperature range (continuous)	- 12°C to + 150°C

PACKAGING

400ml Aerosol

ORDER CODE

ACL400

**TECHNICAL
DATA
SHEET**



**Copyright
Electrolube
2003**

All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. Electrolube cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.

