



|                                        |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   |   |   |
|----------------------------------------|---------------|------------|------------------|-----------------|----------------|----------------|--------|----------------|----------------|---|---|---|---|---|---|---|
|                                        | 13            | 12         | 11               | 10              |                | 9              | 8      | 7              | 6              | 5 | 4 | 3 | 2 | 1 |   |   |
| J                                      | ENG. NO.      | PIN NO.    | DIM. L           | DIM. X          | DIM. Z         | DIM. Y         | DIM. W | DIM. G         | DIM. T         |   |   |   |   |   |   | J |
|                                        | A-4094-NA197  | 42663-0562 | (17.53)<br>.690  | (9.37)<br>.369  | (3.15)<br>.124 | (6.30)<br>.248 | 90°    | N/A            | OVERALL        |   |   |   |   |   |   |   |
| I                                      | A-4094-NA241  | 42663-0563 | (17.53)<br>.690  | (9.37)<br>.369  | (3.15)<br>.124 | (6.30)<br>.248 | 90°    | (5.08)<br>.200 | (3.43)<br>.135 |   |   |   |   |   |   | I |
|                                        | A-4094-NAJ197 | 42663-0862 | (21.34)<br>.840  | (10.13)<br>.399 | (4.09)<br>.161 | (8.41)<br>.331 | 90°    | N/A            | OVERALL        |   |   |   |   |   |   |   |
|                                        | A-4094-NAP197 | 42663-0562 | (17.53)<br>.690  | (8.48)<br>.334  | (3.78)<br>.149 | (6.55)<br>.258 | 90°    | N/A            | OVERALL        |   |   |   |   |   |   |   |
|                                        | A-4094-NBT197 | 42663-0182 | (12.70)<br>.500  | (6.38)<br>.251  | (2.79)<br>.110 | (4.78)<br>.188 | 90°    | N/A            | OVERALL        |   |   |   |   |   |   |   |
| H                                      | A-4094-NDS197 | 42663-1182 | (25.40)<br>1.000 | (17.00)<br>.669 | (3.38)<br>.133 | (6.30)<br>.248 | 90°    | N/A            | OVERALL        |   |   |   |   |   |   | H |
| G                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | G |   |
| F                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | F |   |
| E                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | E |   |
| D                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | D |   |
| C                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | C |   |
| B                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | B |   |
| A                                      |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   | A |   |
| 1b_frame_C_P_ME_T<br>Rev. F 2009/06/18 |               |            |                  |                 |                |                |        |                |                |   |   |   |   |   |   |   |

|                                                                                                                     |                    |                  |                                       |          |                                                            |                          |                    |                                                                                                        |                                                                                                                               |                        |  |                     |
|---------------------------------------------------------------------------------------------------------------------|--------------------|------------------|---------------------------------------|----------|------------------------------------------------------------|--------------------------|--------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------|--|---------------------|
| SEE SHEET 1<br>EC NO: UCP2012-1821<br>DRAWN:MMSTROH 2012/01/20<br>CHKD:HKIPPER 2012/01/23<br>APPR:FSMITH 2012/02/02 | DESCRIPTION<br>REV | QUALITY SYMBOLS  | GENERAL TOLERANCES (UNLESS SPECIFIED) |          |                                                            | DIMENSION STYLE<br>MM/IN |                    | SCALE<br>---                                                                                           | DESIGN UNITS<br>INCH                                                                                                          | THIRD ANGLE PROJECTION |  |                     |
|                                                                                                                     |                    | <br><br><br><br> | =0<br>=0<br>=0<br>=0<br>=0            | mm       | INCH                                                       | DRAWN BY<br>KSS          | DATE<br>1984/09/10 | TITLE<br>WAFER ASSY FLAT MINI KK<br>(4030 WITH BENT PINS)<br>4094 SERIES DRAWING<br>MOLEX INCORPORATED |                                                                                                                               |                        |  |                     |
|                                                                                                                     |                    |                  |                                       | 4 PLACES | ± ---                                                      | ± ---                    | CHECKED BY<br>NP   |                                                                                                        | DATE<br>1984/09/10                                                                                                            |                        |  |                     |
|                                                                                                                     |                    |                  |                                       | 3 PLACES | ± ---                                                      | ± .005                   | APPROVED BY<br>KJA |                                                                                                        | DATE<br>1984/09/10                                                                                                            |                        |  |                     |
|                                                                                                                     |                    |                  |                                       | 2 PLACES | ± 0.13                                                     | ± .01                    | MATERIAL NO.       |                                                                                                        | DOCUMENT NO.                                                                                                                  |                        |  |                     |
|                                                                                                                     |                    |                  |                                       | 1 PLACE  | ± 0.25                                                     | ± ---                    | SIZE<br>C          |                                                                                                        | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                        |  |                     |
|                                                                                                                     |                    | ANGULAR ±1/2°    |                                       |          | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |                          |                    | SEE CHART                                                                                              |                                                                                                                               | SDA-4094               |  | SHEET NO.<br>2 OF 3 |

[illegible]