







THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.2

2 PLC ±0.13

3 PLC ±0.001

4 PLC ±0.0001

ANGLES ±2

FINISH

MATERIAL

-

DWN M. MOSTOLLER 16MAR2012

CHK M. MOSTOLLER 16MAR2012

APVD M. MOSTOLLER 16MAR2012

PRODUCT SPEC 108-133005

APPLICATION SPEC 114-32043

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME TWO PIECE ASSEMBLY
LUMAWISE LED HOLDER, SCALABLE

SIZE A2

CAGE CODE 00779

DRAWING NO C-2154857





RESTRICTED TO -

SCALE 6:1 SHEET 2 OF 3 REV 10

1471-9 (3/11)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



9 APPLICATION NOTE: IN ADDITION TO USE WITH COB LEDS THE SCALABLE LED HOLDER CAN BE UTILIZED TO MAKE AN ELECTRICAL CONNECTION TO FR4 OR IMS PCB ASSEMBLIES. RECOMMENDED DIMENSIONAL INFORMATION FOR THIS TYPE OF APPLICATION IS SHOWN IN THE DRAWING VIEWS ABOVE.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 16MAR2012 M. MOSTOLLER	TE Connectivity			
		CHK 16MAR2012 M. MOSTOLLER				
		APVD 16MAR2012	NAME TWO PIECE ASSEMBLY LUMAWISE LED HOLDER, SCALABLE			
DIMENSIONS: mm		PRODUCT SPEC 108-133005	SIZE A200779		DRAWING NO C-2154857	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPLICATION SPEC 114-32043		RESTRICTED TO -	
		0 PLC ±	WEIGHT -		SCALE 6:1	
		1 PLC ±0.2	CUSTOMER DRAWING		SHEET 3 OF 3	
		2 PLC ±0.13			REV 10	
		3 PLC ±0.001				
		4 PLC ±0.0001				
		ANGLES ±2				
MATERIAL -		FINISH -				