



LOC		DIST		REVISIONS			
AD	00	REV	DATE	BY	CHKD	APPD	REV
H1	REVISED PER	ECO-11-004587	11MAR11	RK	HMR		

△ MOLDED CIRCUIT #1 IDENTIFIER IN LOCATION SHOWN.



REV	DATE	BY	CHKD	APPD	REV		
81.28[3.200]	31	64	3-102394-0				
78.74[3.100]	30	62	2-102394-9				
76.20[3.000]	29	60	2-102394-8				
73.66[2.900]	28	58	2-102394-7				
71.12[2.800]	27	56	2-102394-6				
68.58[2.700]	26	54	2-102394-5				
66.04[2.600]	25	52	2-102394-4				
63.50[2.500]	24	50	2-102394-3				
60.96[2.400]	23	48	2-102394-2				
58.42[2.300]	22	46	2-102394-1				
OBSOLETE							
55.88[2.200]	21	44	2-102394-0				
53.34[2.100]	20	42	1-102394-9				
50.80[2.000]	19	40	1-102394-8				
48.26[1.900]	18	38	1-102394-7				
45.72[1.800]	17	36	1-102394-6				
43.18[1.700]	16	34	1-102394-5				
40.64[1.600]	15	32	1-102394-4				
38.10[1.500]	14	30	1-102394-3				
35.56[1.400]	13	28	1-102394-2				
33.02[1.300]	12	26	1-102394-1				
30.48[1.200]	11	24	1-102394-0				
27.94[1.100]	10	22	102394-9				
25.40[1.000]	9	20	102394-8				
22.86[.900]	8	18	102394-7				
20.32[.800]	7	16	102394-6				
17.78[.700]	6	14	102394-5				
15.24[.600]	5	12	102394-4				
12.70[.500]	4	10	102394-3				
10.16[.400]	3	8	102394-2				
7.62[.300]	2	6	102394-1				
B	A	NO. OF POSN	PART NO.	B	A	NO. OF POSN	PART NO.

91.44[3.600]	35	72	3-102394-4
88.90[3.500]	34	70	3-102394-3
86.36[3.400]	33	68	3-102394-2
83.82[3.300]	32	66	3-102394-1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DATE: 24JUL91  
 S. SHUEY  
 M. RIDER  
 M. RIDER  
 M. RIDER

TE Connectivity

HSG, DBL ROW, 2.54[.100]x2.54[.100] CL MT, AMPMODU

SIZE: A1  
 CAGE CODE: 00779  
 DRAWING NO: 102394

RESTRICTED TO: CUSTOMER DRAWING

SCALE: 4:1 SHEET: 1 OF 1 REV: H1