



38.7	35.2	33	52207-3417	34
34.7	31.2	29	-3017	30
33.7	30.2	28	-2917	29
32.7	29.2	27	-2817	28
31.7	28.2	26	-2717	27
30.7	27.2	25	-2617	26
29.7	26.2	24	-2517	25
28.7	25.2	23	-2417	24
27.7	24.2	22	-2317	23
26.7	23.2	21	-2217	22
25.7	22.2	20	-2117	21
24.7	21.2	19	-2017	20
23.7	20.2	18	-1917	19
22.7	19.2	17	-1817	18
21.7	18.2	16	-1717	17
20.7	17.2	15	-1617	16
19.7	16.2	14	-1517	15
18.7	15.2	13	-1417	14
17.7	14.2	12	-1317	13
16.7	13.2	11	-1217	12
15.7	12.2	10	-1117	11
14.7	11.2	9	-1017	10
13.7	10.2	8	-0917	9
12.7	9.2	7	-0817	8
11.7	8.2	6	-0717	7
10.7	7.2	5	-0617	6
9.7	6.2	4	-0517	5
8.7	5.2	3	-0417	4
7.7	4.2	2	52207-0317	3
C	B	A	MATERIAL NO.	棟 数

EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. DRWN: CHK: APPR:	EC NO. J2004-0390 DRWN: K.TOJO CHK: H. Sato APPR: H. Sato	REDAWN	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE —//—	DESIGN UNITS ☒ mm ☐ INCH	THIRD ANGLE PROJECTION	☐ mm INCH ☐ mm INCH ☒ mm ONLY	REVISE ON CAD ONLY
							FINISH 仕上り		10 UNDER 未満	±0.2	DRAWN BY & DATE K.TOJO 03/08/19	TITLE: 1.0mm Pitch FPC Conn ZIF SMT		
									10 OVER 以上 30 UNDER 未満	±0.25	CHECKED BY & DATE H. Sato 03/08/19			
									30 OVER 以上	±0.3	APPROVED BY & DATE H. Sato 03/08/19	MOLEX MOLEX INCORPORATED		
							WIRE RANGE 適用電線範囲		ANGLE 角度	±3°	CAD FILENAME 52207.S07	MATERIAL NO. 52207-**17	DRAWING NO. SD-52207-**17	SHEET NO. 1 OF 2
							INS. RANGE 被覆外径				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			SIZE P




断面D—D
SECT.D-D






下面图

BOTTOM VIEW

EC NO. DRWN: CHK'g: APPR:	EC NO. DRWN: CHK'g: APPR:	EC NO. DRWN: CHK'g: APPR:	EC NO. DRWN: CHK'g: APPR:	REDRAWN EC NO. J2004-0390 DRWN: K.TOJO 08/08 CHK'g: H. Sasaki 08/08 APPR: H. Sasaki 08/08	DESCRIPTION MATERIAL 材料 注記参照 SEE NOTES FINISH 仕上付 WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	REV	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE —	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY		SHT	REV
							10 UNDER 未満	±0.2	DRAWN BY & DATE K.TOJO 03/08/19	TITLE: 1.0mm Pitch FPC Conn ZIF SMT		MOLEX INCORPORATED	SHEET NO. 2 OF 2	SIZE B	
							10 OVER 以上 30 UNDER 未満	±0.25	CHECKED BY & DATE H. Sasaki 03/08/19						
							30 OVER 以上	±0.3	APPROVED BY & DATE H. Sasaki 03/08/19						
							ANGLE 角度	±3°	CAD FILENAME 52207.S09	MATERIAL NO. 52207-**17	DRAWING NO. SD-52207-**17	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			



REVISED		EC NO: 12005-0105		DRWN:NMABE1		CHKD:KITO10		APP:NUK1TA		2004/07/13		2004/07/13		2004/07/14		REV		B																					
GENERAL TOLERANCES (UNLESS SPECIFIED)																																							
10 UNDER					± 0.2																																		
10 OVER					30 UNDER					± 0.25																													
30 OVER					± 0.3																																		
ANGULAR					± 3 °																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																							
MATERIAL NO.										SEE CHART										DOCUMENT NO.										SHEET NO.									
																				SD-52207-060										2 OF 2									
																				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			



24	29.4	25.4	18.5	15	11.7	17.3	52207-1185	11
			17.5	14	10.7	16.3	-1085	10
			16.5	13	9.7	15.3	-0985	9
			15.5	12	8.7	14.3	-0885	8
			14.5	11	7.7	13.3	-0785	7
			13.5	10	6.7	12.3	-0685	6
			12.5	9	5.7	11.3	-0585	5
			11.5	8	4.7	10.3	-0485	4
16	21.4	17.4	10.5	7	3.7	9.3	52207-0385	3
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(D)	(C)	(B)	(A)	MATERIAL NO.	極数 CKT.

52207-***85		材料 MATERIAL		注記参照 SEE NOTES		molex MOLEX-JAPAN CO.,LTD. 日本モレックス株式会社	
MODEL NO.		仕上げ FINISH		適用電線範囲 WIRE RANGE		REVISE ONLY ON CAD SYSTEM	
角度 ANGLE		被覆外径 INS. RANGE		DRAWN BY '04/02/06 M.NINOMIYA		TITLE 名称 1.0 FPC Conn ZIF SMT Embstp Pkg	
30以上 OVER		REVISD BY '04/02/27 M.N.		CHK'D BY '04/02/06 K.TOJO		-LEAD FREE-	
10以上 30未満 UNDER		新規格作成 RELEASED BY '04/02/06 M.N.		尺 度 SCALE		DWG. NO. SD-52207-061	
10未満 UNDER		記号 LTR		変更内容 REVISION RECORD		(SHEET 1 OF 3)	
一般公差 GENERAL TOLERANCES		DR. CHK.		日付 DATE		REV A	

F

D

C


B

A



MM

8

引き出し方向
PULL OUT DIRECTION



引き出し方向
PULL OUT DIRECTION



32	37.4	33.4	4.0	0.5	23.5	20	16.7	22.35	52207-1685	16
			4.2	0.6	22.5	19	15.7	21.35	4-1585	15
			4.2	0.6	21.5	18	14.7	20.35	-1485	14
			4.2	0.6	20.5	17	13.7	19.35	7-1385	13
			4.2	0.6	19.5	16	12.7	18.35	52207-1285	12
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(G)	(F)	(D)	(C)	(B)	(A)	MATERIAL NO.	極数 CKT.

44	49.4	45.4	34.5	31	27.7	33.35	52207-2785	27
			33.5	30	26.7	32.35	4-2685	26
			32.5	29	25.7	31.35	-2585	25
			31.5	28	24.7	30.35	-2485	24
			30.5	27	23.7	29.35	-2385	23
			29.5	26	22.7	28.35	-2285	22
			28.5	25	21.7	27.35	-2185	21
			27.5	24	20.7	26.35	-2085	20
			26.5	23	19.7	25.35	-1985	19
			25.5	22	18.7	24.35	7-1885	18
			24.5	21	17.7	23.35	52207-1785	17
キャリアテープ幅 CARRIER TAPE WIDTH	H	E	(D)	(C)	(B)	(A)	MATERIAL NO.	極数 CKT.

52207-**-85	材料 MATERIAL	注記参照 SEE NOTES	材料 MATERIAL
MODEL NO.	仕上げ FINISH	適用電線範囲 WIRE RANGE	適用電線範囲 WIRE RANGE
角度 ANGLE	被覆外径 INS. RANGE	被覆外径 INS. RANGE	被覆外径 INS. RANGE
30°以上 OVER	DRAWN BY 04/02/06 M.NINOMIYA	CHK'D BY 04/02/06 K.TOJO	DRAWN BY 04/02/06 M.NINOMIYA
10°以上 30°未満 OVER UNDER	RELESED (J2004-2323) 04/02/06	尺度 SCALE	尺度 SCALE
10°未満 UNDER	DR. CHK. DATE	日付 DATE	日付 DATE
一般公差 GENERAL TOLERANCES	変更内容 REVISION RECORD	変更内容 REVISION RECORD	変更内容 REVISION RECORD
記号 LTR	変更内容 REVISION RECORD	変更内容 REVISION RECORD	変更内容 REVISION RECORD
52207-**-85	材料 MATERIAL	注記参照 SEE NOTES	材料 MATERIAL
MODEL NO.	仕上げ FINISH	適用電線範囲 WIRE RANGE	適用電線範囲 WIRE RANGE
角度 ANGLE	被覆外径 INS. RANGE	被覆外径 INS. RANGE	被覆外径 INS. RANGE
30°以上 OVER	DRAWN BY 04/02/06 M.NINOMIYA	CHK'D BY 04/02/06 K.TOJO	DRAWN BY 04/02/06 M.NINOMIYA
10°以上 30°未満 OVER UNDER	RELESED (J2004-2323) 04/02/06	尺度 SCALE	尺度 SCALE
10°未満 UNDER	DR. CHK. DATE	日付 DATE	日付 DATE
一般公差 GENERAL TOLERANCES	変更内容 REVISION RECORD	変更内容 REVISION RECORD	変更内容 REVISION RECORD
記号 LTR	変更内容 REVISION RECORD	変更内容 REVISION RECORD	変更内容 REVISION RECORD

