



68803-0030	HDMI TO DVI-D(M) CABLE ASS'Y,16.4FT	4999 ± 100	BLACK	7.3MM(TMDS - AWG#28)	887808276
68803-0029	HDMI TO DVI-D(M) CABLE ASS'Y,10FT	3048 ± 80	BLACK	7.3MM(TMDS - AWG#28)	887808276
68803-0028	HDMI TO DVI-D(M) CABLE ASS'Y,6.6FT	2012 ± 60	BLACK	7.3MM(TMDS - AWG#28)	887808276
68803-0027	HDMI TO DVI-D(M) CABLE ASS'Y,3.3FT	1006 ± 30	BLACK	7.3MM(TMDS - AWG#28)	887808276
MX P/N	DESCRIPTION	LENGTH	CABLE COLOR	CABLE OD	CABLE P/N

ENTER DESCRIPTION EC NO: DG2006-0075 DRWN: JFZHENG CHKD: APPR: DQLUO				2005/10/17 2005/10/19 2005/10/20		QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY			SCALE ---		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION			
									mm	INCH	DRAWN BY JFZHENG		DATE 2005/10/12		TITLE HDMI(M) TO DVI(M) CABLE ASS'Y					
							4 PLACES		± ---	± ---	CHECKED BY JFZHENG		DATE 2005/10/12							
							3 PLACES		± ---	± ---	APPROVED BY DQLUO		DATE 2005/10/12							
							2 PLACES		± ---	± ---	MOLEX MOLEX INCORPORATED									
							1 PLACE		± ---	± ---										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							ANGULAR ± ---°			MATERIAL NO. 68803-0027/28/29/30		DOCUMENT NO. SD-68803-027			SHEET NO. 1 OF 2					
													SIZE A4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	7	6	5	4	3	2	1																																																																													
E	NOTE: 1. OVERMOLD SPECIFICATION: 1.1 DVI BOOT MOLDED SNOW WHITE PVC RESIN 887800076E~UL94V-0. 1.2 HDMI INNER MOLDED WITH PVC RESIN 887800019. HDMI OUTER MOLDED WITH PVC RESIN 887800150. 1.3 DUST COVER MOLDED WITH PE 887800008. 2. MECHANICAL SPECIFICATION: 2.1 CABLE SHOULD STAND THE PULL FORCE 89-111N FOR 30 SECONDS WITH NO VISIBLE TERMINATION DAMAGE. 2.2 CABLE SHOULD PASS THE FLEX TEST IN 100 CYCLES AT EACH OF PLANES, PER EIA 364-41, CONDITION 1. 3. DVI CONNECTOR SPECIFICATION. 3.1 REFER TO PRODUCT SPEC. PS74320-001. 3.2 CONTACT PLATIN: AU FLASH. 4. CABLE CONSTRUCTION: a.(AWG#28*1P+D)*4 + AWG#28*1P + AWG#28*3C, 7.3MMOD "MOLEX" MUST BE IN CABLE MARKING 5. MATERIAL MUST MEET MX TS-0002.							E																																																																												
D	<table><tr><td>SHIELD</td><td>SHIELD</td><td>OVERALL SHIELD</td><td>GROUND</td></tr><tr><td>PIN 19</td><td>PIN 16</td><td>WHITE</td><td>HOT PLUG DETECT</td></tr><tr><td>PIN 18</td><td>PIN 14</td><td>YELLOW</td><td>POWER +5V</td></tr><tr><td>PIN 17</td><td>PIN 15</td><td>ORANGE</td><td>GROUND(+5V&DDC)</td></tr><tr><td>PIN 16</td><td>PIN 7</td><td>RED</td><td>DDC DATA(SDA)</td></tr><tr><td>PIN 15</td><td>PIN 6</td><td>VIOLET</td><td>DDC CLOCK(SCL)</td></tr><tr><td>PIN 12</td><td>PIN 24</td><td>WHITE</td><td>TMDS CLOCK-</td></tr><tr><td>PIN 11</td><td>PIN 22</td><td>BRAID</td><td>TMDS CLOCK SHIELD</td></tr><tr><td>PIN 10</td><td>PIN 23</td><td>BROWN</td><td>TMDS CLOCK+</td></tr><tr><td>PIN 9</td><td>PIN 17</td><td>WHITE</td><td>TMDS DATA 0-</td></tr><tr><td>PIN 8</td><td>PIN 19</td><td>BRAID</td><td>TMDS DATA 0 SHIELD</td></tr><tr><td>PIN 7</td><td>PIN 18</td><td>BLUE</td><td>TMDS DATA 0+</td></tr><tr><td>PIN 6</td><td>PIN 9</td><td>WHITE</td><td>TMDS DATA 1-</td></tr><tr><td>PIN 5</td><td>PIN 11</td><td>BRAID</td><td>TMDS DATA 1 SHIELD</td></tr><tr><td>PIN 4</td><td>PIN 10</td><td>GREEN</td><td>TMDS DATA 1+</td></tr><tr><td>PIN 3</td><td>PIN 1</td><td>WHITE</td><td>TMDS DATA 2-</td></tr><tr><td>PIN 2</td><td>PIN 3</td><td>BRAID</td><td>TMDS DATA 2 SHIELD</td></tr><tr><td>PIN 1</td><td>PIN 2</td><td>RED</td><td>TMDS DATA 2+</td></tr><tr><td>HDMI</td><td>DVI-D</td><td>COLOR</td><td>CABLE FUNCTION</td></tr></table>							SHIELD	SHIELD	OVERALL SHIELD	GROUND	PIN 19	PIN 16	WHITE	HOT PLUG DETECT	PIN 18	PIN 14	YELLOW	POWER +5V	PIN 17	PIN 15	ORANGE	GROUND(+5V&DDC)	PIN 16	PIN 7	RED	DDC DATA(SDA)	PIN 15	PIN 6	VIOLET	DDC CLOCK(SCL)	PIN 12	PIN 24	WHITE	TMDS CLOCK-	PIN 11	PIN 22	BRAID	TMDS CLOCK SHIELD	PIN 10	PIN 23	BROWN	TMDS CLOCK+	PIN 9	PIN 17	WHITE	TMDS DATA 0-	PIN 8	PIN 19	BRAID	TMDS DATA 0 SHIELD	PIN 7	PIN 18	BLUE	TMDS DATA 0+	PIN 6	PIN 9	WHITE	TMDS DATA 1-	PIN 5	PIN 11	BRAID	TMDS DATA 1 SHIELD	PIN 4	PIN 10	GREEN	TMDS DATA 1+	PIN 3	PIN 1	WHITE	TMDS DATA 2-	PIN 2	PIN 3	BRAID	TMDS DATA 2 SHIELD	PIN 1	PIN 2	RED	TMDS DATA 2+	HDMI	DVI-D	COLOR	CABLE FUNCTION	D
SHIELD	SHIELD	OVERALL SHIELD	GROUND																																																																																	
PIN 19	PIN 16	WHITE	HOT PLUG DETECT																																																																																	
PIN 18	PIN 14	YELLOW	POWER +5V																																																																																	
PIN 17	PIN 15	ORANGE	GROUND(+5V&DDC)																																																																																	
PIN 16	PIN 7	RED	DDC DATA(SDA)																																																																																	
PIN 15	PIN 6	VIOLET	DDC CLOCK(SCL)																																																																																	
PIN 12	PIN 24	WHITE	TMDS CLOCK-																																																																																	
PIN 11	PIN 22	BRAID	TMDS CLOCK SHIELD																																																																																	
PIN 10	PIN 23	BROWN	TMDS CLOCK+																																																																																	
PIN 9	PIN 17	WHITE	TMDS DATA 0-																																																																																	
PIN 8	PIN 19	BRAID	TMDS DATA 0 SHIELD																																																																																	
PIN 7	PIN 18	BLUE	TMDS DATA 0+																																																																																	
PIN 6	PIN 9	WHITE	TMDS DATA 1-																																																																																	
PIN 5	PIN 11	BRAID	TMDS DATA 1 SHIELD																																																																																	
PIN 4	PIN 10	GREEN	TMDS DATA 1+																																																																																	
PIN 3	PIN 1	WHITE	TMDS DATA 2-																																																																																	
PIN 2	PIN 3	BRAID	TMDS DATA 2 SHIELD																																																																																	
PIN 1	PIN 2	RED	TMDS DATA 2+																																																																																	
HDMI	DVI-D	COLOR	CABLE FUNCTION																																																																																	
C								C																																																																												
B	<table><tr><td>H</td><td>HDMI SMALL METAL PLATE 47152-6009</td><td>1</td></tr><tr><td>G</td><td>HDMI METAL CAN GOLD PLATED 47152-4002</td><td>1</td></tr><tr><td>F</td><td>HDMI HOUSING ASSY' BLACK 47152-1000</td><td>1</td></tr><tr><td>E</td><td>DVI THUMB SCREW GOLD PLATED. 172000522</td><td>2</td></tr><tr><td>D</td><td>PCB 887899569/887899570</td><td>1</td></tr><tr><td>C</td><td>ONE BODY CAN 887899392</td><td>1</td></tr><tr><td>B</td><td>DVI_D SINGLE CHANNEL G/F CONNECTOR 172000443</td><td>1</td></tr><tr><td>A</td><td>DVI SINGLE LINK CABLE 8878008276</td><td>1</td></tr><tr><td>ITEM</td><td>DESCRIPTION</td><td>QTY.</td></tr></table>							H	HDMI SMALL METAL PLATE 47152-6009	1	G	HDMI METAL CAN GOLD PLATED 47152-4002	1	F	HDMI HOUSING ASSY' BLACK 47152-1000	1	E	DVI THUMB SCREW GOLD PLATED. 172000522	2	D	PCB 887899569/887899570	1	C	ONE BODY CAN 887899392	1	B	DVI_D SINGLE CHANNEL G/F CONNECTOR 172000443	1	A	DVI SINGLE LINK CABLE 8878008276	1	ITEM	DESCRIPTION	QTY.	B																																																	
H	HDMI SMALL METAL PLATE 47152-6009	1																																																																																		
G	HDMI METAL CAN GOLD PLATED 47152-4002	1																																																																																		
F	HDMI HOUSING ASSY' BLACK 47152-1000	1																																																																																		
E	DVI THUMB SCREW GOLD PLATED. 172000522	2																																																																																		
D	PCB 887899569/887899570	1																																																																																		
C	ONE BODY CAN 887899392	1																																																																																		
B	DVI_D SINGLE CHANNEL G/F CONNECTOR 172000443	1																																																																																		
A	DVI SINGLE LINK CABLE 8878008276	1																																																																																		
ITEM	DESCRIPTION	QTY.																																																																																		
A	ENTER DESCRIPTION EC NO: DG2006-0075 DRWN:JFZHENG CHKD: APPR:DQLUO 2005/10/17 2005/10/19 2005/10/20 DESCRIPTION REV 1	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td></tr><tr><td colspan="3">ANGULAR ±---°</td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	ANGULAR ±---°			DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>JFZHENG</td><td>2005/10/12</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>JFZHENG</td><td>2005/10/12</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>DQLUO</td><td>2005/10/12</td></tr></table> MATERIAL NO. 68803-0027/28/29/30 SIZE A4 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DRAWN BY	DATE	JFZHENG	2005/10/12	CHECKED BY	DATE	JFZHENG	2005/10/12	APPROVED BY	DATE	DQLUO	2005/10/12	SCALE --- DESIGN UNITS METRIC THIRD ANGLE PROJECTION MOLEX INCORPORATED DOCUMENT NO. SD-68803-027 SHEET NO. 2 OF 2	HDMI(M) TO DVI(M) CABLE ASS'Y	A																																															
	mm	INCH																																																																																		
4 PLACES	±---	±---																																																																																		
3 PLACES	±---	±---																																																																																		
2 PLACES	±---	±---																																																																																		
1 PLACE	±---	±---																																																																																		
ANGULAR ±---°																																																																																				
DRAWN BY	DATE																																																																																			
JFZHENG	2005/10/12																																																																																			
CHECKED BY	DATE																																																																																			
JFZHENG	2005/10/12																																																																																			
APPROVED BY	DATE																																																																																			
DQLUO	2005/10/12																																																																																			
	6	5	4	3	2	1																																																																														

tb_frame_A4_P_ME_T

Rev. D 2004/04/02

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[68803-0028](#)