

10 9 8 7 6 5 4 3 2 1

NOTES:

1. MATERIAL:

HSG: PCT, 30% GLASS FILLED,UL 94V-0,
COLOUR BLACK.

PIN: 0.50MM SQ PHOSPHOR BRONZE 510

2. PLATING:

***5 - 0.05um MIN - 0.25um MAX GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***6 - 0.38um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***7 - 0.76um MIN GOLD IN CONTACT AREA,
2.00um MIN TIN IN SOLDER TAIL AREA, BOTH OVER
1.25um MIN NICKEL OVERALL

***8 - 2.54um MIN TIN OVER
1.25um MIN NICKEL OVERALL

3. 12 CKT USED FOR ILLUSTRATION ONLY

4. PART TO BE PACKED IN POCKET TRAY/TUBE (SEE TABLE).

5. PRODUCT SPEC PS-87761-100 APPLIES.

6. RECOMMENDED PCB BOARD THK 1.60±0.10 MM.


7. MATING LENGTH: 1 - 4.00MM
2 - 3.50MM
3 - 3.06MM
4 - 5.75MM

8. PART NUMBERS THAT ARE UNAVAILABLE IN THIS SD:
87760-0646, 87760-1046, 87760-1446, 87760-2446, 87760-4046.
(REFER TO SD-87760-133 FOR THESE PART NUMBERS)




LEGEND:

87760 - * * * *

PLATING OPTION 2
(SEE NOTE 2)
MATING OPTION 7




RECOMMENDED PCB LAYOUT



DETAIL Z

SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08 REV		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			$F_A=0$ $F_G=0$ $F_P=0$		mm	INCH	DRAWN BY KSEE	DATE 2003/10/15	TITLE MGRID, 2MM DUAL ROW HDR. R/A			
				4 PLACES	± ---	± ---	CHECKED BY KCL ING	DATE 2003/12/02				
				3 PLACES	± ---	± ---	APPROVED BY SKTOH	DATE 2003/12/11	molex			
				2 PLACES	± 0.2	± ---	MATERIAL NO. SEE TABLE					
A16				1 PLACE	± ---	± ---						
				0 PLACE	±	±						
				ANGULAR ± 3 °								
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																			
	PART NUMBER	VOID PIN LOCATION	CKT SIZE	A	B	M	T	PACKAGING TYPE																																					
F	87760-04**	-	04	2.00	4.00	REFER TO NOTE 	2.60	TRAY	 PART IN TUBE																																				
	87760-06** 	-	06	4.00	6.00																																								
	87760-08**	-	08	6.00	8.00																																								
	87760-10** 	-	10	8.00	10.00																																								
	87760-12** 	-	12	10.00	12.00																																								
E	87760-14** 	-	14	12.00	14.00																																								
	87760-16**	-	16	14.00	16.00																																								
	87760-18**	-	18	16.00	18.00																																								
	87760-20**	-	20	18.00	20.00																																								
	87760-22**	-	22	20.00	22.00																																								
D	87760-24** 	-	24	22.00	24.00																																								
	87760-26**	-	26	24.00	26.00																																								
	87760-28**	-	28	26.00	28.00																																								
	87760-30**	-	30	28.00	30.00																																								
	87760-32**	-	32	30.00	32.00																																								
C	87760-34**	-	34	32.00	34.00																																								
	87760-36**	-	36	34.00	36.00																																								
	87760-38**	-	38	36.00	38.00																																								
	87760-40** 	-	40	38.00	40.00																																								
	87760-42**	-	42	40.00	42.00																																								
B	87760-44**	-	44	42.00	44.00																																								
	87760-46**	-	46	44.00	46.00																																								
	87760-48**	-	48	46.00	48.00																																								
	87760-50**	-	50	48.00	50.00																																								
A						SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:MLONG 2013/07/08 DESCRIPTION REV		QUALITY SYMBOLS =0 =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><th></th><th>mm</th><th>INCH</th></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>±</td><td>±</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	DIMENSION STYLE MM ONLY <table><tr><th>DRAWN BY</th><th>DATE</th></tr><tr><td>KSEE</td><td>2003/10/15</td></tr><tr><th>CHECKED BY</th><th>DATE</th></tr><tr><td>KCLING</td><td>2003/12/02</td></tr><tr><th>APPROVED BY</th><th>DATE</th></tr><tr><td>SKTOH</td><td>2003/12/11</td></tr></table>	DRAWN BY	DATE	KSEE	2003/10/15	CHECKED BY	DATE	KCLING	2003/12/02	APPROVED BY	DATE	SKTOH	2003/12/11	SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE MGRID, 2MM DUAL ROW HDR. R/A	
		mm	INCH																																										
	4 PLACES	± ---	± ---																																										
	3 PLACES	± ---	± ---																																										
	2 PLACES	± 0.2	± ---																																										
1 PLACE	± ---	± ---																																											
0 PLACE	±	±																																											
DRAWN BY	DATE																																												
KSEE	2003/10/15																																												
CHECKED BY	DATE																																												
KCLING	2003/12/02																																												
APPROVED BY	DATE																																												
SKTOH	2003/12/11																																												
						ANGULAR ± 3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																		
						SEE TABLE		MATERIAL NO.		DOCUMENT NO. SD-87760-109		SHEET NO. 2 OF 3																																	
fb_frame_A3_P_AM-T Rev. G 2012/01/11		9	8	7	6	5	4	3	2	1																																			

	10	9	8	7	6	5	4	3	2	1																																																							
F	PART NUMBER	VOID PIN LOCATIONS	CKT SIZE	A	B	M	T	PACKAGING TYPE																																																									
	87760-5116	5, 6 & 26	50	48.00	50.00	REFER TO NOTE 7.	2.60	TUBE																																																									
	87760-531*	-	24	22.00	24.00		1.50	TRAY																																																									
	87760-5216	-	04	2.00	4.00		2.60	TUBE																																																									
	87760-5416	-	20	18.00	20.00																																																												
	87760-5248	-	28	26.00	28.00																																																												
E	87760-5516	5, 6, 7, 8, 9, 10, 15, 16, 17, 18, 19, 20, 25, 26, 27, 28, 29, 30	34	32.00	34.00																																																												
D																																																																	
C																																																																	
B																																																																	
A	<table><tr><td rowspan="5">SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td rowspan="5"> THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4"> </td><td></td><td></td><td>DRAWN BY</td><td>DATE</td><td colspan="2" rowspan="4">MGRID, 2MM DUAL ROW HDR. R/A</td></tr><tr><td>4 PLACES</td><td>± --- ± ---</td><td>KSEE</td><td>2003/10/15</td></tr><tr><td>3 PLACES</td><td>± --- ± ---</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>2 PLACES</td><td>± 0.2 ± ---</td><td>KCL ING</td><td>2003/12/02</td></tr><tr><td>1 PLACE</td><td>± --- ± ---</td><td>APPROVED BY</td><td>DATE</td><td colspan="2" rowspan="2"></td></tr><tr><td>0 PLACE</td><td>± ±</td><td>SKTOH</td><td>2003/12/11</td></tr><tr><td colspan="3">ANGULAR ± 3 °</td><td>MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SIZE A3</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2"></td></tr></table>										SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	 			DRAWN BY	DATE	MGRID, 2MM DUAL ROW HDR. R/A		4 PLACES	± --- ± ---	KSEE	2003/10/15	3 PLACES	± --- ± ---	CHECKED BY	DATE	2 PLACES	± 0.2 ± ---	KCL ING	2003/12/02	1 PLACE	± --- ± ---	APPROVED BY	DATE			0 PLACE	± ±	SKTOH	2003/12/11	ANGULAR ± 3 °			MATERIAL NO.	DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
SHT 3, +87760-5516 EC NO: S2013-0842 DRWN:ATSEE 2013/05/31 CHKD:SKANG 2013/06/28 APPR:WLONG 2013/07/08	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																								
		 			DRAWN BY	DATE	MGRID, 2MM DUAL ROW HDR. R/A																																																										
			4 PLACES	± --- ± ---	KSEE	2003/10/15																																																											
			3 PLACES	± --- ± ---	CHECKED BY	DATE																																																											
			2 PLACES	± 0.2 ± ---	KCL ING	2003/12/02																																																											
1 PLACE	± --- ± ---	APPROVED BY	DATE																																																														
0 PLACE	± ±	SKTOH	2003/12/11																																																														
ANGULAR ± 3 °			MATERIAL NO.	DOCUMENT NO.		SHEET NO.																																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																												
	fb_frame_A3_P_AM_T Rev. G 2012/01/11	9	8	7	6	5	4	3	2	1																																																							