







2149539-1 FINISHED ASSEMBLY SCALE 4:1		NETWORKING, SHORT		2149539-1	
		DESCRIPTION		PART NUMBER	
		 TE Connectivity		NAME	
		SFP+ ENHANCED 1X4 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK AND LIGHT PIPES		SIZE	
		A100779		CAGE CODE DRAWING NO	
		C=2149539		RESTRICTED TO	
		Customer Drawing		SCALE 5:1	
		SHEET 1 OF 4		REV A	


LOC		DIST		REVISIONS			
GP				P	LYR	DESCRIPTION	DATE
				-		SEE SHEET 1	-




0.23^{+0.10}_{-0.14}
TOP OF PCB
TO INSIDE OF
BEZEL CUT-OUT



2149539-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL









0.23^{+0.10}_{-0.14}
TOP OF PCB
TO INSIDE OF
BEZEL CUT-OUT





2149539-1
MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN M. SCHMITT 11AUG2010				TE Connectivity			
DIMENSIONS:				CHK M. SCHMITT 11AUG2010				NAME			
mm				APVD B. WERTZ 11AUG2010				SFP+ ENHANCED 1X4 CAGE ASSEMBLY			
				PRODUCT SPEC				PRESS FIT, EXTERNAL EMI SPRINGS			
				108-2364				WITH HEATSINK AND LIGHT PIPES			
				APPLICATION SPEC				SIZE			
				114-13120				CAGE CODE DRAWING NO			
				WEIGHT				RESTRICTED TO			
				Customer Drawing				A100779C=2149539			
				SCALE				5:1			
				SHEET				2			
				OF				4			
				REV				A			



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG M_SCHMITT	ITAG02010		TE Connectivity	
		CHEF M_SCHMITT	ITAG02010			
DIMENSIONS:		APPROVED B_WERTZ	ITAG02010	NAME	SFP+ ENHANCED 1X4 CAGE ASSEMBLY PRESS FIT, EXTERNAL EM SPRINGS WITH HEATSINK AND LIGHT PIPES	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
mm		108-2364				
		APPLICATION SPEC				
2 PLC ±0.1 2 PLC ±0.1 2 PLC ±0.1 4 PLC ±0.1 ANGLES ±1°		114-13120		SIZE	CAGE CODE	DRAWING NO
MATERIAL	FINISH	WEIGHT		A100779		C=2149539
-	-	-	Customer Drawing	SCALE	5:1	SHEET 3 of 4 REV A



RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS 
SCALE 5:1

—CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M SCHMITT 11AUG2010 CHW M SCHMITT 11AUG2010 APVD B WERTZ 11AUG2010		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P L C ±0.1 1 P L C ±0.1 2 P L C ±0.1 3 P L C ±0.1 4 P L C ±0.1 ANGLES ±10°		NAME SFP+ ENHANCED 1X4 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS WITH HEATSINK AND LIGHT PIPES	
		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120		SIZE A1	
MATERIAL -		FINISH -		CASE CODE 00779	
WEIGHT -		DRAWING NO C-2149539		RESTRICTED TO -	
Customer Drawing		SCALE 5:1		SHEET 4 OF 4	
REV A		REV A		REV A	