








NOTES

- 1) CONTACT-PLATED PHOSPHOR BRONZE.
- 2) HOUSING-15% GLASS FILLED POLYESTER.
COLOUR-BLACK.
- 3) COMPATIBLE WITH PCB HOLE PATTERN.
- 4) FOR (0.635) / .025 SQ. MALE PINS THE
LENGTH MUST BE (5.65) / .222 MIN &
(7.00) / .276 MAX. TO ENSURE GOOD
CONNECTION WITH CONTACT.

ADD INSET FOR GATE
EC NO: E2009-0250 2008/12/08
DRWN: BMAGUIRE 2008/12/08
CHKD: 2008/12/08
APPR: BMAGUIRE 2008/12/08
AH

QUALITY
SYMBOLS
▽=0
C=0
REV

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± --- ± ---
3 PLACES	± --- ± ---
2 PLACES	± 0.05 ± ---
1 PLACE	± 0.10 ± ---
ANGULAR ± ---°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE MM ONLY	
DRAWN BY	DATE
DB	21/07/86
CHECKED BY	DATE
APPROVED BY	DATE
MATERIAL NO.	SEE CHART
SIZE	A3

SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
TITLE C-GRID III DUAL ROW VERTICAL P.C. BOARD CONNECTOR		
 MOLEX INCORPORATED		
DOCUMENT NO. SDA-90151		SHEET NO. 1 OF 5
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

6	AF
5	AD
4	AD
3	AD
2	AG
1	AH

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[90151-2306](#) [90151-2308](#) [90151-2364](#) [90151-2312](#) [90151-2334](#) [90151-2160](#) [90151-2304](#)