

(NO. OF POSITIONS x .07874) + .000/-0.010
[NO. OF POSITIONS x 2.000] + .00/-0.25

{(NO. OF POS x .07874) - .07874} ± .005
{[NO. OF POS x 2.000] - [2.000]}

01 39

.078 [1.981] REF

02 40

2° MAX SWAY
(EITHER DIRECTION)

02 80

.155 [3.937] REF

01 79

2° MAX SWAY
(EITHER DIRECTION)

PATENT NUMBERS
5713755 / 5961339

* FOR EXISTING CUSTOMERS ONLY

LEAD STYLE	"A" POST	"B" (OAL)	"C"
-01	.126 [3.20]	.302 [7.67]	.100 [2.54]
-04	.075 [1.91]	.255 [6.48]	.100 [2.54]
-05	.065 [1.65]	.323 [8.20]	.080 [2.03]
-06	.168 [4.27]	.476 [12.09]	.100 [2.54]






FIG 1



1. REPRESENTS A CRITICAL DIMENSION.
2. MAX. PIN ROTATION IN BODY: 2°
3. PUSHOUT FORCE SHALL BE 1 lb MIN.
4. ALL DIMENSIONS IN BRACKETS [] TO BE MILLIMETERS.
5. PACKAGE POSITIONS 03-40 IN TUBES; LAYER PACKAGE -02 POSITION.
6. .050 [1.27] DIMS TO BE CHECKED AT BEND RADIUS, NOT AT END OF PIN
7. PINS TO BE INSERTED TAIL SIDE FIRST TO AVOID SCRATCHES ON CONTACT
8. SHEAR TAILS FOR -05 & -06 LEAD STYLE.
9. NO BANDOLIER MARKS ARE ALLOWED IN THE POST AREA.
10. MAX. CUT FLASH: .010 [.25]

F:\DWG\MISC\MKTG\TMM-1XX-XX-XX-X-SM-XX-X-MKT.SLDDRW

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322


2MM TERMINAL STRIP ASSEMBLY

DWG NO.	
---------	--

DWG. NO.
TMM-1XX-XX-XX-X-SM-XX-X


BY:RFIDINGER

05-22-1991	SHEET 1 OF 3
------------	--------------




"R" = PAD SIZE ABOVE
"S" = ((NO OF POS x .07874) - "R") / 2


-P: PICK & PLACE PAD




DOUBLE
FIG 2




SINGLE



-M: PICK & PLACE PAD
DOUBLE ONLY




-D




-S

IN-PROCESS 1



-D



-S

IN-PROCESS 2
-05 & -06 LEAD STYLE ONLY






FIG 3
-A: ALIGNMENT PIN
(5 POS. PER ROW MINIMUM)


F:\DWG\MISC\MKTG\TMM-1XX-XX-XX-X-SM-XX-X-MKT.SLDRW



PT-1-24-01-17
TMM-1XX-XX-X-X-SM-S
TMM-1XX-XX-X-X-SM-S-P



PT-1-24-02-17
TMM-1XX-XX-X-X-SM-D



PT-1-24-02-17
TMM-1XX-XX-X-X-SM-D-M

TUBE VIEW

TABLE 1 (SEE NOTE 5)		
OPTION	PKG TUBE	PLUG
-S, -S-P	PT-1-24-01-17	TP-24
-D, -D-A, -D-M, -D-A-M, -D-P, D-A-P	PT-1-24-02-17	TP-09

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 4:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:



2MM TERMINAL STRIP ASSEMBLY

DWG. NO.

TMM-1XX-XX-XX-X-SM-XX-X

BY: REIDINGER 05-22-1991

SHEET 2 OF 3



TAPE AND REEL VIEW

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:
2MM TERMINAL STRIP ASSEMBLY

DWG. NO.
TMM-1XX-XX-XX-X-SM-XX-X

BY: REIDINGER 05-22-1991 SHEET 3 OF 3